

PREJHA Foundation

Reference: 1380-

PREJHA01/24/228

REQUEST FOR QUOTATION

FOR

Partner Empanelment & Supply of Kitchen Utility Items

Dated: 09th January 2024

PanIIT Alumni Reach For Jharkhand Foundation

**A Non-profit Special Purpose Joint Enterprise between agencies of Department of
Welfare, Government of Jharkhand and
PanIIT Alumni Reach For India
Foundation, Kalyan Complex, Balihar
Road, Morabadi,
Ranchi – 834008, Jharkhand**

Contents

Contents

DISCLAIMER	2
SECTION 1: LETTER OF INVITATION	3
<i>PREFACE</i>	<i>5</i>
<i>Purpose of RFQ</i>	<i>5</i>
Section 2: Instructions to Bidders.....	6
<i>General terms & Conditions</i>	<i>7</i>
STANDARD FORMS.....	22
<i>Form Tech 1: Letter.....</i>	<i>23</i>
<i>Form Fin1: Financial Bid Proforma</i>	<i>24</i>

DISCLAIMER

The information contained in this Request for Quotation ("RFQ") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of PanIIT Alumni Reach For Jharkhand Foundation (hereinafter "PREJHA") is provided to interested parties on the terms and conditions set out in this RFQ and such other terms and conditions subject to which such information is provided.

This RFQ is not an agreement and is neither an offer nor an invitation by PREJHA to interested parties who submit their quote (henceforth "Bidders") in response to this RFQ. The purpose of this RFQ is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for selection as supply agency with PREJHA Foundation as per notified norms.

PREJHA Foundation makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or other wise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFQ or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFQ and any assessment, assumption, statement or information contained herein or deemed to form part of this RFQ or arising in any way from this process.

A Bidder must warrant that all the information provided by it to PREJHA Foundation at the time of application & subsequently, is true to the best of it's knowledge and belief, and specially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies PREJHA Foundation from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issue of this RFQ does not imply that PREJHA Foundation is bound to select any Bidder(s) or select any Bidder(s) for any project. PREJHA Foundation may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFQ for bona fide reasons, which will be notified to all the Bidders invited to tender. Further PREJHA Foundation hereby reserves its right to annul the process at any time prior to issuance of Purchase Order without incurring any liability towards the Tenderers.

The Bidder shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by PREJHA Foundation or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and PREJHA Foundation shall not be liable in any manner for the same or for any other costs or expenses incurred by a Bidder in preparation or submission of the Bid, regardless of the conduct or outcome of this RFQ and related processes.

SECTION 1: LETTER OF INVITATION

PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation invites proposals from reputed bidders for supply of Kitchen Utility Items for PREJHA Foundation's Kaushal Colleges and Kalyan Gurukul in Jharkhand.

A bidder will be selected based on Lowest Cost Method (L1 basis) from suitable agencies qualifying the criteria as per described in this RFQ.

The content of this RFQ enlists the requirements of PREJHA Foundation. It includes the **Bidding Terms & selection** procedure which details out all that may be needed by the potential bidders to understand the financial terms and bidding process and explains the contractual terms that PREJHA Foundation wishes to specify at this stage.

The RFQ includes the following sections:

Section 1 - Letter of Invitation

Section 2 - Instructions to Bidders (including pre-qualification criteria)

Section 3 - Standard Forms

The information may be submitted online only at the following website.

<https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action>

The information may be viewed online at the following website.

<https://www.jharkhand.gov.in/paniit>

Yours faithfully,

Authorized signatory

**PanIIT Alumni Reach For Jharkhand Foundation,
Kalyan Complex, Balihar Road, Morabadi, Ranchi –
834008, Jharkhand**

PREFACE

About PREJHA Foundation

Agencies of Department of Welfare, Government of Jharkhand and PanIIT Alumni Reach for India Foundation have partnered to form PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation, a not-for-profit joint enterprise to implement and scale sustainable welfare initiatives. The initiative will replicate the PanIIT Skill Gurukul model of learning for skill development across all the districts of Jharkhand state and thus provide a network of ITI and sub-ITI institutions accessible to school dropouts, underprivileged and those who are from the lower strata of socio-economic background.

PREJHA Foundation sets up Rural Skill Gurukuls and Kaushal colleges to impart vocational Education to deserving candidates.

Purpose of RFQ

The objective of this assignment is to procure Kitchen Utility Items required for PREJHA Foundation's Gurukuls & Kaushal Colleges. The supplying agency should adopt a process that is not only transparent, competitive but should also be quick and timely.

Section 2: Instructions to Bidders

The evaluation criteria for the bidders is based on Lowest Cost Method (L1 basis) price bid subject to the bidders submitting and satisfying the basic qualification mentioned. **Each Bidder must submit a single proposal only.**

PREJHA foundation shall endeavor to adhere to the following schedule but reserves the right to alter the same:

Time schedule of Tender:

Sl.No.	Particulars	Date
1.	Tender e-Publication date	09.01.2024
2.	Start date for seeking Clarification	09.01.2024
3.	Last date for seeking clarification on line from service provider (mjunction Services Limited)	12. 01.2024 (08:00PM)
4.	Bid submission start date (only on-line bid accepted)	09.01.2024
5.	Bid submission end date	24.01.2024 (11:10PM)
6.	Schedule date for Technical bid opening	24.01.2024
7	Comparative statement preparation by the system	24.01.2024

General terms & Conditions:

1. Detailed BOQ

S.No.	Description of Material	UOM
1	MS Single Burner Gas Ranger Burner Size - 5 inch (dia) 202 - 18inch x 18inch High Pressure Body Type: Heavy Stainless Steel Body; Burner Type: Single Heavy Burnner Round Size; Shape: Square - Color: Silver.Package Includes: 1) Bhatti Stove 2) Fitted 6 Ft. Brass Nut Hose Pipe for Leakage Resistant Fitting. 3) 1Pc High Pressure Brass Head Regulator. 4) 1Pc High Pressure Brass Valve. 5) 1Pc long Lighter (1.5 Feet). Total of 5 different Items.	No

2	SS Single Burner Gas Ranger Burner Size - 5 inch (dia) 202 - 18inch x 18inch High Pressure Body Type: Heavy Stainless Steel Body; Burner Type: Single Heavy Burnner Round Size; Shape: Square - Color: Silver Package Includes: 1) Bhatti Stove 2) Fitted 6 Ft. BRASS NUT Hose Pipe for Leakage Resistant Fitting. 3) 1Pc High Pressure Brass Head Regulator. 4) 1Pc High Pressure Brass Valve. 5) 1Pc Lighter. Total of 5 different Items.	<i>No</i>
3	lpg Gas Cylinder Regulator (High Pressure.) (Material: Aluminum) + Steel Suraksha Steel wire reinforced LPG Hose- ISI and ISO certified.	<i>No</i>
4	Toughened Glass top 2 Burner Gas Stove - Low Pressure with regulator & pipe Material: 100 % Rustresistant stainless steel frame with black Powder coating, Top made of Toughened glass for durability, Shape: Rectangle Warranty Information: Min 1 years manufacturer's warranty –Make: Prestige/Sunflame/Surya/ glen/Borosil/Butterfly/Pigeon/Bajaj/ or in house e-commerce brand ISI certified; Package includes: gas stove, brass burners Warranty: Minimum 2 Year	<i>No</i>
5	lpg Gas Cylinder Regulator (LOW PRESSURE) Material: Aluminum) + Steel Suraksha Steel wire reinforced LPG Hose- ISI and ISO certified, Material - Zinc Alloy	<i>No</i>
6	lpg Gas Cylinder lighter . Material: Stainless steel; Length 12"	<i>No</i>
7	Aluminum Tub (Degchi with lid and with very long handles)- around 10 kg weight; min 24" Dia	<i>No</i>
8	Aluminum Tub (Degchi with lid and with very long handles) - around 24 Kg weight; min 32" Dia (Rice making capacity: minimum 30 kg)	<i>No</i>
9	Aluminum Tub (Degchi with lid and with very long handles) - around 36 Kg weight; (Rice making capacity: minimum 40 kg)	<i>No</i>
10	Kadai 24" dia, 8 kg around; Made of Hindalium	<i>No</i>
11	Kadai 36" dia, 21 kg around; Made of Hindalium	<i>No</i>
12	Kadai 32" dia, 15 Kg around; Made of Hindalium	<i>No</i>
13	Kadai 16" dia, 3.5 Kg around; Made of Hindalium	<i>No</i>
14	Kadai 12" dia, min 1.5 Kg ; Made of Hindalium	<i>No</i>

15	Small Kadai around 20 cm dia, min 800 gm; Made of Hindalium	<i>No</i>
16	MS Chinese Rice Kadai 18inch (Iron) weight - 2.5 kg around	<i>No</i>
17	SS Deep Laddle Size 3 No; min Dia 2" X 11"; Weight around 150 gm	<i>No</i>
18	SS Deep Laddle Size 5 No; min Dia 4" X 12"; Weight around 220 gm	<i>No</i>
19	SS Deep Laddle Size 8 No; min Dia 4" X 14.5"; Weight around 900 gm	<i>No</i>
20	MS Perforated Ladle Small. Weight min 250gm.	<i>No</i>
21	MS Perforated Ladle Medium. Weight min. 350gm	<i>No</i>
22	SS RICE PANJA 4 NO DIA 4inchX10inch WEIGHT 110 gm	<i>No</i>
23	Ladle for Dal, sambar 1' handle with wooden handle.Depth around 300ml	<i>No</i>
24	Ladle for Dal, sambar 3' handle : Depth - around 600ml (wooden handle)	<i>No</i>
25	SS BUCKET Capacity-min 15 lit WEIGHT around 1.8kg	<i>No</i>
26	SS BUCKET Capacity- min 18 lit WEIGHT around 2kg	<i>No</i>
27	Garbage Drum (Capacity-240 lt) Plastic with Wheels; Height 1080 mm; Length 760 mm; Width 595 mm ; Material LDPE; Colour green,Load Carrying Capacity 60 Kg,Wall Non- Perforated,Lid Swing Type.	<i>No</i>
28	SS Oil container with lid 1 Lit. Min weight-350gm	<i>No</i>
29	SS containers small 500 ml weight min-220gm.	<i>No</i>
30	SS containers small 100 ml. Min weight-80gm.	<i>No</i>
31	SS Drum with lid of Capacity Approx 150- 160 Ltr Weight Approx 15 Kg	<i>No</i>
32	SS Drum with lid of Capacity Approx 100- 110 Ltr Weight Approx 10 Kg	<i>No</i>

33	SS Drum with lid of capacity around 50-60 Ltr, Weight Approx 6 Kg	<i>No</i>
34	SS Drum with lid of capacity around 30 Ltr, Weight Approx 3.5 Kg	<i>No</i>
35	SS Kitchen Veg Knife (Thin Blade) 8" size	<i>No</i>
36	SS peeler; Blade Size: 3"; Total length including Blade: 7"	<i>No</i>
37	ss gas lighter crystal 7inch. Material- SS	<i>No</i>
38	Wood Poori / Chapati rolling pin Material: wood. Standard Size (chakla with Belan); Size 10 No	<i>No</i>
39	Tea Strainer (Elephant) Stainless Steel Wire In Mesh 0.24 mm Strainer Mesh Aperture 700 Micron Material of Strainer - Stainless steel food grade	<i>No</i>
40	Cup / Saucer Set (pack of 6); Overall Height Of Cup/Mug 62 mm; Overall Diameter Of Cup/Mug 100 mm; Wall Thickness Of Cup/Mug 3 mm. capacity around 200ml. Material - Bone China Make - La Opala / Borosil / Clay Craft / Cello / Treo / Femora/Corelle/Good Homes/Luminarc/Devnow	<i>No</i>
41	Service flat laddle for curry; ss serving spoon lion size 5 no. weight around 150 gm	<i>No</i>
42	Service flat laddle for curry; ss serving spoon lion size 4 no. weight around 100 gm	<i>No</i>
43	SS 304 Thali; Min Overall Dia - 350mm; Round Shape; Min Overall Thickness of plate - 0.55mm; Weight - around 450 gm	<i>No</i>

44	SS katori dia around 4 inch capacity 200 ml weight around 70 gm	<i>No</i>
45	SS Water Tumbler(glass), gauge 18 (mm 1.245) thick Capacity 400 ml. Weight - around 100 gm	<i>No</i>
46	SS Water Jug, 2L Height Of Jugs 185 mm; Top Dia Of Jugs 137 mm; Bottom Dia Of Jugs 92 mm; Sheet Thickness (after Formation) 0.7 mm.weight Min.-400gm	<i>No</i>
47	Hindalium Tea Kettle, Capacity 2L . Weight min 650 gm.	<i>No</i>
48	Al Saucepan 2 Ltr with Handle (Tea / water) Diameter: approx 18 cm , Depth: approx 10 cm weight - approx 600 gm	<i>No</i>
49	Aluminium Rice Strainer; Top Dia: approx. 24 Inch; weight around -5kg	<i>No</i>
50	SS Perforated Colander for Rice strainer, Commercial; Min weight 3kg; Dia around 22"; Height: around 15"	<i>No</i>
51	SS aata chalni. with 4 net exchangable size 12inch	<i>No</i>
52	MS tava size 12" with wooden handle . Weight approx-3kg	<i>No</i>
53	MS tava dia 24" (white with handle) weight apx 13.750 kg	<i>No</i>
54	Anti Skid Tray Rectangular Black Size 14" X 18" Material: Fiberglass	<i>No</i>
55	Hot case large (for keeping rotis hot) Mini 1200 ml Double-walled casserole with a stainless-steel inner surface, Dishwasher Safe; leak proof Lid Make: Milton/Cello/Borosil	<i>No</i>
56	Hot case large (for keeping rotis hot) 8500 ml Dimensions cm: 30 X 14 X 30 Material - SS. Properly insulated; Dishwasher Safe; leak proof Lid	<i>No</i>

57	Hot case large (for keeping rotis hot) 6500 ml Dimensions cm: 30 X 14 X 30 Material - SS. Properly insulated; Dishwasher Safe; leak proof Lid	<i>No</i>
58	Glass set - 6 per set Overall Height: 100 mm; Top Diameter/width 60 mm; Bottom Diameter/width 60 mm; Min. Thickness 3 mm; Nominal Capacity 395 ml Make - Borosil / Cello / Treo / Signoraware/LaOpala	<i>No</i>
59	Tea can (Kettle) SS - 10L with tap Wall Thickness 5 mm. Min weight- 2.5kg.Size approx..- 25x25x32cm.	<i>No</i>
60	SS Thermo Flask . Capacity - 2 Lts ; 100% Leak proof ; Keeps the drink hot and cold for 24 hours ; Vacuum insulated Make- Milton/Cello/ Borosil	<i>No</i>
61	Thermosteel dispenser. Capacity 5 liter ; Hot & Cold For 24 Hours; Material - SS 304 Stainless Steel; MakeMilton/Cello/tiger	<i>No</i>
62	Full plate Melamine ; Specs : Overall Diameter of Plate 11"; Overall Thickness of Plate 10 mm; Weight of Each Plate 280 gm; Colour White	<i>No</i>
63	Full plate SS; Specs: Shape Of Plate round; Overall Diameter Of Plate 11" ; Overall Thickness Of Plate 0.55 mm; Weight of Each Plate 350 gm	<i>No</i>
64	Quarter Plate Melamine ; Minimum Weight 120 gm ; Dia of plate around 7.5"	<i>No</i>
65	SS Quarter plate dia approx 7.5" ; Dishwasher Safe ; Weight approx 150 gm	<i>No</i>
66	Pressure Cooker 3 L ; Material type: Aluminium ; 1 Year Manufacturer Guarantee ; Package Contains Pressure Cooker Body, Pressure Cooker Lid, Rubber Gasket, Vent Weight, Guarantee Card ; MakeHawkins/Prestige/Bajaj	<i>No</i>
67	Pressure Cooker 5 L ; Material type: Aluminium ; 1 Year Manufacturer Guarantee ; Package Contains Pressure Cooker Body, Pressure Cooker Lid, Rubber Gasket, Vent Weight, Guarantee Card ; MakeHawkins/Prestige/Bajaj	<i>No</i>
68	Pressure Cooker 10 L ; Color: Silver, Material type: Aluminium ; 1 Year Manufacturer Guarantee ; Package Contains Pressure Cooker Body, Pressure Cooker Lid, Rubber Gasket, Vent Weight, Guarantee Card ; Make Hawkins/Prestige/Bajaj	<i>No</i>

69	Pressure Cooker 22 L; Color: Silver, Material type: Aluminium ; 1 Year Manufacturer Guarantee ; Package Contains Pressure Cooker Body, Pressure Cooker Lid, Rubber Gasket, Vent Weight, Guarantee Card ; Make Hawkins/Prestige/Bajaj	<i>No</i>
70	SS serving spoon size 3 no dia 2.5" x 3" Length: 10" Min Weight-50 gm	<i>No</i>
71	SS Spoon tea classic 14 guage . Min weight-20gm	<i>No</i>
72	SS fork classic 17 guage. Min weight-15gm.	<i>No</i>
73	SS Spoon 17 Guage ; Min Weight - 20 Gm	<i>No</i>
74	Service Counter - 5 pots (3 big + 2 small pots) - SS 304 Steel: 16-22 gauge, min Size 1600x700x880 mm, With Electrical Heater, Bain Marie with container & Lid, With additional foldable platform of width 300mm along the length Big Pot Capacity - 20 Ltr, Small Pot Capacity 8 Ltr	<i>No</i>
75	Stainless Steel Three Shelf Kitchen Utility trolley(Silver) with wheels.Material: Stainless Steel, Color: Silver; Item Min Dimension: 900 mm x 600 mm x 800 mm; Special Anti-Rust Coating, With Handle & Wheel Locking Mechanis,	<i>No</i>
76	Stainless Steel Roti Chimta (Tong), Length Of tong /Chimta 425 mm; Sheet Thickness Of The Stainless Steel 1.4 mm	<i>No</i>
77	Foldable Platform Trolley - Stainless steel body, Min size of platform - 1000mm X 600mm, Min load bearing capacity - 200Kg	<i>No</i>
78	Stainless Steel 4 level storage rack Material: SS 304, Color: Silver; Min Item Dimension: 900mm X 600mm X 1800mm; Special Anti-Rust Coating, Grossery Storage in Store Room	<i>No</i>
79	Commercial Mixer around 1000 Watts Commercial / Hotel Mixer Grinder with minimum 2 Jars (Wet Grinding Jar (2.0 LTRS.) with Polycarbonate Lid, 1 of Multi- Purpose Jar (2.5 LTRS.)Shock proof ABS material body; Sealed oil-filled sintered bronze bushes for extended bush life; Unbreakable poly carbonate dome, Min 1 year warranty; Make - Morphy Richards/Bajaj / Philips / Kenstar/ WonderChef/Bosch/Kent/Sujata	<i>No</i>
80	Vegetable Basket with handle, Plastic Volume 50 Lt	<i>No</i>
81	Vegetable Basket with handle, Plastics Volume 25 Lt	<i>No</i>
82	Vegetable Basket with handle, Plastics Volume 10 Lt	<i>No</i>

83	SS flat spoon (chalni)big boss size 7 no dia 3.5x4x16 weight approx 130gm	<i>No</i>
84	SS slicer dia 3.5x4.5x17. Weight approx-150gm.	<i>No</i>
85	SS gamla 22 guage Weight min-500gm	<i>No</i>
86	SS parat 24 inch. Gauge-22, Weight - Approx 1.4Kg	<i>No</i>
87	ALUMINIUM PARAT SIZE 28 NO WEIGHT APX 2.200 kg	<i>No</i>
88	MS KHAL BATTIA DIA 4.5X6X13 HANDLE 12" WEIGHT APX 4kg	<i>No</i>
89	ss kadhai size 13inch dia 11x3.5x15 weight 0.5kg	<i>No</i>
90	Egg Beater; food-grade stainless steel - Whisk . Size - 10". Min weight-100gm	<i>No</i>
91	WHISK DN SIZE 21 NO. Min weight-100gm	<i>No</i>
92	Deep Fry pan 2.5 Lts , Depth 26 cm Non stick Kadhai. Hard Anodise Brand: Hawkins/Prestige/Wonderchef or equivalent	<i>No</i>
93	Dinner Set of Min 23 pcs; Stainfree & odorfree ; food grade material ; Microwave safe ; Make - Laopala/Cello/Signoraware/Nayasa	<i>No</i>
94	Dinner Set of Min 35 pcs ; Stainfree & odorfree ; food grade material ; Microwave safe ; Make - Laopala/Cello/Signoraware/Nayasa	<i>No</i>
95	Toaster - 2 slice pop up (Automatic) Hi-lift feature for removing small slices of bread Power Input : AC 220 - 240 V ,Frequency :50 Hz Min 7 browning setting. Crumb tray and wider slots for variable size of bread Warranty - Min 2 years Make: Bajaj/Prestige/Philips/Morphy/	<i>No</i>
96	Juice Extractor - Hand Pressed Material - Alumium Stainer easily	<i>No</i>

	washable. Size-20 NO	
97	Bullet Grinder Power - min 850 w RPM - min 27000 Blade types - min 2 for grinding , grating chopping etc. Container - min 2 different sizes of flask (800 ml, 500 ml , 300 ml ect.) Make - philips / wonder chef / borosil /Nutri bullet / Usha / Kent / Glenn/ Cello	<i>No</i>
98	Electric Kettle Capacity - 1.5 Lts apx 360 deg base rotation Power - 1500 watt 100% copper wire conductor Dry Boil Protection - the kettle cannot be switched on when there is no water inside Automatically turns off when water finishes boiling Make - Borosil / Milton / Phipps / Kent / Prestige / Cello / Bajaj / Wonder chef / Morphy Richards	<i>No</i>
99	SS Grater. Size 8inchx 12 inch approx.	<i>No</i>
100	SS Table. 1.6mm or more thickness ,30 inch height, 3ft X 3 ft Dimension	<i>No</i>
101	Mixing Bowl (Glass) Capacity - 1.5 Lts apx	<i>No</i>
102	Mixing Bowl (Glass) Capacity - 2.5 Lts apx	<i>No</i>
103	Mixing Bowl (Glass) Capacity - 3.5 Lts apx	<i>No</i>
104	Elephant Soup Stainer 9" Elephant. Material - SS	<i>No</i>
105	Sarsi 9mm sada	<i>No</i>
106	Kitchen Knife Blade Material: SS; Blade Edge: Serrated; Blade Length: 17 Cm; Construction Type: Forged; Item Weight: Approx 0.02 Kg; Blade Colour: Silver Make: Crystal/Kai/Victorinox or equivalent	<i>No</i>
107	Jhajra - Material: Iron; Size 11"	<i>No</i>
108	Jhajra - Material - SS ; Size: 9"	<i>No</i>
109	Steam idli Maker - Capacity min. 24 per Batch	<i>No</i>
110	Commercial Wet Grinder, 1 HP Motor, Made of 16swg ss: 304 sheet good for Silent of Running. Minimum Capacity: 5 Litre Attractive in finish, Sturdy in construction Complete with revolving drum, grinding stone & wooden scrapper. Motor: 1 h.p. Electric motor & gear box	<i>No</i>
111	Thermal Water Bottle for hot water 1ltr (24hrs Hot & 24hrs Cold), Made of: 304 grade Stainless; Leak-proof and BPA free lid; Rust-free and condensation resistant; Bottle Type: Bottle with Double Insulated Wall Make: Milton/Cello/Borosil/Nayasa	<i>No</i>
112	Built In Electric Oven 74 lt minimum Bosch/Kaff/Faber/Samsung/Electrolux/LG/Whirlpool, Grill Power 2.5 kW, Mechanical/Digital timer, Rotary Controls, Interior lighting, 6 Cooking function, Bottom heating element, With Convection Fan, Thermostat 250 Degree C minimum, Electronic Clock timer Off and Alarm, On OFF Alarm, 1 Year Warranty, Digital Display	<i>No</i>

113	Dosa Tava Gas operated (700 X 550 X 550) with regulator, pipe Top: min 12mm thick machined MS plate. Frame: 1½"x1½"x1/8" thick MS angle duly coated with lead oxide primer. Paneling: 20/22 Swg S.S. sheet 304. Upright: 1½" dia S.S. adjustable pipe legs, Shelf: 18 Swg S.S. sheet 304 grade. Burners: V burners, 600 mm long ribbon flame 70,000 BTUs/Hr at 4.5 PSIG inputs pressure each having individual control valve in forged brass	<i>No</i>
114	S.S Work Table With Sink WITH two under shelves 1340x700x850+100 Top & Back Splash: Made of 16 swg s.s. sheet. Sink: 16 swg s.s. sheet, 304 swg. Frame: 1 ½" x1 ½"x 1/8" thick MS angle. Upright: 1 ½" dia s.s. pipe (16 swg s.s.) with s.s. adjustable feet +/- 30 mm. Shelf: 18 Swg S.S. sheet 304 grade.	<i>No</i>
115	Plastic/fibre drinking water bottle 1 litre Make: Cello/Milton/Generic/Tupperware/Nayasa	<i>No</i>
116	4 slicer Toaster; Make - Prestige/Pigeon/morphy richards	<i>No</i>
117	Induction stove- 1800W; Color: Black; Display: LED Display; Fast Heating: Yes; cord length: Min. 130 cm; Automatic shut-off: Yes; Make: Prestige/Pigeon/Bajaj/Philips	<i>No</i>
118	Tea Coffee Vending Machine for office (upto 150 staff)- Wide Range of Coffee, Tea – up to 10 menu options ,Simple & Quick 2-step Contactless Interaction, In-built Food Safety & Hygiene features, Can use any brand of consumables.Brand- Nescafe,Godrej, Swaggers,Café desire	<i>No</i>
119	SS Potato Peeling Machine (Capacity: 20-30 kg per Hour) Technical Specifications: Power: 1 HP; Material: Stainless steel Peeling Method: Abrasive peeling with a rotating drum and adjustable peeling intensity Motor Type: Induction motor; Voltage: 220V Water Usage: Efficient water usage with adjustable flow control and water-saving features Waste Collection: Removable waste collection tray with easy disposal Certifications: BIS	<i>No</i>
120	Stainless Steel Chapati Bhatti around 24X48X30 Inches - Casting Puffer Type - With Fittings, Material Stainless Steel 202, Gas operated Height: Around 30" No. of burner: Minimum 3 Surface Tawa and Chapati Puffer Including all the accessories and fitting	<i>No</i>

121	White Fibre Chopping Board Size: 34 cm x 24 cm	<i>No</i>
122	Wood Chopping Board Size: 68 cm x 48 cm Board: thickness 2.5 cm; Heavy Duty Non Slip Chopping Board	<i>No</i>
123	Commercial Dough Kneader Technical Specifications: Capacity: 20-kg; Power: Minimum 1 Hp; Speed: 90 RPM Bowl Material: Stainless steel Mixing Blade: Spiral-shaped, food-grade stainless steel Motor Type: Induction motor; Voltage: 220V Timer: Yes, with adjustable settings Safety Features: Overload protection, emergency stop button Dimensions: 600mm (L) x 400mm (W) x 800mm (H) (Approx) Weight: Approx. 80 kg Certifications: BIS	<i>No</i>
124	Plate Storage Hanging Rack, Made of SS grill, Provision for hanging, min Plate storage capacity: 36 Nos	<i>No</i>
125	Plate Storage Hanging Rack, Made of SS grill, Provision for hanging, min Plate storage capacity: 48 Nos	<i>No</i>
126	4 slice S/W Griller; Make - Havells/Bajaj/Morphy richards	<i>No</i>
127	Rice Cleaning Machine (Capacity: 35 kg): Semi-Automatic Technical Specifications: Capacity: around 35 kg; Power: 2.5 HP Cleaning Mechanism: Oscillating sieves with adjustable settings Sieve Size: Multiple sieves with sizes ranging from 2 mm to 5 mm Motor Type: Induction motor; Voltage: 220V Dust Collection: Efficient dust collection system with a removable tray Material: Stainless steel; Including motor and all required accessories Certifications: BIS	<i>No</i>
128	Commercial Idli Steamer Technical Specifications: Product Type : Idli Steamer Operation : Dual operation Electric and LPG Gas Voltage : 220V Power : 3KW (3000 Watt) Phase : Single Idli Tray Capacity : Minimum 96 Pcs (8 Tray / 12 Pcs Per Tray) Cooking Time : 15-20 mins (per batch) Body Material : Stainless Steel	<i>No</i>

(**- Freight – Ex Ranchi)

2. Definitions

- "Buyer" means PREJHA Foundation
- "Bidder" means suppliers or contractors who have participated in tender
- "The Vendor" means the supplier or contractor or service provider to whom the Order is addressed.
- "The Purchase Order" means terms and conditions signed between Buyer and the Vendor governing the subjectmatter of this Order
- "The Goods / Services" means the goods or services to be supplied under the Order.

3. Amendment of RFQ

At any time before the submission of Proposals, PREJHA Foundation may amend the RFQ by issuing an addendum in writing or by standard electronic means. The addendum shall be uploaded on the <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> and will be binding on them. To give Bidders reasonable time in which to take an amendment into account in their Proposals, PREJHA Foundation may, if the amendment is substantial, extend the deadline for the submission of Proposals.

4. Bidding

(to be solely done through portal)

<https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action>

- a) Offer to be submitted only on e-procurement portal. Hard copy of offer is **not required** to be submitted to PREJHA Foundation. Any offer received in Hard copy shall **not be accepted** and will stand disqualified
- b) Mode of Submission of offer: Being e-tender, offer will be solely submitted online through e-tender portal: <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> through following Application Service Providers (ASPs) appointed by PREJHA:

M/s Mjunction Services Limited, 6thFloor, Tata Centre.43 J N Road,
Kolkata – 700 071,

Contact Person: Helpdesk Officer Sumant Kumar Choudhary
9163348104, sumant.choudary@mjunction.in

- c) They may obtain further information regarding this tender from the office of PREJHA, Kalyan Gurukul, Kumarbagh Road, Arsande, Kanke, Ranchi – 834006 from 10:00 hours to 17:00 hours on all working days till the date of bidding is open.

Contact Person: Shekhar Kumar, PREJHA
Contact No.: 9835932882
Email-ID: shekhar.k@parfi.org

- d) Bidders are expected to adequately apprise themselves regarding the procedure and provisions available on the e-procurement portal **operated/ maintained** by M/S. Mjunction services limited.

Buyer shall not be responsible for any issues related to timely or proper uploading/submission of the bid.

5. Validity of Proposal

Bidders' proposals must remain **valid for a period of min 180 days** after the submission of proposal. Should the need arise, PREJHA Foundation may request Bidders to extend the validity period of their proposals. If a bidder is selected as vendor, his proposal will remain same for whole of the delivery schedule.

6. Submission of proposal

The Proposal as well as all related correspondence exchanged by the bidders and PREJHA Foundation, shall be only through the portal of mjunction and electronic means.

The offer shall be submitted as per the instructions of tender document and as detailed in this RFQ. Price shall be furnished in the relevant price schedule only. In case of any clarification, bidder may contact the concerned contact persons at m junction Services or PREJHA as listed above

7. Latest updates

Latest updates on the critical dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted on PREJHA- mjunction webpage. Bidders to keep themselves updated with all such information. Bidders may please visit <https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action> for document submission.

8. Technical Bid (incl. Pre-Qualification Criteria)

Sl. No	PQR Condition	Bidder Remarks
1	Have previously supplied similar materials to any institutional buyers such as private or public sector companies or training enterprises within past 4 years. Previous PO copies will be required Or Authorized dealer or distributor of similar product	

Bidder should submit the prequalification documents at the portal

9. Financial Proposal

Financial Proposal must be submitted in the format shared in this RFQ. Financial proposal must be shared in the same format as provided else it shall be declared non-responsive.

10. Empanelment followed by Letter of Award

1. The technical bid (incl. pre-qualification criteria) will be verified by PREJHA Foundation. The Procurement System will determine the lowest financial bid including on a possible line-item basis among the technically qualified bidders.

2. PREJHA Foundation shall award the Empanelment Contract possibly with SOR to successful bidders and then issue the purchase order that may be deemed as a Letter of Award (LOA) for the estimated order value along with terms & Conditions governing the Award and notify the same to the bidder through email.
3. The selected bidder is expected to commence the assignment on the date and at the location specified in the LOA/ Contract.
4. If the selected bidder does not sign the Contract within the stipulated period, the LOA may be cancelled, and the next lowest bidder will be considered for award of Contract.
5. If at any stage in the bidding process including after bid opening or Issuance of Purchase orders pertaining to this RFQ, PREJHA believe that the Bidders do not meet the requisite Technical criteria set out in the Bid Document or delivery schedule or that the rate quoted exceeds its own estimates for the supply value, PREJHA reserves the right to cancel the tender or particular line item(s) without incurring any obligation or liability towards the tenderers.
6. PREJHA Foundation reserves the right to issue a part order of any 'line item' or sets of line items from BoQ in the bid to another empaneled vendor based on cost, time & quality considerations at its sole discretion. The transport cost in such cases will be on actual basis.
7. Purchase Orders & Delivery details Over the validity of this RFQ, purchase orders with specified quantity & delivery details would be issued as per requirements
8. Delivery time is the essence of this order and must be strictly adhered to. If the vendor fails to deliver the goods in time, the Buyer may, at its sole discretion:
 - Treat the order as cancelled at any time and recover any loss or damage from the vendor by invoking Security Deposit;
 - purchase the goods ordered or any part thereof from other sources on the vendor's account, in which case, the Vendor shall be liable to pay the Buyer not only the difference between the price at which such goods have been purchased and the price calculated at the rate set out in this order, but also any other loss or damage the Buyer may suffer;

11. Indicative Delivery Schedule

- Goods to be delivered at our Gurukul as per following as needed:

Sl. No	Delivery Location	Delivery Schedule
1	Kaushal College, Latehar	Within 15 days of signing the contract
2	Kaushal College, Jamtara	
3	Kaushal College, Udhwa, Sahibganj	
4	Kaushal College, Ranchi	
5	Kaushal College, Simdega	
6	Kalyan Gurukul, Sahibganj	
7	Kalyan Gurukul, Bedo	
8	Kalyan Gurukul, Ramgarh	
9	Kalyan Gurukul, Giridih	
10	Kalyan Gurukul, Godda	
11	Kalyan Gurukul, Khunti	
12	Kalyan Gurukul, Kanke1	
13	Kalyan Gurukul, Chatra	
14	Polytechnic college, across jharkhand	

12.Payment Terms

- 100% within 60 days of delivery on submission of invoice & delivery challan for each unit. If the vendor delivers goods within 7 days of order confirmation, 100% payment will be done within 45 days.
- If a vendor fails to deliver the goods as per the delivery schedule. PREJHA foundation is entitled to delay payment by 2 days for each day delay in delivery. If such delay extends beyond 7 days, a suitable penalty would be imposed.

13.Unloading

- Unloading is in Vendor's scope, cost & arrangement will be borne by Vendor.
- The risk of all materials till receipt at location will be in vendor's scope.

14.Quality of goods and services.

The Vendor should warrant to PREJHA that:

- The Goods and Services would conform in all respects to the Order and to recognized Indian or equivalent standards and codes (where applicable) and be at the complete satisfaction of Buyer.
- The said good/services processed and delivered by the Vendor shall be made from good quality

bought out components/materials, as acceptable to the Buyer and it should have standard/excellent workmanship and fit for their intended purpose.

15. Warranty/ Guarantee

- a) The said goods/services delivered by the Vendor should be identical to the sample/specification given by the Vendor.
- b) Where the said goods/services delivered by the Vendor to the Buyer is according to sample as well as certain specification/description, if any, the said goods/services processed and delivered, shall match not only with the said sample, but also with the said specification/description.
- c) If deficiency is identified before or during the transfer of risk or during the Guarantee/warranty Period, the Vendor must at its own expense and at the discretion of the Buyer either repair the deficiency or provide re- performance of the Services or replacement of delivery. This provision also applies to delivery subject to inspection by sample test. The discretion of the Buyer shall be final.

16. Inspection

- a) All materials supplied against the order should conform strictly to the specifications laid down by the Buyer, and should be new, merchantable quality, fit for their intended purpose and should be in line with “Quality Assurance Plan”, if any, which must be approved in advance by the Buyer. All such materials will be subject to inspection and approval by the Buyer, either at the Vendor’s premises and/or at the place of delivery indicated by the Buyer.
- b) The Buyer reserves the rights to inspect the material at any stage during manufacture or supply and reject the same if found defective or not in conformity with the specifications or not fit for their intended purpose without invalidating the remainder of the order, if so desired by the Buyer.
- c) All rejected material from the Buyer’s site store shall be removed by the vendor at their own cost positively within 15 days from the date of rejection note / intimation issued by the Buyer to them. In case of any failure to remove the same by the vendor within the stipulated period, the Buyer shall have all rights to remove the rejected materials/goods from their premises and discard it. Any cost on this account would be debited to vendor's account.
- d) The Buyer under no circumstances will be liable or held accountable for any damage, loss, deterioration of the rejected materials/goods for discarding the material/goods, or for any value for it.

17. Damage or loss in transit

- a) Subject to the terms of the Order, the Vendor undertakes at its own expense to replace goods lost or damaged in transit.
- b) The delivery will not be deemed to have taken place until replacement items are delivered to the

satisfaction of the Buyer.

18. Ownership and risk

Subject to the terms of the delivery and without prejudice to PREJHA Foundation's other rights under the Conditions of the Order:

- a) Ownership in the Goods shall pass to PREJHA on delivery and acceptance.
- b) Risk in the Goods shall pass to PREJHA on delivery, save where the Order includes installation, in which case risk shall not pass to PREJHA until completion of the installation work.

19. Fraud/Corruption

PREJHA Foundation requires that the bidders participating in the selection process adhere to the highest ethical standards, both during the selection process and throughout the execution of the Contract.

PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has in contravention to the undertaking given in the Bid document and/or contract, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract as enshrined in the undertaking in bidding document and contract

20. Conflicting relationships

Bidder has an obligation to disclose as part of the bid document any situation of actual or potential conflict that impacts their capacity to serve the best interest of PREJHA Foundation, or that may reasonably be perceived as having this effect. Failure to disclose the said situations may lead to the disqualification of the bidder or the termination of its Contract

21. Jurisdiction

The disputes if any between the parties shall be subject to the exclusive jurisdiction of the courts in Ranchi alone.

STANDARD FORMS

TECH FORMS	FORM NAME	Mention list of all supporting documents attached (if any)
TECH-1	Letter of proposal submission	Pls scan & attach
Pancard	Pan card	Pls scan & attach
GST Return	Latest GST return document	Pls scan & attach
PQ	Pre-Qualification Document	Pls scan & attach

Form Tech 1: Letter

(On Bidder's Letter-head)
Letter of Proposal Submission

To,
Executive Director

PanIIT Alumni Reach For Jharkhand Foundation
Kalyan Complex, Balihar Road, Morabadi,
Ranchi – 834008, Jharkhand

We, the undersigned, offer to supply Kitchen Utility Items for PREJHA Foundation, in accordance with your Request for Quotation dated 09-01-2024. We are hereby submitting our proposal, which includes this Technical Proposal, and the Financial Proposal as indicated

We undertake the total responsibility for supply of the goods, if awarded to us.

We hereby declare that all the information and statements made in this proposal are true and accept that any misrepresentation contained in it may lead to our disqualification.

We understand that **PREJHA Foundation** is not bound to accept any proposal it receives.

We further state that we understand that PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing a Contract

Yours faithfully,

Authorized Signatory

Name and Title of Signatory [*In full and Designation*]:

Name of Bidder:

Address:

Form Fin1: Financial Bid Proform

<u>TENDER PROFORMA for Commercial</u>							
PREJHA Reference No							
Name of Bidder							
SN	Item Description	Estimated Qty	Unit Rate	Estimated Value	Tax %	Tax	Freight
1	MS Single Burner Gas Ranger Burner Size - 5 inch (dia) 202 - 18inch x 18inch High Pressure Body Type: Heavy Stainless Steel Body; Burner Type: Single Heavy Burnner Round Size; Shape: Square - Color: Silver.Package Includes: 1) Bhatti Stove 2) Fitted 6 Ft. Brass Nut Hose Pipe for Leakage Resistant Fitting. 3) 1Pc High Pressure Brass Head Regulator. 4) 1Pc High Pressure Brass Valve. 5) 1Pc long Lighter (1.5 Feet). Total of 5 different Items.	10					
2	SS Single Burner Gas Ranger Burner Size - 5 inch (dia) 202 - 18inch x 18inch High Pressure Body Type: Heavy Stainless Steel Body; Burner Type: Single Heavy Burnner Round Size; Shape: Square - Color: Silver Package Includes: 1) Bhatti Stove 2) Fitted 6 Ft. BRASS NUT Hose Pipe for Leakage Resistant Fitting. 3) 1Pc High Pressure Brass Head Regulator. 4) 1Pc High Pressure Brass Valve. 5) 1Pc Lighter. Total of 5 different Items.	10					
3	lpg Gas Cylinder Regulator (High Pressure.) (Material: Aluminum) + Steel Suraksha Steel wire reinforced LPG Hose- ISI and ISO certified.	10					
4	Toughened Glass top 2 Burner Gas Stove - Low Pressure with regulator & pipe	10					

	Material: 100 % Rustresistant stainless steel frame with black Powder coating, Top made of Toughened glass for durability, Shape: Rectangle Warranty Information: Min 1 years manufacturer's warranty –Make: Prestige/Sunflame/Surya/glen/Borosil/Butterfly/Pigeon/Bajaj/ or in house e-commerce brand ISI certified; Package includes: gas stove, brass burners Warranty: Minimum 2 Year						
5	lpg Gas Cylinder Regulator (LOW PRESSURE) Material: Aluminum) + Steel Suraksha Steel wire reinforced LPG Hose- ISI and ISO certified, Material - Zinc Alloy	20					
6	lpg Gas Cylinder lighter . Material: Stainless steel; Length 12"	20					
7	Aluminum Tub (Degchi with lid and with very long handles)- around 10 kg weight; min 24" Dia	10					
8	Aluminum Tub (Degchi with lid and with very long handles) - around 24 Kg weight; min 32" Dia (Rice making capacity: minimum 30 kg)	10					
9	Aluminum Tub (Degchi with lid and with very long handles) - around 36 Kg weight; (Rice making capacity: minimum 40 kg)	10					
10	Kadai 24" dia, 8 kg around; Made of Hindalium	10					
11	Kadai 36" dia, 21 kg around; Made of Hindalium	15					
12	Kadai 32" dia, 15 Kg around; Made of Hindalium	15					
13	Kadai 16" dia, 3.5 Kg around; Made of Hindalium	30					
14	Kadai 12" dia, min 1.5 Kg ; Made of Hindalium	30					
15	Small Kadai around 20 cm dia, min 800 gm; Made of Hindalium	30					
16	MS Chinese Rice Kadai 18inch (Iron) weight - 2.5 kg around	30					

17	SS Deep Laddle Size 3 No; min Dia 2" X 11"; Weight around 150 gm	30					
18	SS Deep Laddle Size 5 No; min Dia 4" X 12"; Weight around 220 gm	30					
19	SS Deep Laddle Size 8 No; min Dia 4" X 14.5"; Weight around 900 gm	30					
20	MS Perforated Ladle Small. Weight min 250gm.	30					
21	MS Perforated Ladle Medium. Weight min. 350gm	20					
22	SS RICE PANJA 4 NO DIA 4inchX10inch WEIGHT 110 gm	20					
23	Ladle for Dal, sambar 1' handle with wooden handle.Depth around 300ml	10					
24	Ladle for Dal, sambar 3' handle : Depth - around 600ml (wooden handle)	30					
25	SS BUCKET Capacity-min 15 lit WEIGHT around 1.8kg	30					
26	SS BUCKET Capacity- min 18 lit WEIGHT around 2kg	20					
27	Garbage Drum (Capacity-240 lt) Plastic with Wheels; Height 1080 mm; Length 760 mm; Width 595 mm ; Material LDPE; Colour green,Load Carrying Capacity 60 Kg,Wall Non- Perforated,Lid Swing Type.	10					
28	SS Oil container with lid 1 Lit. Min weight- 350gm	10					
29	SS containers small 500 ml weight min- 220gm.	20					
30	SS containers small 100 ml. Min weight- 80gm.	30					
31	SS Drum with lid of Capacity Approx 150- 160 Ltr Weight Approx 15 Kg	15					
32	SS Drum with lid of Capacity Approx 100- 110 Ltr Weight Approx 10 Kg	20					
33	SS Drum with lid of capacity around 50-60 Ltr, Weight Approx 6 Kg	30					

34	SS Drum with lid of capacity around 30 Ltr, Weight Approx 3.5 Kg	30					
35	SS Kitchen Veg Knife (Thin Blade) 8" size	10					
36	SS peeler; Blade Size: 3"; Total length including Blade: 7"	50					
37	ss gas lighter crystal 7inch. Material- SS	50					
38	Wood Poori / Chapati rolling pin Material: wood. Standard Size (chakla with Belan); Size 10 No	100					
39	Tea Strainer (Elephant) Stainless Steel Wire In Mesh 0.24 mm Strainer Mesh Aperture 700 Micron Material of Strainer - Stainless steel food grade	300					
40	Cup / Saucer Set (pack of 6); Overall Height Of Cup/Mug 62 mm; Overall Diameter Of Cup/Mug 100 mm; Wall Thickness Of Cup/Mug 3 mm. capacity around 200ml. Material - Bone China Make - La Opala / Borosil / Clay Craft / Cello / Treo / Femora/Corelle/Good Homes/Luminarc/Devnow	300					
41	Service flat laddle for curry; ss serving spoon lion size 5 no. weight around 150 gm	40					
42	Service flat laddle for curry; ss serving spoon lion size 4 no. weight around 100 gm	30					
43	SS 304 Thali; Min Overall Dia - 350mm; Round Shape; Min Overall Thickness of plate - 0.55mm; Weight - around 450 gm	50					
44	SS katori dia around 4 inch capacity 200 ml weight around 70 gm	10					
45	SS Water Tumbler(glass), gauge 18 (mm 1.245) thick Capacity 400 ml. Weight - around 100 gm	10					
46	SS Water Jug, 2L Height Of Jugs 185 mm; Top Dia Of Jugs 137 mm; Bottom Dia Of Jugs 92 mm; Sheet Thickness (after Formation) 0.7 mm.weight Min.-400gm	50					

47	Hindalium Tea Kettle, Capacity 2L . Weight min 650 gm.	50					
48	Al Saucepan 2 Ltr with Handle (Tea / water) Diameter: approx 18 cm , Depth: approx 10 cm weight - approx 600 gm	10					
49	Aluminium Rice Strainer; Top Dia: approx. 24 Inch; weight around -5kg	50					
50	SS Perforated Colander for Rice strainer, Commercial; Min weight 3kg; Dia around 22"; Height: around 15"	10					
51	SS aata chalni. with 4 net exchangable size 12inch	10					
52	MS tava size 12" with wooden handle . Weight approx-3kg	10					
53	MS tava dia 24" (white with handle) weight apx 13.750 kg	10					
54	Anti Skid Tray Rectangular Black Size 14" X 18" Material: Fiberglass	10					
55	Hot case large (for keeping rotis hot) Mini 1200 ml Double-walled casserole with a stainless-steel inner surface, Dishwasher Safe; leak proof Lid Make: Milton/Cello/Borosil	100					
56	Hot case large (for keeping rotis hot) 8500 ml Dimensions cm: 30 X 14 X 30 Material - SS. Properly insulated; Dishwasher Safe; leak proof Lid	50					
57	Hot case large (for keeping rotis hot) 6500 ml Dimensions cm: 30 X 14 X 30 Material - SS. Properly insulated; Dishwasher Safe; leak proof Lid	50					
58	Glass set - 6 per set Overall Height: 100 mm; Top Diameter/width 60 mm; Bottom Diameter/width 60 mm; Min. Thickness 3 mm; Nominal Capacity 395 ml Make - Borosil / Cello / Treo / Signoraware/LaOpala	10					
59	Tea can (Kettle) SS - 10L with tap Wall Thickness 5 mm. Min weight-2.5kg.Size approx..- 25x25x32cm.	10					

60	SS Thermo Flask . Capacity - 2 Lts ; 100% Leak proof ; Keeps the drink hot and cold for 24 hours ; Vacuum insulated Make- Milton/Cello/ Borosil	10					
61	Thermosteel dispenser. Capacity 5 liter ; Hot & Cold For 24 Hours; Material - SS 304 Stainless Steel; MakeMilton/Cello/tiger	10					
62	Full plate Melamine ; Specs : Overall Diameter of Plate 11"; Overall Thickness of Plate 10 mm; Weight of Each Plate 280 gm; Colour White	100					
63	Full plate SS; Specs: Shape Of Plate round; Overall Diameter Of Plate 11" ; Overall Thickness Of Plate 0.55 mm; Weight of Each Plate 350 gm	100					
64	Quarter Plate Melamine ; Minimum Weight 120 gm ; Dia of plate around 7.5"	100					
65	SS Quarter plate dia approx 7.5" ; Dishwasher Safe ; Weight approx 150 gm	100					
66	Pressure Cooker 3 L ; Material type: Aluminium ; 1 Year Manufacturer Guarantee ; Package Contains Pressure Cooker Body, Pressure Cooker Lid, Rubber Gasket, Vent Weight, Guarantee Card ; MakeHawkins/Prestige/Bajaj	10					
67	Pressure Cooker 5 L ; Material type: Aluminium ; 1 Year Manufacturer Guarantee ; Package Contains Pressure Cooker Body, Pressure Cooker Lid, Rubber Gasket, Vent Weight, Guarantee Card ; MakeHawkins/Prestige/Bajaj	10					
68	Pressure Cooker 10 L ; Color: Silver, Material type: Aluminium ; 1 Year Manufacturer Guarantee ; Package Contains Pressure Cooker Body, Pressure Cooker Lid, Rubber Gasket, Vent Weight, Guarantee Card ; Make Hawkins/Prestige/Bajaj	10					
69	Pressure Cooker 22 L; Color: Silver, Material type: Aluminium ; 1 Year Manufacturer Guarantee ; Package Contains Pressure Cooker Body, Pressure	5					

	Cooker Lid, Rubber Gasket, Vent Weight, Guarantee Card ; Make Hawkins/Prestige/Bajaj						
70	SS serving spoon size 3 no dia 2.5" x 3" Length: 10" Min Weight-50 gm	100					
71	SS Spoon tea classic 14 guage . Min weight-20gm	100					
72	SS fork classic 17 guage. Min weight-15gm.	100					
73	SS Spoon 17 Guage ; Min Weight - 20 Gm	100					
74	Service Counter - 5 pots (3 big + 2 small pots) - SS 304 Steel: 16-22 gauge, min Size 1600x700x880 mm, With Electrical Heater, Bain Marie with container & Lid, With additional foldable platform of width 300mm along the length Big Pot Capacity - 20 Ltr, Small Pot Capacity 8 Ltr	5					
75	Stainless Steel Three Shelf Kitchen Utility trolley(Silver) with wheels.Material: Stainless Steel, Color: Silver; Item Min Dimension: 900 mm x 600 mm x 800 mm; Special Anti-Rust Coating, With Handle & Wheel Locking Mechanis,	5					
76	Stainless Steel Roti Chimta (Tong), Length Of tong /Chimta 425 mm; Sheet Thickness Of The Stainless Steel 1.4 mm	50					
77	Foldable Platform Trolley - Stainless steel body, Min size of platform - 1000mm X 600mm, Min load bearing capacity - 200Kg	30					
78	Stainless Steel 4 level storage rack Material: SS 304, Color: Silver; Min Item Dimension: 900mm X 600mm X 1800mm; Special Anti-Rust Coating, Grossery Storage in Store Room	10					
79	Commercial Mixer around 1000 Watts Commercial / Hotel Mixer Grinder with minimum 2 Jars (Wet Grinding Jar (2.0 LTRS.) with Polycarbonate Lid, 1 of Multi- Purpose Jar (2.5 LTRS.)Shock proof ABS material	30					

	body; Sealed oil-filled sintered bronze bushes for extended bush life; Unbreakable poly carbonate dome, Min 1 year warranty; Make - Morphy Richards/Bajaj / Philips / Kenstar/ WonderChef/Bosch/Kent/Sujata						
80	Vegetable Basket with handle, Plastic Volume 50 Lt	50					
81	Vegetable Basket with handle, Plastics Volume 25 Lt	50					
82	Vegetable Basket with handle, Plastics Volume 10 Lt	50					
83	SS flat spoon (chalni)big boss size 7 no dia 3.5x4x16 weight approx 130gm	20					
84	SS slicer dia 3.5x4.5x17. Weight approx- 150gm.	50					
85	SS gamla 22 guage Weight min-500gm	20					
86	SS parat 24 inch. Gauge-22, Weight - Approx 1.4Kg	50					
87	ALUMINIUM PARAT SIZE 28 NO WEIGHT APX 2.200 kg	20					
88	MS KHAL BATTA DIA 4.5X6X13 HANDLE 12" WEIGHT APX 4kg	20					
89	ss kadhai size 13inch dia 11x3.5x15 weight 0.5kg	20					
90	Egg Beater; food-grade stainless steel - Whisk . Size - 10". Min weight- 100gm	20					
91	WHISK DN SIZE 21 NO. Min weight-100gm	50					
92	Deep Fry pan 2.5 Lts , Depth 26 cm Non stick Kadhai. Hard Anodise Brand: Hawkins/Prestige/Wonderchef or equivalent	8					
93	Dinner Set of Min 23 pcs; Stainfree & odorfree ; food grade material ; Microwave safe ; Make - Laopala/Cello/Signoraware/Nayasa	10					

94	Dinner Set of Min 35 pcs ; Stainfree & odorfree ; food grade material ; Microwave safe ; Make - Laopala/Cello/Signoraware/Nayasa	10					
95	Toaster - 2 slice pop up (Automatic) Hi-lift feature for removing small slices of bread Power Input : AC 220 - 240 V ,Frequency :50 Hz Min 7 browning setting. Crumb tray and wider slots for variable size of bread Warranty - Min 2 years Make: Bajaj/Prestige/Philips/Morphy/	10					
96	Juice Extractor - Hand Pressed Material - Alumium Stainer easily washable. Size-20 NO	10					
97	Bullet Grinder Power - min 850 w RPM - min 27000 Blade types - min 2 for grinding , grating chopping etc. Container - min 2 different sizes of flask (800 ml, 500 ml , 300 ml ect.) Make - philips / wonder chef / borosil /Nutri bullet / Usha / Kent / Glenn/ Cello	10					
98	Electric Kettle Capacity - 1.5 Lts apx 360 deg base rotation Power - 1500 watt 100% copper wire conductor Dry Boil Protection - the kettle cannot be switched on when there is no water inside Automatically turns off when water finishes boiling Make - Borosil / Milton / Phiips / Kent / Prestige / Cello / Bajaj / Wonder chef / Morphy Richards	10					
99	SS Grater. Size 8inchx 12 inch approx.	30					
100	SS Table. 1.6mm or more thickness ,30 inch height, 3ft X 3 ft Dimension	10					
101	Mixing Bowl (Glass) Capacity - 1.5 Lts apx	50					
102	Mixing Bowl (Glass) Capacity - 2.5 Lts apx	50					
103	Mixing Bowl (Glass) Capacity - 3.5 Lts apx	50					
104	Elephant Soup Stainer 9" Elephant. Material - SS	10					

105	Sarsi 9mm sada	10					
106	Kitchen Knife Blade Material: SS; Blade Edge: Serrated; Blade Length: 17 Cm; Construction Type: Forged; Item Weight: Approx 0.02 Kg; Blade Colour: Silver Make: Crystal/Kai/Victorinox or equivalent	50					
107	Jhajra - Material: Iron; Size 11"	20					
108	Jhajra - Material - SS ; Size: 9"	10					
109	Steam idli Maker - Capacity min. 24 per Batch	5					
110	Commercial Wet Grinder, 1 HP Motor, Made of 16swg ss: 304 sheet good for Slient of Running. Minimum Capacity: 5 Litre Attractive in finish, Sturdy in construction Complete with revolving drum, grinding stone & wooden scrapper. Motor: 1 h.p. Electric motor & gear box	1					
111	Thermal Water Bottle for hot water 1ltr (24hrs Hot & 24hrs Cold), Made of: 304 grade Stainless; Leak-proof and BPA free lid; Rust-free and condensation resistant; Bottle Type: Bottle with Double Insulated Wall Make: Milton/Cello/Borosil/Nayasa	10					
112	Built In Electric Oven 74 lt minimum Bosch/Kaff/Faber/Samsung/El ectrolux/LG/Whirlpool, Grill Power 2.5 kW, Mechanical/Digital timer, Rotary Controls, Interior lighting, 6 Cooking function, Bottom heating element, With Convection Fan, Thermostat 250 Degree C minimum, Electrnic Clock timer Off and Alarm, On OFF Alarm, 1 Year Warranty, Digital Display	1					
113	Dosa Tava Gas operated (700 X 550 X 550) with regulator, pipe Top: min 12mm thick machined MS plate.	1					

	Frame: 1½"x1½"x1/8" thick MS angle duly coated with lead oxide primer. Paneling: 20/22 Swg S.S. sheet 304. Upright: 1½" dia S.S. adjustable pipe legs, Shelf: 18 Swg S.S. sheet 304 grade. Burners: V burners, 600 mm long ribbon flame 70,000 BTUs/Hr at 4.5 PSIG inputs pressure each having individual control valve in forged brass						
114	S.S Work Table With Sink WITH two under shelves 1340x700x850+100 Top & Back Splash: Made of 16 swg s.s. sheet. Sink: 16 swg s.s. sheet, 304 swg. Frame: 1 ½" x1 ½"x 1/8" thick MS angle. Upright: 1 ½" dia s.s. pipe (16 swg s.s.) with s.s. adjustable feet +/- 30 mm. Shelf: 18 Swg S.S. sheet 304 grade.	2					
115	Plastic/fibre drinking water bottle 1 litre Make: Cello/Milton/Generic/Tupperware/Nayasa	10					
116	4 slicer Toaster; Make - Prestige/Pigeon/morphy richards	2					
117	Induction stove- 1800W; Color: Black; Display: LED Display; Fast Heating: Yes; cord length: Min. 130 cm; Automatic shut-off: Yes; Make: Prestige/Pigeon/Bajaj/Philips	5					
118	Tea Coffee Vending Machine for office (upto 150 staff)- Wide Range of Coffee, Tea – up to 10 menu options ,Simple & Quick 2-step Contactless Interaction, In-built Food Safety & Hygiene features, Can use any brand of consumables.Brand- Nescafe,Godrej, Swaggers,Café desire	1					
119	SS Potato Peeling Machine (Capacity: 20-30 kg per Hour) Technical Specifications: Power: 1 HP; Material: Stainless steel Peeling Method: Abrasive peeling with a	1					

	rotating drum and adjustable peeling intensity Motor Type: Induction motor; Voltage: 220V Water Usage: Efficient water usage with adjustable flow control and water-saving features Waste Collection: Removable waste collection tray with easy disposal Certifications: BIS						
120	Stainless Steel Chapati Bhatti around 24X48X30 Inches - Casting Puffer Type - With Fittings, Material Stainless Steel 202, Gas operated Height: Around 30" No. of burner: Minimum 3 Surface Tawa and Chapati Puffer Including all the accessories and fitting	1					
121	White Fibre Chopping Board Size: 34 cm x 24 cm	10					
122	Wood Chopping Board Size: 68 cm x 48 cm Board: thickness 2.5 cm; Heavy Duty Non Slip Chopping Board	10					
123	Commercial Dough Kneader Technical Specifications: Capacity: 20-kg; Power: Minimum 1 Hp; Speed: 90 RPM Bowl Material: Stainless steel Mixing Blade: Spiral-shaped, food-grade stainless steel Motor Type: Induction motor; Voltage: 220V Timer: Yes, with adjustable settings Safety Features: Overload protection, emergency stop button Dimensions: 600mm (L) x 400mm (W) x 800mm (H) (Approx) Weight: Approx. 80 kg Certifications: BIS	1					
124	Plate Storage Hanging Rack, Made of SS grill, Provision for hanging, min Plate storage capacity: 36 Nos	5					
125	Plate Storage Hanging Rack, Made of SS grill, Provision for hanging, min Plate storage capacity: 48 Nos	5					

126	4 slice S/W Griller; Make - Havells/Bajaj/Morphy richards	5					
127	Rice Cleaning Machine (Capacity: 35 kg): Semi-Automatic Technical Specifications: Capacity: around 35 kg; Power: 2.5 HP Cleaning Mechanism: Oscillating sieves with adjustable settings Sieve Size: Multiple sieves with sizes ranging from 2 mm to 5 mm Motor Type: Induction motor; Voltage: 220V Dust Collection: Efficient dust collection system with a removable tray Material: Stainless steel; Including motor and all required accessories Certifications: BIS	1					
128	Commercial Idli Steamer Technical Specifications: Product Type : Idli Steamer Operation : Dual operation Electric and LPG Gas Voltage : 220V Power : 3KW (3000 Watt) Phase : Single Idli Tray Capacity : Minimum 96 Pcs (8 Tray / 12 Pcs Per Tray) Cooking Time : 15-20 mins (per batch) Body Material : Stainless Steel	1					

(**- Freight – Ex Ranchi)

