

**PREJHA Foundation Reference:
1084-PREJHA02/18/24**

REQUEST FOR QUOTATION

FOR

SUPPLY OF Technical Training Hand Tools

Dated: 07th Feb 2018

PanIIT Alumni Reach For Jharkhand Foundation

**A Non-profit Special Purpose Joint Enterprise between agencies of Department of Welfare,
Government of Jharkhand and
PanIIT Alumni Reach For India Foundation,
Kalyan Complex, Balihar Road, Morabadi,
Ranchi - 834008, Jharkhand**

Contents

Contents

| | |
|--|-----------|
| DISCLAIMER | 2 |
| SECTION 1: LETTER OF INVITATION | 3 |
| <i>PREFACE</i> | 5 |
| <i>Purpose of RFQ</i> | 5 |
| Section 2: Instructions to Bidders | 6 |
| <i>General terms & Conditions:</i> | 7 |
| STANDARD FORMS | 20 |
| <i>Form Tech 1: Letter</i> | 21 |
| <i>Form Tech 2: Bidder's Organization and Experience</i> | 22 |
| <i>Form Tech 3: Techno commercial Offer</i> | 23 |
| <i>Form Fin1: Financial Bid Proforma</i> | 24 |

DISCLAIMER

The information contained in this Request for Quotation ("RFQ") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of PanIIT Alumni Reach For Jharkhand Foundation (hereinafter "PREJHA") is provided to interested parties on the terms and conditions set out in this RFQ and such other terms and conditions subject to which such information is provided.

This RFQ is not an agreement and is neither an offer nor an invitation by PREJHA to interested parties who submit their quote (henceforth "Bidders") in response to this RFQ. The purpose of this RFQ is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for selection as supply agency with PREJHA Foundation as per notified norms.

PREJHA Foundation makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFQ or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFQ and any assessment, assumption, statement or information contained herein or deemed to form part of this RFQ or arising in any way from this process.

A Bidder must warrant that all the information provided by it to PREJHA Foundation at the time of application & subsequently, is true to the best of its knowledge and belief, and specially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies PREJHA Foundation from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issue of this RFQ does not imply that PREJHA Foundation is bound to select any Bidder(s) or select any Bidder(s) for any project. PREJHA Foundation may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFQ for bona fide reasons, which will be notified to all the Bidders invited to tender. Further PREJHA Foundation hereby reserves its right to annul the process at any time prior to issuance of Purchase Order without incurring any liability towards the Tenderers.

The Bidder shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by PREJHA Foundation or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and PREJHA Foundation shall not be liable in any manner for the same or for any other costs or expenses incurred by a Bidder in preparation or submission of the Bid, regardless of the conduct or outcome of this RFQ and related processes.

SECTION 1: LETTER OF INVITATION

PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation invites proposals from reputed bidders for supply of Technical Training Hand Tools for PREJHA Foundation's Gurukuls & Kaushal College in Jharkhand.

A bidder will be selected based on Lowest Cost Method (L1 basis) from suitable agencies qualifying the criteria as per described in this RFQ.

The content of this RFQ enlists the requirements of PREJHA Foundation. It includes the **Bidding Terms & selection** procedure which details out all that may be needed by the potential bidders to understand the financial terms and bidding process and explains the contractual terms that PREJHA Foundation wishes to specify at this stage.

The RFQ includes the following sections:

Section 1 - Letter of Invitation

Section 2 - Instructions to Bidders (including pre-qualification criteria)

Section 3 - Standard Forms

The information may be submitted online only at the following website.

<https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action>

Yours faithfully,

Authorized signatory

**PanIIT Alumni Reach For Jharkhand Foundation,
Kalyan Complex, Balihar Road, Morabadi,
Ranchi - 834008, Jharkhand**

PREFACE

About PREJHA Foundation

Agencies of Department of Welfare, Government of Jharkhand and PanIIT Alumni Reach for India Foundation have partnered to form PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation, a not-for-profit joint enterprise to implement and scale sustainable welfare initiatives. The initiative will replicate the PanIIT Skill Gurukul model of learning for skill development across all the districts of Jharkhand state and thus provide a network of ITI and sub-ITI institutions accessible to school dropouts, underprivileged and those who are from the lower strata of socio-economic background.

PREJHA Foundation sets up Rural Skill Gurukuls and Kaushal colleges to impart vocational Education to deserving candidates.

Purpose of RFQ

The objective of this assignment is to procure Technical Training Hand Tools required for PREJHA Foundation's Gurukuls & Kaushal Colleges. The supplying agency should adopt a process that is not only transparent, competitive but should also be quick and timely.

Section 2: Instructions to Bidders

The evaluation criteria for the bidders is based on Lowest Cost Method (L1 basis) price bid subject to the bidders submitting and satisfying the basic qualification mentioned. **Each Bidder must submit a single proposal only.**

PREJHA foundation shall endeavor to adhere to the following schedule but reserves the right to alter the same:

Time schedule of Tender:

| Sl.No. | Particulars | Date |
|--------|--|----------------------|
| 1. | Tender e-Publication date | 08.02.2018 |
| 2. | Start date for seeking Clarification | 08.02.2018 |
| 3. | Last date for seeking clarification on line from service provider (mjunction Services Limited) | 15.02.2018 |
| 4. | Bid submission start date (only on-line bid accepted) | 08.02.2017 |
| 5. | Bid submission end date | 21.02.2018 (06:00PM) |
| 6. | Schedule date for Technical bid opening | 21.02.2018 |
| 7 | Comparative statement preparation by the system | 21.02.2018 |

General terms & Conditions:

1. Detailed BOQ

| Sl. No | Item Description | UoM | Estimated Qty |
|--------|---|-----|---------------|
| 1 | 10 inch Cable Cutter for cutting Aluminium & Copper Cables - Make - Stanley/Dewalt/Force | No | 6 |
| 2 | 10 pcs metal drill bit set; Material - Steel; Make - Bosch/Dewalt/Makita | No | 11 |
| 3 | 10" Tin Cutter with spring; Make - Stanley/Dewalt/ Force | No | 4 |
| 4 | 10" Water pump pliers - Make - Dewalt/Force/Stanley/Tata Agrico | No | 20 |
| 5 | 10mm Spring Inside Clipper | No | 4 |
| 6 | 10mm Spring Outside Clipper | No | 4 |
| 7 | 12 pcs combination spanner set; Sizes(in mm) - 6,7,8,9,10,11,12,13,14,17,19 & 22; Make - Stanley/Dewalt/Force | No | 5 |
| 8 | 12 pcs Open End spanner set; Sizes(in mm) - 6,7,8,9,10,11,12,13,14,17,19 & 22; Make - Stanley/Dewalt/Force | No | 6 |
| 9 | 12 pcs Ring spanner set; Sizes(in mm) - 6,7,8,9,10,11,12,13,14,17,19 & 22; Make - Stanley/Dewalt /Force | No | 6 |
| 10 | 12 pcs tubular box spanner set with tommy bar; Sizes - 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 23x27, 25x28, 30x32 mm; Make - Stanley/Dewalt or /Force | No | 10 |
| 11 | 18 G GI Sheet (6' x 4') | No | 18 |
| 12 | 18-Ounce Electrician's Straight Claw hammer: Make - Stanley/Dewalt/Force | No | 6 |
| 13 | 2 in 1 reversible Screw Driver - Star and Flat; Size - 12 X 140mm; Make - Dewalt/Stanley/Force | No | 6 |
| 14 | 2 in 1 reversible Screw Driver - Star and Flat; Size - 6 X 140mm; Make - Dewalt/Stanley/Force | No | 11 |

| | | | |
|----|---|----|----|
| 15 | 2 in 1 reversible Screw Driver - Star and Flat; Size - 6 X 250mm; Make - Dewalt/Stanley/Force | No | 19 |
| 16 | 2 in 1 reversible Screw Driver - Star and Flat; Size - 8 X 140mm; Make - Dewalt/Stanley/Force | No | 22 |
| 17 | 200L Drum; Colour - Blue; Make - HDPE virgin plastic; Min opening Dia - 260mm | No | 18 |
| 18 | 200mm spring divider; Make - Force or equivalent | No | 10 |
| 19 | 3" scratch awl - Heat treated alloy steel blades, Blade Length - 3inch, Min overall length - 6 inch, wooden handle. Make - Stanley/Cresco/Force | No | 5 |
| 20 | 4" CI snap Cutter; Make - RIDGID, Milwaukee or Force | No | 2 |
| 21 | 5 tray cantilever toolbox (Min Dim : 450mmX 200mmX 205mm). Thermocol packing | No | 80 |
| 22 | 8" diagonal cutting pliers: Make - Klein tools/Stanley/Irwin visegrip/Dewalt | No | 6 |
| 23 | 8" long nose pliers - Dewalt/Force/Stanley | No | 5 |
| 24 | 9" side-cutting pliers Make - Klein tools/Stanley/Irwin visegrip/Dewalt | No | 6 |
| 25 | Acetylene Gas (96.5% purity)fully filled in 41 litre Water capacity cylinder with valve & guard on outright basis | No | 1 |
| 26 | Adjustable wrench 10 inch - Made of Chrome finished Vanadium Steel, Make- Stanley/Tata tools/Dewalt | No | 30 |
| 27 | Adjustable wrench 6 inch - Made of Chrome finished Vanadium Steel, Make- Stanley/Tata tools/Dewalt | No | 9 |
| 28 | Angle Grinder(100mm disc dia, 11000rpm) - Make - Bosch/Makita/Dewalt | No | 17 |
| 29 | Ball peen hammer; Head Weight - 500gm; Make - Stanley/Dewalt/Force | No | 2 |
| 30 | Ball peen hammer; Head Weight - 600gm; Make - Stanley/Dewalt/Force | No | 43 |
| 31 | Basin Wrench; Min 10 inch arm length; Max Size of Jaw - 1 inch; | No | 10 |
| 32 | Bench Grinder (Min 152mm wheel dia, 11000rpm) - Make - Bosch/Makita/Stanley | No | 1 |
| 33 | Bench Vice - Vertical; Pipe Dia Capacity 10-125 mm; Body Material - Malleable cost Iron; Make - Dewalt/Olympia tools/Grizzly | No | 30 |
| 34 | Bevel Protractor 135mm; Make - Mitutoyo/Fowler/Kristeel Shinwa | No | 1 |
| 35 | Bolster Chisel | No | 3 |
| 36 | Bore Gauge (18-35) Dial; Make - Mitutoyo/Fowler/Kristeel Shinwa | No | 1 |
| 37 | Brazing torch Set; Gas Type: LPG/Methane; Fire Through 90Deg; Gas Mixing: Injector Esab/victor or equivalent | No | 4 |
| 38 | Bricklayer's hammer; Weight - 20 ounce; Make - Stanley/Dewalt/Estwig | No | 35 |
| 39 | Cabinet tip round shank 1/4-Inch by 6-Inch – Flat blade screwdriver | No | 6 |
| 40 | Cabinet tip round shank 3/16-Inch by 6-Inch – Flat blade screwdriver | No | 6 |
| 41 | Cable Pulling Spring | No | 21 |
| 42 | cable ripper (8-14 AWG) - Min overall length - 4 inch; Make - Stanley/Dewalt/Kleintools | No | 21 |
| 43 | Centre Drill Bit (set of 2mm,3mm,4mm dia 1 each) | No | 2 |
| 44 | Centre Punch (100mm) - Made of High Grade Chrome steel; Deep Knurling on body for Grip; Make - Dewalt/Stanley/Force | No | 2 |
| 45 | Centre Punch (125mm) - Made of High Grade Chrome steel; Deep Knurling on body for Grip; Make - Dewalt/Stanley/Force | No | 14 |
| 46 | Ceramic Tile Cutting Machine; No Load Speed - 13000rpm; Blade dia -110mm; Make - Bosch/Makita/Dewalt | No | 2 |
| 47 | Ceramic Tile manual hand cutter | No | 10 |
| 48 | Chalk Line level; size - 30mm; Make - Stanley or Kristeel Shinwa | No | 30 |
| 49 | Circular Saw; Dia of Wheel - 185mm; Max cutting capacity - 66mm; No Load speed - 4900rpm; Make - Bosch/Makita/Dewalt | No | 4 |
| 50 | Claw hammer: weight 2lb; Make - Stanley/Dewalt/Dewalt | No | 45 |
| 51 | Collet - ER32 Ø4mm | No | 1 |
| 52 | Combination Square Set, 300mm; With Square head, centre head & Protractor head; Make Mitutoyo/Fowler or Equivalent | No | 1 |
| 53 | Compound Dial gauge with stand(metric); Make Mitutoyo/Fowler or Kristeel Shinwa | No | 1 |

| | | | |
|----|--|----|-----|
| 54 | Copper Cutter; Cutting Range 6mm to 30mm; Make - Rothenberger/Ridgid/Tekton/SDT | No | 10 |
| 55 | Cotton Gloves; Honeywell/3M/Dupont | No | 105 |
| 56 | Cramp | No | 9 |
| 57 | Crimping Tool (Hand) - Make - Stanley/Force | No | 21 |
| 58 | Crowbar 6' | No | 6 |
| 59 | Cutting Chisel 4" | No | 10 |
| 60 | Cutting plier 200mm; Make - Stanley/Dewalt/Force; Size - 150mm | No | 3 |
| 61 | Cylinder Bracket - Powder Coated - chain type with bolts | No | 2 |
| 62 | Depth micrometer (0-100 mm); Resolution - 0.01mm; Min 4 rods; Make - Mitutoyo/Fowler or Kristeel Shinwa | No | 2 |
| 63 | Depth micrometer (0-200 mm); Resolution - 0.01mm; Min 4 rods; Make - Mitutoyo/Fowler or Kristeel Shinwa | No | 1 |
| 64 | Depth Vernier 0-200mm; Make - Mitutoyo/Fowler or Kristeel Shinwa | No | 1 |
| 65 | Digital Angle Finder; Make - Bosch/Stanley/Stabila | No | 20 |
| 66 | Digital Clamp Meter; Make - Meco/Fluke/Mastech | No | 2 |
| 67 | Digital inclinometer; Min Length - 60 cm; Make - Bosch/Stanley/Stabila | No | 2 |
| 68 | Digital Multimeter; Make - Fluke/Mestech/Meco | No | 5 |
| 69 | Digital RCD Tester - Make Fluke/Meco or Equivalent; Operating Volt- 240V AC; Current Setting for 5mA to 500mA | No | 2 |
| 70 | Digital Thermo Anemometer; Air Velocity Range - 0 to 30m/s; Air Velocity Resolution - 0.1m/s; Air temp range - -10 to 50 deg C; Make - Metravi/Fluke | No | 2 |
| 71 | Digital Thermometer Celsius/Fahrenheit; | No | 4 |
| 72 | Divider Spring 150mm; Make Mitutoyo/Fowler or Kristeel Shinwa | No | 3 |
| 73 | Divider Spring 200mm; Make Mitutoyo/Fowler or Kristeel Shinwa | No | 3 |
| 74 | Double cylinder trolley - Heavy Duty (M.S. Angle & pipes) (4 wheels system) Capacity 200 Kg | No | 1 |
| 75 | Double End Spanner – 18 / 19; Make - Dewalt/Stanley/Force | No | 10 |
| 76 | Double End Spanner – 20 / 22; Make - Dewalt/Stanley/Force | No | 10 |
| 77 | Double End Spanner – 21 / 23; Make - Dewalt/Stanley/Force | No | 10 |
| 78 | Drill Machine - Chuck Capacity - 10mm; No Load Speed - 0-2800rpm; Voltage - 230V; Drilling Capacity in wood - 25mm; Make - Bosch/Makita/Dewalt | No | 14 |
| 79 | Dust Mask; Make - Honeywell/3M/Dupont | No | 105 |
| 80 | Ear Plug; Make - 3M or Equivalent | No | 30 |
| 81 | Earth Resistance Tester - Make Waco/Fluke/Meco | No | 2 |
| 82 | Electric Concrete Vibrators; No load speed - Around 4000RPM; Diameter of Vibrating head - min 30mm; Frequency -50 Hz | No | 6 |
| 83 | Hand Gloves Pair- Electrical Safety 10kV Shock Proof Brand KAVACH, JYOT or HONEYWELL , Material – Rubber | No | 4 |
| 84 | Electric Mixer (No Load Speed - 0-700 RPM); Blade Dia - Min 130mm; Make - Bosch/Makita/Dewalt | No | 7 |
| 85 | Electric planner machine; Make - Bosch/Dewalt/Makita/Force | No | 2 |
| 86 | Electrical Carving Knife | No | 12 |
| 87 | Electrical Lineman Testar; Test Range - 10 to 500V; Make - Stanley/Dewalt/Force | No | 32 |
| 88 | Electronic screwdriver set with bits; No load Speed not less than 2000RPM; Make - Bosch/Makita/Dewalt | No | 2 |
| 89 | Engineering Scale (12 inch) (triangular type) | No | 6 |
| 90 | Dust Mask; Make - Honeywell/3M/Dupont | No | 5 |
| 91 | Fibre Toe Gumboots: Size - 8; Make- Bata/Safari/Vaultex | No | 53 |
| 92 | File - Flat Smooth File set of 100mm, 150mm,200mm,250mm,300mm,350mm; Make - Dewalt or equivalent | No | 6 |
| 93 | File - Half round Smooth File set of 100mm, 150mm,200mm,250mm,300mm,350mm; Make - Dewalt or equivalent | No | 6 |

| | | | |
|-----|--|----|-----|
| 94 | Firmer Chisel - 1 1/2" | No | 10 |
| 95 | Firmer Chisel – 1/2" | No | 35 |
| 96 | Firmer Chisel - 1" | No | 27 |
| 97 | Flaring tools set; Make - Imperial or Equivalent | No | 1 |
| 98 | Flat File 1" x 12" (Smooth); Make - Dewalt or Equivalent | No | 7 |
| 99 | Folding Rulers; Steel make; 300mm; | No | 12 |
| 100 | Gauge | No | 3 |
| 101 | Gauge Blocks | No | 35 |
| 102 | GI Bucket 5L Capacity | No | 70 |
| 103 | Gimlet tool set : Contains 1 each of 3mm, 4mm, 5mm & 6mm | No | 18 |
| 104 | Goggles;Make- Honeywell/3M/Dupont | No | 18 |
| 105 | Grease Gun; Capacity -500g; Pressure - 6000PSI; Discharge - 1g/stroke; Make - Tata Agrico/Force/Dewalt | No | 2 |
| 106 | Grinding Disc 100mm - Make - Bosch/Makita/Dewalt | No | 33 |
| 107 | Grinding Helmet | No | 4 |
| 108 | Grinding wheel dresser (diamond 1 carat) | No | 1 |
| 109 | Guage Measure | No | 3 |
| 110 | Hacksaw blade; 18 TPI, Size - 12inch, Make - Force/Dewalt/Stanley | No | 751 |
| 111 | Hacksaw frame; Size - 12 inch, Steel Frame; Make - Stanley/Force/Dewalt | No | 230 |
| 112 | Half Round File 1" x 12" Long (Smooth); Make - Dewalt or Equivalent | No | 4 |
| 113 | Hammer drill bit set - 7 pcs set, ranging from 6 to 14 mm, Material - Tungsten Carbide, Make - Bosch/Makita/Dewalt | No | 4 |
| 114 | Hammer Drill; Power -500W; Speed - Min 1000RPM; Blows per minute - Min 4000; Drilling Capacity in metal - 13mm; Drilling Capacity in Concrete - 22mm; Drilling Capacity in Masonary - 50mm; Make - Bosch/Makita/Dewalt | No | 3 |
| 115 | Nitrile Nylon Safety Gloves; Make - Honeywell/3M/Dupont | No | 5 |
| 116 | Hand Held Jigsaw Machine (500 W motor, 0-3200 rpm, Cutting Capacity(in wood)- 75mm, Cutting Capacity(in steel) - 2-3mm, 1 inch stroke length). Make - Dewalt/Bosch/Makita | No | 6 |
| 117 | HDPE Pipe Heating Plate; Voltage - 12V - 480V; Material - Plastic; Fin Thickness - 0.3-0.4mm; | No | 1 |
| 118 | High Pressure Regulator - Acetylene (Double gauge, Single stage type) | No | 3 |
| 119 | High Pressure Regulator - Oxygen (Double gauge, Single stage type) | No | 3 |
| 120 | Hole Saw Cutter - 65 mm dia - Carbide tipped; Make - Bosch/Makita/Dewalt | No | 4 |
| 121 | Inside spring calliper 150mm; Make Mitutoyo or Equivalent | No | 5 |
| 122 | Insulated Combination Plier; Size -150mm; Make - Stanley/Force/Dewalt/Tata Agrico | No | 26 |
| 123 | Insulated Combination Plier; Size -200mm; Make - Stanley/Force/Dewalt/Tata Agrico | No | 30 |
| 124 | Iron Jack Planner 12" | No | 10 |
| 125 | Keystone tip square shank 1/4-Inch by 4-Inch – Flat blade screwdriver | No | 6 |
| 126 | Keystone tip square shank 5/16-Inch by 6-Inch – Flat blade screwdriver | No | 6 |
| 127 | Ladder (Min 5.5ft) 4 step, foldable; Make - Bathla, Eurostar, Plutomax & Equivalent | No | 7 |
| 128 | Lazy Tong type Rivet Gun; Rivet Dia - 1/8 to 1/4 inch; Make - Stanley or Equivalent; | No | 2 |
| 129 | Leather tool belt : Having more than 10 pockets : Min size :18.5*7inch | No | 170 |
| 130 | Length Micrometer | No | 2 |
| 131 | Line string | No | 18 |
| 132 | Magnifying glass(75mm) with handle | No | 2 |
| 133 | Manual Change over Manifold System with Wall mounting clamp for one no cylinder consisting of Wall mounting bracket (powder coated), Isolation Valve & Middle Block Suitable for Oxygen/acetylene | No | 2 |
| 134 | Marble Cutting Machine; No Load Speed - 13000rpm; Blade dia -110mm; Make - | No | 2 |

| | Bosch/Makita/Dewalt | | |
|-----|---|----|-----|
| 135 | Marking Knife /Machinist's Scribber; Min Size - 190mm | No | 6 |
| 136 | Mash hammer; Weight 4 lb; Min Handle length - 16"; Make - Dewalt/Stanley or equivalent | No | 6 |
| 137 | Masking tape(24mm *20m) | No | 12 |
| 138 | Medium Pex Crimping Tool (1/2") - Make - Giacomini or equivalent | No | 1 |
| 139 | Megger insulation tester; Digital reading; Upto 1000V; Make - Metravi/Meco/Waco | No | 2 |
| 140 | Min 4.5 kg capacity filled Butane Gas cylinder | No | 2 |
| 141 | Mortar Boards; Min size 30 inch by 30 inch; Made of Lightweight Polyethylene | No | 9 |
| 142 | Mortar Pan (525 mm O/D - 165 mm deep) Made of min 0.81mm thick steel | No | 70 |
| 143 | Mortise Chisel - 1/2" | No | 10 |
| 144 | Mortise Chisel - 1/4" | No | 10 |
| 145 | Motor & Phase rotation Indicator - Make - Fluke/Meco or equivalent | No | 2 |
| 146 | Number Punch Set (Size 4mm); 36 piece set for punching metal | No | 2 |
| 147 | Offset pipe wrench 14"; Make - Stanley/Dewalt/Ridgid | No | 2 |
| 148 | Oil Stone (Rough/Smooth) | No | 10 |
| 149 | Outside spring calliper 150mm; Make Mitutoyo or Equivalent | No | 5 |
| 150 | Oxygen Gas (99.99% purity)fully filled in 47 litre Water capacity cylinder with valve & guard on outright basis | No | 1 |
| 151 | Pedestal grinder (double ended with 170mm wheels (one fine and one rough); Make - Bosch/Makita/Dewalt | No | 1 |
| 152 | Phillips Tip Screwdriver – 1/4-Inch by 4-Inch | No | 6 |
| 153 | Phillips tip Screwdriver – 3/16-Inch by 3-Inch. | No | 6 |
| 154 | Pincer Pliers; Size 200mm; Make - Stanley/Dewalt/tata Agrico | No | 15 |
| 155 | Pipe Cutter Left - 2.5 Inch to 4 Inch 4 Wheel Heavy Duty; Make - RIDGID/Rothenberger or Equivalent | No | 2 |
| 156 | Pipe Cutter Right - 2.5 Inch to 4 Inch 4 Wheel Heavy Duty; Make - RIDGID/Rothenberger or Equivalent | No | 2 |
| 157 | Pipe Cutter Straight - 2.5 Inch to 4 Inch 4 Wheel Heavy Duty; Make - RIDGID/Rothenberger or Equivalent | No | 2 |
| 158 | Pipe Wrench 12" - Make - Stanley/Dewalt/Ridgid | No | 14 |
| 159 | Pipe Wrench 18"; Make - Stanley/Dewalt/Ridgid | No | 12 |
| 160 | Plastic Mugs | No | 105 |
| 161 | Plug Gauge set (dia 15-30mm); Make - Mitutoyo/Fowler & Equivalent | No | 2 |
| 162 | Plum Bob - 200gm Steel with pointed tip on the bottom, Suspended from string used as vertical reference line | No | 128 |
| 163 | PO Plug wrench | No | 2 |
| 164 | Podger Spanner - 17 X 19 | No | 12 |
| 165 | Pointing Trowel; 140mm/160mm Round pointing Trowel; Carbon steel with wooden handle | No | 35 |
| 166 | Polarity Tester - For Current Upto 6 Amp & voltage upto 250V AC; Make - Metravi/Meco or equivalent | No | 2 |
| 167 | PPR Cutter - Made up of High carbon steel blade; Cutting Range - upto 42mm; Make - Stanley or equivalent | No | 10 |
| 168 | Pressure feed oil cane 500mg | No | 1 |
| 169 | Pulley | No | 3 |
| 170 | PVC Pipe Bending Spring of length 2 mtrs | No | 2 |
| 171 | Radius gauge metric set (0.4 - 6mm); Quantity of leaves - 18, Make - Mitutoyo/Fowler or Equivalent | No | 2 |
| 172 | Ratcheting pipe threader set; Size - 1/2 to 1.25 inch; | No | 2 |
| 173 | Reciprocating Saw; Min range for Strokes per min - 0-2800; MinCapacity in pipe - 120mm; Min Capacity in woods - 255mm; Make - Bosch/Makita/Dewalt | No | 2 |
| 174 | Rectangular (corner) (Sample Brand: Freeman - red, freeman - yellow) | No | 35 |

| | | | |
|-----|--|----|-----|
| 175 | Right Angle / Try Square 12" - Made of stainless steel | No | 33 |
| 176 | Right Angle / Try Square 18" - Made of stainless steel | No | 11 |
| 177 | Right Angle / Try Square 5" - Made of stainless steel | No | 10 |
| 178 | Right Angle / Try Square 6" - Made of stainless steel | No | 31 |
| 179 | Ring Spanner – 18 / 19; Make - Dewalt/Stanley/Force | No | 10 |
| 180 | Ring Spanner – 20 / 22; Make - Dewalt/Stanley/Force | No | 10 |
| 181 | Ring Spanner – 21 / 23; Make - Dewalt/Stanley/Force | No | 10 |
| 182 | Rivets For Rivet Gun | No | 10 |
| 183 | Roofing/Shingler hammer; Min weight -400gm; Make - Stanley/Estwing or Equivalent | No | 18 |
| 184 | Rope(2m length) | No | 3 |
| 185 | Round File 200mm; Make - Dewalt or equivalent | No | 2 |
| 186 | Rubber Gloves; Honeywell/3m/Dupont | No | 120 |
| 187 | Safety Helmets for welding | No | 8 |
| 188 | Sand Screen | No | 18 |
| 189 | Screw Driver - Flat; Size - 10 X 300mm; Make - Dewalt/Stanley/Force | No | 2 |
| 190 | Screw holding screwdriver 3/16-Inch by 6-Inch | No | 6 |
| 191 | Screw Pitch Gauge for metric pitches (0.5 to 6mm) | No | 1 |
| 192 | Scribing block universal 300mm | No | 2 |
| 193 | Shovel | No | 10 |
| 194 | Silicon Sealant Caulking Gun (For 310ml & 400 ml cartridge) With Silicon Sealant | No | 2 |
| 195 | Single cylinder trolley - Heavy Duty (M.S. Angles & pipe) Capacity 100 Kg | No | 2 |
| 196 | Single Flint Spark Lighter | No | 6 |
| 197 | Sledge Hammer with Wooden Handle - 3kg; Min Handle Length - 30 inch; Dewalt/Stanley or Equivalent | No | 28 |
| 198 | Sledge hammer; Weight 1 lb; Min Handle length - 16"; Make - Dewalt/Stanley or equivalent | No | 28 |
| 199 | Sledge hammer; Weight 10 lb; Min Handle length - 16"; Make - Dewalt/Stanley or equivalent | No | 10 |
| 200 | Slip gauge set of min 30 pieces | No | 2 |
| 201 | Soldering Equipment / Iron + Wire + Flux + Nozzle [Full Set]; Soldering Iron Make - Soldron/Taisen/Stanley | No | 4 |
| 202 | Spade | No | 35 |
| 203 | Spirit level 250mm 0.05 least count; ; Make - Dewalt/Stabila/Stanley/ | No | 1 |
| 204 | Spirit Level(30") (With Magnet) Make - Dewalt/Stabila/Stanley | No | 3 |
| 205 | Spirit Level(30") (Without Magnet) Make - Dewalt/Stabila/Stanley | No | 3 |
| 206 | Spirit Level(12 inch) (With Magnet); Make - Dewalt/Stabila/Stanley | No | 19 |
| 207 | Spirit Level(12") (Without Magnet) Make - Dewalt/Stabila/Stanley | No | 6 |
| 208 | Spirit Level(18") (With Magnet) Make - Dewalt/Stabila/Stanley | No | 16 |
| 209 | Spirit Level(1m); Make - Dewalt/Stabila/Stanley | No | 35 |
| 210 | Spirit Level(30cm) (With Magnet); Make - Dewalt/Stabila/Stanley/Force | No | 73 |
| 211 | Spirit Level(6") (With Magnet); Make - Dewalt/Stabila/Stanley | No | 16 |
| 212 | Stainless steel flexible tail pipe with suitable SS 316 connection for one connecting one side to the brazing set & the other side to the manifold outlet. Suitable for Oxygen/Acetylene | No | 4 |
| 213 | Stanley 5-62-572 Fatmax Screwdriver Set Parallel/Flared /Phillips /Pozi 20 Piece or Equivalent | No | 4 |
| 214 | Steel Cutting Aviation Snips; Min Cutting length -35mm; Min Cutting Capacity - 0.90 mm; Make - Stanley/Dewalt or equivalent | No | 3 |
| 215 | Steel float With Handle - 240mm long X 100mm Width X 1mm thick with standard wooden Handle | No | 18 |
| 216 | Steel Measuring Tape -15m length, min 19mm width with lock feature; Make - Stanley/Dewalt | No | 11 |

| | | | |
|-----|--|----|-----|
| 217 | Steel Measuring Tape -30m length, min 19mm width with lock feature; Make - Stanley/Dewalt | No | 3 |
| 218 | Steel Measuring Tape -3m length, min 19mm width with lock feature; Make - Stanley/Dewalt | No | 90 |
| 219 | Steel Measuring Tape -5m length, min 19mm width with lock feature; Make - Stanley/Dewalt | No | 308 |
| 220 | Steel Measuring Tape -7.5m length, min 19mm width with lock feature'; Make - Stanley/Dewalt | No | 21 |
| 221 | Steel Rule 30cm (Graduated in Both English & Metric Unit) | No | 8 |
| 222 | Steel scale Length 24" | No | 6 |
| 223 | Steel Square | No | 6 |
| 224 | Steel Tie Ropes | No | 18 |
| 225 | Straight edge (Alu) 40 mm* 65 mm, 2.40 m long | No | 35 |
| 226 | Taper Gauge 0.8-15mm; Accuracy-0.1; Made of stainless steel | No | 1 |
| 227 | Telescopic gaugeset 8mm to 150mm; 6 pcs set; Make - Mitutoyo/Fowler or Equivalent' | No | 1 |
| 228 | Ten Piece Allen hex-key set - Sizes -1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 5.5mm, 6mm, 8mm & 10mm; Made from High Alloy steel; Make - Dewalt/Force/Stanley | No | 9 |
| 229 | Tenon Saw 12" | No | 35 |
| 230 | Thread Gauge 2-12mm | No | 1 |
| 231 | Tile Clipper/Nipper - 150mm | No | 9 |
| 232 | Tong 12' | No | 7 |
| 233 | Tool trolley with 7 drawers: Load capacity- Min 250 kg, High quality ball bearing slides, rear locking system | No | 6 |
| 234 | Torpedo Level (45 degree) - 3 vials namely horizontal, plumb & 45; Min Length - 225mm; Magnetic type; Make - Stanley/Stabila/Dewalt or equivalent | No | 2 |
| 235 | Torpedo Level (45 degree) - Min 3 vials namely horizontal, plumb & 30; Min Length - 225mm; Magnetic type; Make - Stanley/Stabila/Dewalt or equivalent | No | 2 |
| 236 | Traingular File 200mm; Make - Dewalt or equivalent | No | 2 |
| 237 | Triangle file – 6 mm (Medium); Make - Dewalt or Equivalent | No | 10 |
| 238 | Trigger Clamp (6inch) Make - Dewalt or equivalent | No | 13 |
| 239 | Trowel; Made of stainless steel; Size - 276 x 112 X 0.8mm thick steel | No | 70 |
| 240 | Twist drills & Drill chuck | No | 1 |
| 241 | V block 100mm with clamps | No | 1 |
| 242 | Vernier bevel protector 150mm; Make - Mitutoyo/Fowler or Equivalent | No | 1 |
| 243 | Vernier calliper200mm with LC 0.02mm; Make - Mitutoyo/Fowler or Equivalent | No | 8 |
| 244 | Vernier Height gauge 250mm with LC 0.001mm; Make - Mitutoyo/Fowler or Equivalent | No | 1 |
| 245 | Wall Chaser; Disc Dia - 125mm; Cutter Width - 6-30mm; Cutter Depth - 0-30mm; No Load speed - 9000RPM; Make - Bosch/Makita/Dewalt | No | 2 |
| 246 | Water Balancing Meter | No | 1 |
| 247 | Water level pipe bundle (10 m length) | No | 7 |
| 248 | Water Pressure Gauge; 0-160PSI; | No | 2 |
| 249 | Welding blanket; Size - 6 ft X 8 Ft | No | 3 |
| 250 | Welding Glass Black & Transparent set | No | 8 |
| 251 | Welding Gloves; Make - Honeywell/Dupont/3M | No | 8 |
| 252 | Wheel Barrow; Capacity - 90kg; Single Wheel; | No | 9 |
| 253 | Wheel pulley | No | 3 |
| 254 | Width Micrometer | No | 1 |
| 255 | Wire Cutter; Size - 160mm; Make - Dewalt or equivalent | No | 22 |
| 256 | Wire stripper (10-18 AWG) - Make Klein tools/Stanley/Dewalt/Belto | No | 22 |
| 257 | Wood work Auger – 1/2" | No | 9 |

| | | | |
|-----|--|----|----|
| 258 | Wood work Auger – 1” | No | 9 |
| 259 | Wooden float With Handle - 300mm long X 90mm Width X 1mm thick with standard wooden Handle | No | 70 |
| 260 | Wooden Gauge Box 1' x 1' x 1' | No | 9 |
| 261 | Wooden Hammer; Size -350mm; Weight -450gm; Make - Dewalt/Stanley/Force | No | 5 |
| 262 | Wooden Jack Planner 15” | No | 9 |
| 263 | Wooden Mallet; Size -350mm; Weight -450gm; Make - Dewalt/Stanley/Force | No | 37 |
| 264 | Wooden Saw 12”; Make - Dewalt/Stanley/Force | No | 5 |
| 265 | Wooden Saw 18”; Make - Dewalt/Stanley/Force | No | 39 |
| 266 | Wooden Saw 24”; Make - Dewalt/Stanley/Force | No | 2 |
| 267 | Woodwork Auger – 3/4” | No | 9 |

2. Definitions

- "Buyer" means PREJHA Foundation
- "Bidder" means suppliers or contractors who have participated in tender
- "The Vendor" means the supplier or contractor or service provider to whom the Order is addressed.
- "The Purchase Order" means terms and conditions signed between Buyer and the Vendor governing the subject matter of this Order
- "The Goods / Services" means the goods or services to be supplied under the Order.

3. Amendment of RFQ

At any time before the submission of Proposals, PREJHA Foundation may amend the RFQ by issuing an addendum in writing or by standard electronic means. The addendum shall be uploaded on the <https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action> and will be binding on them. To give Bidders reasonable time in which to take an amendment into account in their Proposals, PREJHA Foundation may, if the amendment is substantial, extend the deadline for the submission of Proposals.

4. Bidding

(to be solely done through portal)

<https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action>

- Offer to be submitted only on e-procurement portal. Hard copy of offer is **not required** to be submitted to PREJHA Foundation. Any offer received in Hard copy shall **not be accepted** and will stand disqualified
- Mode of Submission of offer: Being e-tender, offer will be solely submitted online through e-tender portal: <https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action> through following Application Service Providers (ASPs) appointed by PREJHA:

M/s Mjunction Services Limited, 6thFloor, Tata Centre.43 J N Road,
Kolkata – 700 071,

Contact Person: Helpdesk Officer Sumant Kumar Choudhary
9163348104, sumant.choudary@mjunction.in

- c) They may obtain further information regarding this tender from the office of PREJHA, Kalyan Gurukul, Kumarbagh Road, Arsande, Kanke, Ranchi – 834006 from 10:00 hours to 17:00 hours on all working days till the date of bidding is open.

Contact Person: Abhinav Prakash, Project Sevak, PREJHA

Contact No.: 7041866069

Email-ID: abhinav.p@parfi.org

- d) Bidders are expected to adequately apprise themselves regarding the procedure and provisions available on the e-procurement portal **operated/ maintained** by M/S. Mjunction services limited. Buyer shall not be responsible for any issues related to timely or proper uploading/submission of the bid.

5. Validity of Proposal

Bidders' proposals must remain **valid for a period of min** 180 days after the submission of proposal. Should the need arise, PREJHA Foundation may request Bidders to extend the validity period of their proposals. If a bidder is selected as vendor, his proposal will remain same for whole of the delivery schedule.

6. Submission of proposal

The Proposal as well as all related correspondence exchanged by the bidders and PREJHA Foundation, shall be only through the portal of mjunction and electronic means.

The offer shall be submitted as per the instructions of tender document and as detailed in this RFQ. Price shall be furnished in the relevant price schedule only. In case of any clarification, bidder may contact the concerned contact persons at m junction Services or PREJHA as listed above

7. Latest updates

Latest updates on the critical dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted on PREJHA-mjunction webpage. Bidders to keep themselves updated with all such information. Bidders may please visit <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> for document submission.

8. Technical Bid (incl. Pre-Qualification Criteria)

| Sl. No | PQR Condition | Bidder Remarks |
|--------|---|----------------|
| 1 | Authorised dealer for any of the hand tool manufacturer from Dewalt/Stanley/Force/Mitutoyo/Makita/Bosch | |

Bidder should submit the prequalification documents (Tech1, Tech2, Tech3 & Fin1) at the portal

9. Financial Proposal

Financial Proposal must be submitted in the format shared in this RFQ. Financial proposal must be

shared in the same format as provided else it shall be declared non-responsive.

10. Empanelment followed by Letter of Award

1. The technical bid (incl. pre-qualification criteria) will be verified by PREJHA Foundation. The Procurement System will determine the lowest financial bid including on a possible line-item basis among the technically qualified bidders.
2. PREJHA Foundation shall award the Empanelment Contract possibly with SOR to successful bidders and then issue the Letter of Award (LOA) for the estimated order value along with terms & Conditions governing the Award and notify the same to the bidder through email. The selected bidder shall submit security deposit of 5% of the estimated order value in the form of either a bank guarantee from a scheduled bank or a PDC or a DD drawn on any scheduled bank in favour of "PanIIT Alumni Reach for Jharkhand Foundation" payable at par in Ranchi.
3. The selected bidder is expected to commence the assignment on the date and at the location specified in the LOA/ Contract.
4. If the selected bidder does not sign the Contract within the stipulated period, the LOA may be cancelled, and the next lowest bidder will be considered for award of Contract.
5. If at any stage in the bidding process including after bid opening or Issuance of Purchase orders pertaining to this RFQ, PREJHA believe that the Bidders do not meet the requisite Technical criteria set out in the Bid Document or delivery schedule or that the rate quoted exceeds its own estimates for the supply value, PREJHA reserves the right to cancel the tender or particular line item(s) without incurring any obligation or liability towards the tenderers.
6. PREJHA Foundation reserves the right to issue a part order of any 'line item' or sets of line items from BoQ in the bid to another empaneled vendor based on cost, time & quality considerations at its sole discretion. The transport cost in such cases will be on actual basis.
7. Purchase Orders & Delivery details Over the validity of this RFQ, purchase orders with specified quantity & delivery details would be issued as per requirements
8. Delivery time is the essence of this order and must be strictly adhered to. If the vendor fails to deliver the goods in time, the Buyer may, at its sole discretion:
 - Treat the order as cancelled at any time and recover any loss or damage from the vendor by invoking Security Deposit;
 - purchase the goods ordered or any part thereof from other sources on the vendor's account, in which case, the Vendor shall be liable to pay the Buyer not only the difference between the price at which such goods have been purchased and the price calculated at the rate set out in this order, but also any other loss or damage the Buyer may suffer;

11. Indicative Delivery Schedule

- Goods to be delivered at our Gurukul as per following as needed:

| Sl. No | Delivery Location | Delivery Schedule |
|--------|-------------------------------------|---------------------------------------|
| 1 | Kalyan Gurukul Hiranpur (Pakur) | Within 15 days of signing of contract |
| 2 | Kalyan Gurukul Bhawnathpur (Garhwa) | |

| | | |
|----|--|--|
| 3 | Kalyan Gurukul Pirtand (Giridih) | |
| 4 | Kalyan Gurukul Chas (Bokaro) | |
| 5 | Kalyan Gurukul Kanke (Ranchi) | |
| 6 | Kalyan Gurukul Chainpur(Palamu) | |
| 9 | Kaushal College Chanho (Ranchi) | |
| 10 | Kaushal College Tharpakana (Ranchi) | |
| 11 | Kalyan Gurukul Biru (Simdega) | Exact delivery schedule will be intimated by PREJHA Foundation but will not be more than 180 days from signing of contract. Selected Bidder will be intimated about the delivery schedule 15 days in advance and must deliver within the same. |
| 12 | Kalyan Gurukul Torpa (Khunti) | |
| 13 | Kalyan Gurukul Sinni (Saraikela) | |
| 14 | Kalyan Gurukul (Sahibganj) | |
| 15 | Kalyan Gurukul Bindora (Gumla) | |
| 16 | Kalyan Gurukul Manika(Latehar) | |
| 17 | Kalyan Gurukul Kusuma (Sahibganj) | |
| 18 | Kalyan Gurukul Karmatand (Godda) | |
| 19 | Kalyan Gurukul Tantnagar (West Singhbhum) | |
| 20 | Kalyan Gurukul Noamundi (West Singhbhum) | |
| 21 | Kalyan Gurukul Maithan (Dhanbad) | |
| 22 | Kaushal College Jhinkpani (West Singhbhum) | |

12. Payment Terms

- a. 100% within 60 days of delivery on submission of invoice & delivery challan for each unit. If the vendor delivers goods within 7 days of order confirmation, 100% payment will be done within 45 days.
- b. If a vendor fails to deliver the goods as per the delivery schedule. PREJHA foundation is entitled to delay payment by 2 days for each day delay in delivery. If such delay extends beyond 7 days, it could lead to possible forfeiture of security deposit.

13. Unloading

- a. Unloading is in Vendor's scope, cost & arrangement will be borne by Vendor.
- b. The risk of all materials till receipt at location will be in vendor's scope.

14. Quality of goods and services.

The Vendor should warrant to PREJHA that:

- The Goods and Services would conform in all respects to the Order and to recognized Indian or equivalent standards and codes (where applicable) and be at the complete satisfaction of Buyer.
- The said good/services processed and delivered by the Vendor shall be made from good quality bought out components/materials, as acceptable to the Buyer and it should have standard/excellent workmanship and fit for their intended purpose.

15. Warranty/ Guarantee

- a) The said goods/services delivered by the Vendor should be identical to the sample/specification given

by the Vendor.

- b) Where the said goods/services delivered by the Vendor to the Buyer is according to sample as well as certain specification/description, if any, the said goods/services processed and delivered, shall match not only with the said sample, but also with the said specification/description.
- c) If deficiency is identified before or during the transfer of risk or during the Guarantee/warranty Period, the Vendor must at its own expense and at the discretion of the Buyer either repair the deficiency or provide re-performance of the Services or replacement of delivery. This provision also applies to delivery subject to inspection by sample test. The discretion of the Buyer shall be final.

16. Inspection

- a) All materials supplied against the order should conform strictly to the specifications laid down by the Buyer, and should be new, merchantable quality, fit for their intended purpose and should be in line with "Quality Assurance Plan", if any, which must be approved in advance by the Buyer. All such materials will be subject to inspection and approval by the Buyer, either at the Vendor's premises and/or at the place of delivery indicated by the Buyer.
- b) The Buyer reserves the rights to inspect the material at any stage during manufacture or supply and reject the same if found defective or not in conformity with the specifications or not fit for their intended purpose without invalidating the remainder of the order, if so desired by the Buyer.
- c) All rejected material from the Buyer's site store shall be removed by the vendor at their own cost positively within 15 days from the date of rejection note / intimation issued by the Buyer to them. In case of any failure to remove the same by the vendor within the stipulated period, the Buyer shall have all rights to remove the rejected materials/goods from their premises and discard it. Any cost on this account would be debited to vendor's account.
- d) The Buyer under no circumstances will be liable or held accountable for any damage, loss, deterioration of the rejected materials/goods for discarding the material/goods, or for any value for it.

17. Damage or loss in transit

- a) Subject to the terms of the Order, the Vendor undertakes at its own expense to replace goods lost or damaged in transit.
- b) The delivery will not be deemed to have taken place until replacement items are delivered to the satisfaction of the Buyer.

18. Ownership and risk

Subject to the terms of the delivery and without prejudice to PREJHA Foundation's other rights under the Conditions of the Order:

- a) Ownership in the Goods shall pass to PREJHA on delivery and acceptance.
- b) Risk in the Goods shall pass to PREJHA on delivery, save where the Order includes installation, in which

case risk shall not pass to PREJHA until completion of the installation work.

19. Fraud/Corruption

PREJHA Foundation requires that the bidders participating in the selection process adhere to the highest ethical standards, both during the selection process and throughout the execution of the Contract.

PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has in contravention to the undertaking given in the Bid document and/or contract, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract as enshrine in the undertaking in bidding document and contract

20. Conflicting relationships

Bidder has an obligation to disclose as part of the bid document any situation of actual or potential conflict that impacts their capacity to serve the best interest of PREJHA Foundation, or that may reasonably be perceived as having this effect. Failure to disclose the said situations may lead to the disqualification of the bidder or the termination of its Contract

21. Jurisdiction.

- The disputes if any between the parties shall be subject to the exclusive jurisdiction of the courts in Ranchi alone.

STANDARD FORMS

| TECH FORMS | FORM NAME | Mention list of all supporting documents attached (if any) |
|-------------------|--------------------------------------|---|
| TECH-1 | Letter of proposal submission | Pls scan & attach |
| TECH-2 | Bidder's organization and experience | Pls Put details during bid submission online |
| TECH-3 | Techno commercial offer | Pls Put details during bid submission online |
| Fin - 1 | Financial Bid Format | Pls Put details during bid submission online |

Form Tech 1: Letter

(On Bidder's Letter-head)
Letter of Proposal Submission

To,
Executive Director
PanIIT Alumni Reach For Jharkhand Foundation
Kalyan Complex, Balihar Road, Morabadi,
Ranchi - 834008, Jharkhand

We, the undersigned, offer to supply Technical Training hand tools for PREJHA Foundation, in accordance with your Request for Quotation dated 26-01-2018. We are hereby submitting our proposal, which includes this Technical Proposal, and the Financial Proposal as indicated

We undertake the total responsibility for supply of the goods, if awarded to us.

We hereby declare that all the information and statements made in this proposal are true and accept that any misrepresentation contained in it may lead to our disqualification.

We understand that **PREJHA Foundation** is not bound to accept any proposal it receives.

We further state that we understand that PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing a Contract

Yours faithfully,

*Authorized Signatory [*In full and*
Designation]: Name and Title of Signatory:
Name of
Bidder:
Address:

Form Tech 2: Bidder's Organization and Experience

Bidder's Organization

Provide here a brief description of the background and organization of your Agency/entity.

| <i>Years</i> | <i>2015-16</i> | <i>2016-17</i> | <i>Average</i> |
|-----------------------|----------------|----------------|----------------|
| <i>Turnover (INR)</i> | | | |

Attach PAN card copy, Bank Details (along with copy of cancelled cheque)

Form Tech 3: Techno commercial Offer

| <u>TENDER PROFORMA for Techno-commercial</u> | |
|---|-----|
| PREJHA reference | |
| Name of Bidder | |
| Address of Bidder | |
| Acceptance of Delivery Schedule | Yes |
| Acceptance of payment terms | Yes |
| GSTIN No | |
| Acceptance of Guarantee clause | Yes |
| Acceptance of Jurisdiction clause | Yes |

Form Fin1: Financial Bid Proforma

| TENDER PROFORMA for Commercial | | | | | | | |
|---------------------------------------|---|----------------------|------------------|------------------------|--------------|------------|----------------|
| PREJHA Reference No | | | | | | | |
| Name of Bidder | | | | | | | |
| SN | Item Description | Estimated Qty | Unit Rate | Estimated Value | Tax % | Tax | Freight |
| 1 | 10 inch Cable Cutter for cutting Aluminium & Copper Cables - Make - Stanley/Dewalt/Force | 6 | | | | | |
| 2 | 10 pcs metal drill bit set; Material - Steel; Make - Bosch/Dewalt/Makita | 11 | | | | | |
| 3 | 10" Tin Cutter with spring; Make - Stanley/Dewalt/ Force | 4 | | | | | |
| 4 | 10" Water pump pliers - Make - Dewalt/Force/Stanley/Tata Agrico | 20 | | | | | |
| 5 | 10mm Spring Inside Clipper | 4 | | | | | |
| 6 | 10mm Spring Outside Clipper | 4 | | | | | |
| 7 | 12 pcs combination spanner set; Sizes(in mm) - 6,7,8,9,10,11,12,13,14,17,19 & 22; Make - Stanley/Dewalt/Force | 5 | | | | | |
| 8 | 12 pcs Open End spanner set; Sizes(in mm) - 6,7,8,9,10,11,12,13,14,17,19 & 22; Make - Stanley/Dewalt/Force | 6 | | | | | |
| 9 | 12 pcs Ring spanner set; Sizes(in mm) - 6,7,8,9,10,11,12,13,14,17,19 & 22; Make - Stanley/Dewalt /Force | 6 | | | | | |
| 10 | 12 pcs tubular box spanner set with tommy bar; Sizes - 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 23x27, 25x28, 30x32 mm; Make - Stanley/Dewalt or /Force | 10 | | | | | |
| 11 | 18 G GI Sheet (6' x 4') | 18 | | | | | |
| 12 | 18-Ounce Electrician's Straight Claw hammer: Make - Stanley/Dewalt/Force | 6 | | | | | |
| 13 | 2 in 1 reversible Screw Driver - Star and Flat; Size - 12 X 140mm; Make - Dewalt/Stanley/Force | 6 | | | | | |
| 14 | 2 in 1 reversible Screw Driver - Star and Flat; Size - 6 X 140mm; Make - Dewalt/Stanley/Force | 11 | | | | | |
| 15 | 2 in 1 reversible Screw Driver - Star and Flat; Size - 6 X 250mm; Make - Dewalt/Stanley/Force | 19 | | | | | |
| 16 | 2 in 1 reversible Screw Driver - Star and Flat; Size - 8 X 140mm; Make - Dewalt/Stanley/Force | 22 | | | | | |
| 17 | 200L Drum; Colour - Blue; Make - HDPE virgin plastic; Min opening Dia - 260mm | 18 | | | | | |

| | | | | | | | |
|----|---|----|--|--|--|--|--|
| 18 | 200mm spring divider; Make - Force or equivalent | 10 | | | | | |
| 19 | 3" scratch awl - Heat treated alloy steel blades, Blade Length - 3inch, Min overall length - 6 inch, wooden handle. Make - Stanley/Cresco/Force | 5 | | | | | |
| 20 | 4" CI snap Cutter; Make - RIDGID, Milwaukee or Force | 2 | | | | | |
| 21 | 5 tray cantilever toolbox (Min Dim : 450mmX 200mmX 205mm). Thermocol packing | 80 | | | | | |
| 22 | 8" diagonal cutting pliers: Make - Klein tools/Stanley/Irwin visegrip/Dewalt | 6 | | | | | |
| 23 | 8" long nose pliers - Dewalt/Force/Stanley | 5 | | | | | |
| 24 | 9" side-cutting pliers Make - Klein tools/Stanley/Irwin visegrip/Dewalt | 6 | | | | | |
| 25 | Acetylene Gas (96.5% purity)fully filled in 41 litre Water capacity cylinder with valve & guard on outright basis | 1 | | | | | |
| 26 | Adjustable wrench 10 inch - Made of Chrome finished Vanadium Steel, Make- Stanley/Tata tools/Dewalt | 30 | | | | | |
| 27 | Adjustable wrench 6 inch - Made of Chrome finished Vanadium Steel, Make- Stanley/Tata tools/Dewalt | 9 | | | | | |
| 28 | Angle Grinder(100mm disc dia, 11000rpm) - Make - Bosch/Makita/Dewalt | 17 | | | | | |
| 29 | Ball peen hammer; Head Weight - 500gm; Make - Stanley/Dewalt/Force | 2 | | | | | |
| 30 | Ball peen hammer; Head Weight - 600gm; Make - Stanley/Dewalt/Force | 43 | | | | | |
| 31 | Basin Wrench; Min 10 inch arm length; Max Size of Jaw - 1 inch; | 10 | | | | | |
| 32 | Bench Grinder (Min 152mm wheel dia, 11000rpm) - Make - Bosch/Makita/Stanley | 1 | | | | | |
| 33 | Bench Vice - Vertical; Pipe Dia Capacity 10-125 mm; Body Material - Malleable cost Iron; Make - Dewalt/Olympia tools/Grizzly | 30 | | | | | |
| 34 | Bevel Protractor 135mm; Make - Mitutoyo/Fowler/Kristeel Shinwa | 1 | | | | | |
| 35 | Bolster Chisel | 3 | | | | | |
| 36 | Bore Gauge (18-35) Dial; Make - Mitutoyo/Fowler/Kristeel Shinwa | 1 | | | | | |
| 37 | Brazing torch Set; Gas Type: LPG/Methane; Fire Through 90Deg; Gas Mixing: Injector Esab/victor or equivalent | 4 | | | | | |
| 38 | Bricklayer's hammer; Weight - 20 ounce; Make - Stanley/Dewalt/Estwig | 35 | | | | | |

| | | | | | | | |
|----|--|-----|--|--|--|--|--|
| 39 | Cabinet tip round shank 1/4-Inch by 6-Inch – Flat blade screwdriver | 6 | | | | | |
| 40 | Cabinet tip round shank 3/16-Inch by 6-Inch – Flat blade screwdriver | 6 | | | | | |
| 41 | Cable Pulling Spring | 21 | | | | | |
| 42 | cable ripper (8-14 AWG) - Min overall length - 4 inch; Make - Stanley/Dewalt/Kleintools | 21 | | | | | |
| 43 | Centre Drill Bit (set of 2mm,3mm,4mm dia 1 each) | 2 | | | | | |
| 44 | Centre Punch (100mm) - Made of High Grade Chrome steel; Deep Knurling on body for Grip; Make - Dewalt/Stanley/Force | 2 | | | | | |
| 45 | Centre Punch (125mm) - Made of High Grade Chrome steel; Deep Knurling on body for Grip; Make - Dewalt/Stanley/Force | 14 | | | | | |
| 46 | Ceramic Tile Cutting Machine; No Load Speed - 13000rpm; Blade dia -110mm; Make - Bosch/Makita/Dewalt | 2 | | | | | |
| 47 | Ceramic Tile manual hand cutter | 10 | | | | | |
| 48 | Chalk Line level; size - 30mm; Make - Stanley or Kristeel Shinwa | 30 | | | | | |
| 49 | Circular Saw; Dia of Wheel - 185mm; Max cutting capacity - 66mm; No Load speed - 4900rpm; Make - Bosch/Makita/Dewalt | 4 | | | | | |
| 50 | Claw hammer: weight 2lb; Make - Stanley/Dewalt/Dewalt | 45 | | | | | |
| 51 | Collet - ER32 Ø4mm | 1 | | | | | |
| 52 | Combination Square Set, 300mm; With Square head, centre head & Protractor head; Make Mitutoyo/Fowler or Equivalent | 1 | | | | | |
| 53 | Compound Dial gauge with stand(metric); Make Mitutoyo/Fowler or Kristeel Shinwa | 1 | | | | | |
| 54 | Copper Cutter; Cutting Range 6mm to 30mm; Make - Rothenberger/Ridgid/Tekton/SDT | 10 | | | | | |
| 55 | Cotton Gloves; Honeywell/3M/Dupont | 105 | | | | | |
| 56 | Cramp | 9 | | | | | |
| 57 | Crimping Tool (Hand) - Make - Stanley/Force | 21 | | | | | |
| 58 | Crowbar 6' | 6 | | | | | |
| 59 | Cutting Chisel 4" | 10 | | | | | |
| 60 | Cutting plier 200mm; Make - Stanley/Dewalt/Force; Size - 150mm | 3 | | | | | |

| | | | | | | | |
|----|--|-----|--|--|--|--|--|
| 61 | Cylinder Bracket - Powder Coated - chain type with bolts | 2 | | | | | |
| 62 | Depth micrometer (0-100 mm); Resolution - 0.01mm; Min 4 rods; Make - Mitutoyo/Fowler or Kristeel Shinwa | 2 | | | | | |
| 63 | Depth micrometer (0-200 mm); Resolution - 0.01mm; Min 4 rods; Make - Mitutoyo/Fowler or Kristeel Shinwa | 1 | | | | | |
| 64 | Depth Vernier 0-200mm; Make - Mitutoyo/Fowler or Kristeel Shinwa | 1 | | | | | |
| 65 | Digital Angle Finder; Make - Bosch/Stanley/Stabila | 20 | | | | | |
| 66 | Digital Clamp Meter; Make - Meco/Fluke/Mastech | 2 | | | | | |
| 67 | Digital inclinometer; Min Length - 60 cm; Make - Bosch/Stanley/Stabila | 2 | | | | | |
| 68 | Digital Multimeter; Make - Fluke/Mestech/Meco | 5 | | | | | |
| 69 | Digital RCD Tester - Make Fluke/Meco or Equivalent; Operating Volt- 240V AC; Current Setting for 5mA to 500mA | 2 | | | | | |
| 70 | Digital Thermo Anemometer; Air Velocity Range - 0 to 30m/s; Air Velocity Resolution - 0.1m/s; Air temp range - -10 to 50 deg C; Make - Metravi/Fluke | 2 | | | | | |
| 71 | Digital Thermometer Celsius/Fahrenheit; | 4 | | | | | |
| 72 | Divider Spring 150mm; Make Mitutoyo/Fowler or Kristeel Shinwa | 3 | | | | | |
| 73 | Divider Spring 200mm; Make Mitutoyo/Fowler or Kristeel Shinwa | 3 | | | | | |
| 74 | Double cylinder trolley - Heavy Duty (M.S. Angle & pipes) (4 wheels system) Capacity 200 Kg | 1 | | | | | |
| 75 | Double End Spanner – 18 / 19; Make - Dewalt/Stanley/Force | 10 | | | | | |
| 76 | Double End Spanner – 20 / 22; Make - Dewalt/Stanley/Force | 10 | | | | | |
| 77 | Double End Spanner – 21 / 23; Make - Dewalt/Stanley/Force | 10 | | | | | |
| 78 | Drill Machine - Chuck Capacity - 10mm; No Load Speed - 0-2800rpm; Voltage - 230V; Drilling Capacity in wood - 25mm; Make - Bosch/Makita/Dewalt | 14 | | | | | |
| 79 | Dust Mask; Make - Honeywell/3M/Dupont | 105 | | | | | |
| 80 | Ear Plug; Make - 3M or Equivalent | 30 | | | | | |
| 81 | Earth Resistance Tester - Make Waco/Fluke/Meco | 2 | | | | | |

| | | | | | | | |
|-----|--|----|--|--|--|--|--|
| 82 | Electric Concrete Vibrators; No load speed - Around 4000RPM; Diameter of Vibrating head - min 30mm; Frequency -50 Hz | 6 | | | | | |
| 83 | Hand Gloves Pair- Electrical Safety 10kV Shock Proof Brand KAVACH, JYOT or HONEYWELL , Material – Rubber | 4 | | | | | |
| 84 | Electric Mixer (No Load Speed - 0-700 RPM); Blade Dia - Min 130mm; Make - Bosch/Makita/Dewalt | 7 | | | | | |
| 85 | Electric planner machine; Make - Bosch/Dewalt/Makita/Force | 2 | | | | | |
| 86 | Electrical Carving Knife | 12 | | | | | |
| 87 | Electrical Lineman Testar; Test Range - 10 to 500V; Make - Stanley/Dewalt/Force | 32 | | | | | |
| 88 | Electronic screwdriver set with bits; No load Speed not less than 2000RPM; Make - Bosch/Makita/Dewalt | 2 | | | | | |
| 89 | Engineering Scale (12 inch) (triangular type) | 6 | | | | | |
| 90 | Dust Mask; Make - Honeywell/3M/Dupont | 5 | | | | | |
| 91 | Fibre Toe Gumboots: Size - 8; Make- Bata/Safari/Vaultex | 53 | | | | | |
| 92 | File - Flat Smooth File set of 100mm, 150mm,200mm,250mm,300mm,350mm; Make - Dewalt or equivalent | 6 | | | | | |
| 93 | File - Half round Smooth File set of 100mm, 150mm,200mm,250mm,300mm,350mm; Make - Dewalt or equivalent | 6 | | | | | |
| 94 | Firmer Chisel - 1 1/2" | 10 | | | | | |
| 95 | Firmer Chisel – 1/2" | 35 | | | | | |
| 96 | Firmer Chisel - 1" | 27 | | | | | |
| 97 | Flaring tools set; Make - Imperial or Equivalent | 1 | | | | | |
| 98 | Flat File 1" x 12" (Smooth); Make - Dewalt or Equivalent | 7 | | | | | |
| 99 | Folding Rulers; Steel make; 300mm; | 12 | | | | | |
| 100 | Gauge | 3 | | | | | |
| 101 | Gauge Blocks | 35 | | | | | |
| 102 | GI Bucket 5L Capacity | 70 | | | | | |
| 103 | Gimlet tool set : Contains 1 each of 3mm, 4mm, 5mm & 6mm | 18 | | | | | |

| | | | | | | | |
|-----|--|-----|--|--|--|--|--|
| 104 | Goggles;Make- Honeywell/3M/Dupont | 18 | | | | | |
| 105 | Grease Gun; Capacity -500g; Pressure - 6000PSI; Discharge - 1g/stroke; Make - Tata Agrico/Force/Dewalt | 2 | | | | | |
| 106 | Grinding Disc 100mm - Make - Bosch/Makita/Dewalt | 33 | | | | | |
| 107 | Grinding Helmet | 4 | | | | | |
| 108 | Grinding wheel dresser (diamond 1 carat) | 1 | | | | | |
| 109 | Guage Measure | 3 | | | | | |
| 110 | Hacksaw blade; 18 TPI, Size - 12inch, Make - Force/Dewalt/Stanley | 751 | | | | | |
| 111 | Hacksaw frame; Size - 12 inch, Steel Frame; Make - Stanley/Force/Dewalt | 230 | | | | | |
| 112 | Half Round File 1" x 12" Long (Smooth); Make - Dewalt or Equivalent | 4 | | | | | |
| 113 | Hammer drill bit set - 7 pcs set, ranging from 6 to 14 mm, Material - Tungsten Carbide, Make - Bosch/Makita/Dewalt | 4 | | | | | |
| 114 | Hammer Drill; Power -500W; Speed - Min 1000RPM; Blows per minute - Min 4000; Drilling Capacity in metal - 13mm; Drilling Capacity in Concrete - 22mm; Drilling Capacity in Masonary - 50mm; Make - Bosch/Makita/Dewalt | 3 | | | | | |
| 115 | Nitrile Nylon Safety Gloves; Make - Honeywell/3M/Dupont | 5 | | | | | |
| 116 | Hand Held Jigsaw Machine (500 W motor, 0-3200 rpm, Cutting Capacity(in wood)- 75mm, Cutting Capacity(in steel) - 2-3mm, 1 inch stroke length). Make - Dewalt/Bosch/Makita | 6 | | | | | |
| 117 | HDPE Pipe Heating Plate; Voltage - 12V - 480V; Material - Plastic; Fin Thickness - 0.3-0.4mm; | 1 | | | | | |
| 118 | High Pressure Regulator - Acetylene (Double gauge, Single stage type) | 3 | | | | | |
| 119 | High Pressure Regulator - Oxygen (Double gauge, Single stage type) | 3 | | | | | |
| 120 | Hole Saw Cutter - 65 mm dia - Carbide tipped; Make - Bosch/Makita/Dewalt | 4 | | | | | |
| 121 | Inside spring calliper 150mm; Make Mitutoyo or Equivalent | 5 | | | | | |
| 122 | Insulated Combination Plier; Size -150mm; Make - Stanley/Force/Dewalt/Tata agrico | 26 | | | | | |
| 123 | Insulated Combination Plier; Size -200mm; Make - Stanley/Force/Dewalt/Tata agrico | 30 | | | | | |

| | | | | | | | |
|-----|---|-----|--|--|--|--|--|
| 124 | Iron Jack Planner 12" | 10 | | | | | |
| 125 | Keystone tip square shank 1/4-Inch by 4-Inch – Flat blade screwdriver | 6 | | | | | |
| 126 | Keystone tip square shank 5/16-Inch by 6-Inch – Flat blade screwdriver | 6 | | | | | |
| 127 | Ladder (Min 5.5ft) 4 step, foldable; Make - Bathla, Eurostar, Plutomax & Equivalent | 7 | | | | | |
| 128 | Lazy Tong type Rivet Gun; Rivet Dia - 1/8 to 1/4 inch; Make - Stanley or Equivalent; | 2 | | | | | |
| 129 | Leather tool belt : Having more than 10 pockets : Min size :18.5*7inch | 170 | | | | | |
| 130 | Length Micrometer | 2 | | | | | |
| 131 | Line string | 18 | | | | | |
| 132 | Magnifying glass(75mm) with handle | 2 | | | | | |
| 133 | Manual Change over Manifold System with Wall mounting clamp for one no cylinder consisting of Wall mounting bracket (powder coated), Isolation Valve & Middle Block Suitable for Oxygen/acetylene | 2 | | | | | |
| 134 | Marble Cutting Machine; No Load Speed - 13000rpm; Blade dia -110mm; Make - Bosch/Makita/Dewalt | 2 | | | | | |
| 135 | Marking Knife /Machinist's Scribber; Min Size - 190mm | 6 | | | | | |
| 136 | Mash hammer; Weight 4 lb; Min Handle length - 16"; Make - Dewalt/Stanley or equivalent | 6 | | | | | |
| 137 | Masking tape(24mm *20m) | 12 | | | | | |
| 138 | Medium Pex Crimping Tool (1/2") - Make - Giacomini or equivalent | 1 | | | | | |
| 139 | Megger insulation tester; Digital reading; Upto 1000V; Make - Metravi/Meco/Waco | 2 | | | | | |
| 140 | Min 4.5 kg capacity filled Butane Gas cylinder | 2 | | | | | |
| 141 | Mortar Boards; Min size 30 inch by 30 inch; Made of Lightweight Polyethylene | 9 | | | | | |
| 142 | Mortar Pan (525 mm O/D - 165 mm deep) Made of min 0.81mm thick steel | 70 | | | | | |
| 143 | Mortise Chisel - 1/2" | 10 | | | | | |
| 144 | Mortise Chisel - 1/4" | 10 | | | | | |
| 145 | Motor & Phase rotation Indicator - Make - Fluke/Meco or equivalent | 2 | | | | | |

| | | | | | | | |
|-----|--|-----|--|--|--|--|--|
| 146 | Number Punch Set (Size 4mm); 36 piece set for punching metal | 2 | | | | | |
| 147 | Offset pipe wrench 14"; Make - Stanley/Dewalt/Ridgid | 2 | | | | | |
| 148 | Oil Stone (Rough/Smooth) | 10 | | | | | |
| 149 | Outside spring calliper 150mm; Make Mitutoyo or Equivalent | 5 | | | | | |
| 150 | Oxygen Gas (99.99% purity)fully filled in 47 litre Water capacity cylinder with valve & guard on outright basis | 1 | | | | | |
| 151 | Pedestal grinder (double ended with 170mm wheels (one fine and one rough); Make - Bosch/Makita/Dewalt | 1 | | | | | |
| 152 | Phillips Tip Screwdriver – 1/4-Inch by 4-Inch | 6 | | | | | |
| 153 | Phillips tip Screwdriver – 3/16-Inch by 3-Inch. | 6 | | | | | |
| 154 | Pincer Pliers; Size 200mm; Make - Stanley/Dewalt/tata Agrico | 15 | | | | | |
| 155 | Pipe Cutter Left - 2.5 Inch to 4 Inch 4 Wheel Heavy Duty; Make - RIDGID/Rothenberger or Equivalent | 2 | | | | | |
| 156 | Pipe Cutter Right - 2.5 Inch to 4 Inch 4 Wheel Heavy Duty; Make - RIDGID/Rothenberger or Equivalent | 2 | | | | | |
| 157 | Pipe Cutter Straight - 2.5 Inch to 4 Inch 4 Wheel Heavy Duty; Make - RIDGID/Rothenberger or Equivalent | 2 | | | | | |
| 158 | Pipe Wrench 12" - Make - Stanley/Dewalt/Ridgid | 14 | | | | | |
| 159 | Pipe Wrench 18"; Make - Stanley/Dewalt/Ridgid | 12 | | | | | |
| 160 | Plastic Mugs | 105 | | | | | |
| 161 | Plug Gauge set (dia 15-30mm); Make - Mitutoyo/Fowler & Equivalent | 2 | | | | | |
| 162 | Plum Bob - 200gm Steel with pointed tip on the bottom, Suspended from string used as vertical reference line | 128 | | | | | |
| 163 | PO Plug wrench | 2 | | | | | |
| 164 | Podger Spanner - 17 X 19 | 12 | | | | | |
| 165 | Pointing Trowel; 140mm/160mm Round pointing Trowel; Carbon steel with wooden handle | 35 | | | | | |
| 166 | Polarity Tester - For Current Upto 6 Amp & voltage upto 250V AC; Make - Metravi/Meco or equivalent | 2 | | | | | |

| | | | | | | | |
|-----|---|-----|--|--|--|--|--|
| 167 | PPR Cutter - Made up of High carbon steel blade; Cutting Range - upto 42mm; Make - Stanley or equivalent | 10 | | | | | |
| 168 | Pressure feed oil cane 500mg | 1 | | | | | |
| 169 | Pulley | 3 | | | | | |
| 170 | PVC Pipe Bending Spring of length 2 mtrs | 2 | | | | | |
| 171 | Radius gauge metric set (0.4 - 6mm); Quantity of leaves - 18, Make - Mitutoyo/Fowler or Equivalent | 2 | | | | | |
| 172 | Ratcheting pipe threader set; Size - 1/2 to 1.25 inch; | 2 | | | | | |
| 173 | Reciprocating Saw; Min range for Strokes per min - 0-2800; MinCapacity in pipe - 120mm; Min Capacity in woods - 255mm; Make - Bosch/Makita/Dewalt | 2 | | | | | |
| 174 | Rectangular (corner) (Sample Brand: Freeman - red, freeman - yellow) | 35 | | | | | |
| 175 | Right Angle / Try Square 12" - Made of stainless steel | 33 | | | | | |
| 176 | Right Angle / Try Square 18" - Made of stainless steel | 11 | | | | | |
| 177 | Right Angle / Try Square 5" - Made of stainless steel | 10 | | | | | |
| 178 | Right Angle / Try Square 6" - Made of stainless steel | 31 | | | | | |
| 179 | Ring Spanner – 18 / 19; Make - Dewalt/Stanley/Force | 10 | | | | | |
| 180 | Ring Spanner – 20 / 22; Make - Dewalt/Stanley/Force | 10 | | | | | |
| 181 | Ring Spanner – 21 / 23; Make - Dewalt/Stanley/Force | 10 | | | | | |
| 182 | Rivets For Rivet Gun | 10 | | | | | |
| 183 | Roofing/Shingler hammer; Min weight - 400gm; Make - Stanley/Estwing or Equivalent | 18 | | | | | |
| 184 | Rope(2m length) | 3 | | | | | |
| 185 | Round File 200mm; Make - Dewalt or equivalent | 2 | | | | | |
| 186 | Rubber Gloves; Honeywell/3m/Dupont | 120 | | | | | |
| 187 | Safety Helmets for welding | 8 | | | | | |
| 188 | Sand Screen | 18 | | | | | |

| | | | | | | | |
|-----|--|----|--|--|--|--|--|
| 189 | Screw Driver - Flat; Size - 10 X 300mm; Make - Dewalt/Stanley/Force | 2 | | | | | |
| 190 | Screw holding screwdriver 3/16-Inch by 6-Inch | 6 | | | | | |
| 191 | Screw Pitch Gauge for metric pitches (0.5 to 6mm) | 1 | | | | | |
| 192 | Scribing block universal 300mm | 2 | | | | | |
| 193 | Shovel | 10 | | | | | |
| 194 | Silicon Sealant Caulking Gun (For 310ml & 400 ml cartridge) With Silicon Sealant | 2 | | | | | |
| 195 | Single cylinder trolley - Heavy Duty (M.S. Angles & pipe) Capacity 100 Kg | 2 | | | | | |
| 196 | Single Flint Spark Lighter | 6 | | | | | |
| 197 | Sledge Hammer with Wooden Handle - 3kg; Min Handle Length - 30 inch; Dewalt/Stanley or Equivalent | 28 | | | | | |
| 198 | Sledge hammer; Weight 1 lb; Min Handle length - 16"; Make - Dewalt/Stanley or equivalent | 28 | | | | | |
| 199 | Sledge hammer; Weight 10 lb; Min Handle length - 16"; Make - Dewalt/Stanley or equivalent | 10 | | | | | |
| 200 | Slip gauge set of min 30 pieces | 2 | | | | | |
| 201 | Soldering Equipment / Iron + Wire + Flux + Nozzle [Full Set]; Soldering Iron Make - Soldron/Taisen/Stanley | 4 | | | | | |
| 202 | Spade | 35 | | | | | |
| 203 | Spirit level 250mm 0.05 least count; ; Make - Dewalt/Stabila/Stanley/ | 1 | | | | | |
| 204 | Spirit Level(30") (With Magnet) Make - Dewalt/Stabila/Stanley | 3 | | | | | |
| 205 | Spirit Level(30") (Without Magnet) Make - Dewalt/Stabila/Stanley | 3 | | | | | |
| 206 | Spirit Level(12 inch) (With Magnet); Make - Dewalt/Stabila/Stanley | 19 | | | | | |
| 207 | Spirit Level(12") (Without Magnet) Make - Dewalt/Stabila/Stanley | 6 | | | | | |
| 208 | Spirit Level(18") (With Magnet) Make - Dewalt/Stabila/Stanley | 16 | | | | | |
| 209 | Spirit Level(1m); Make - Dewalt/Stabila/Stanley | 35 | | | | | |
| 210 | Spirit Level(30cm) (With Magnet); Make - Dewalt/Stabila/Stanley/Force | 73 | | | | | |
| 211 | Spirit Level(6") (With Magnet); Make - Dewalt/Stabila/Stanley | 16 | | | | | |
| 212 | Stainless steel flexible tail pipe with suitable SS 316 connection for one connecting one side to the brazing set & the other side to the manifold outlet. Suitable for Oxygen/Acetylene | 4 | | | | | |

| | | | | | | | |
|-----|--|-----|--|--|--|--|--|
| 213 | Stanley 5-62-572 Fatmax Screwdriver Set Parallel/Flared /Phillips /Pozi 20 Piece or Equivalent | 4 | | | | | |
| 214 | Steel Cutting Aviation Snips; Min Cutting length -35mm; Min Cutting Capacity - 0.90 mm; Make - Stanley/Dewalt or equivalent | 3 | | | | | |
| 215 | Steel float With Handle - 240mm long X 100mm Width X 1mm thick with standard wooden Handle | 18 | | | | | |
| 216 | Steel Measuring Tape -15m length, min 19mm width with lock feature; Make - Stanley/Dewalt | 11 | | | | | |
| 217 | Steel Measuring Tape -30m length, min 19mm width with lock feature; Make - Stanley/Dewalt | 3 | | | | | |
| 218 | Steel Measuring Tape -3m length, min 19mm width with lock feature; Make - Stanley/Dewalt | 90 | | | | | |
| 219 | Steel Measuring Tape -5m length, min 19mm width with lock feature; Make - Stanley/Dewalt | 308 | | | | | |
| 220 | Steel Measuring Tape -7.5m length, min 19mm width with lock feature'; Make - Stanley/Dewalt | 21 | | | | | |
| 221 | Steel Rule 30cm (Graduated in Both English & Metric Unit) | 8 | | | | | |
| 222 | Steel scale Length 24" | 6 | | | | | |
| 223 | Steel Square | 6 | | | | | |
| 224 | Steel Tie Ropes | 18 | | | | | |
| 225 | Straight edge (Alu) 40 mm* 65 mm, 2.40 m long | 35 | | | | | |
| 226 | Taper Gauge 0.8-15mm; Accuracy-0.1; Made of stainless steel | 1 | | | | | |
| 227 | Telescopic gaugeset 8mm to 150mm; 6 pcs set; Make - Mitutoyo/Fowler or Equivalent' | 1 | | | | | |
| 228 | Ten Piece Allen hex-key set - Sizes -1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 5.5mm, 6mm, 8mm & 10mm; Made from High Alloy steel; Make - Dewalt/Force/Stanley | 9 | | | | | |
| 229 | Tenon Saw 12" | 35 | | | | | |
| 230 | Thread Gauge 2-12mm | 1 | | | | | |
| 231 | Tile Clipper/Nipper - 150mm | 9 | | | | | |
| 232 | Tong 12' | 7 | | | | | |
| 233 | Tool trolley with 7 drawers: Load capacity-Min 250 kg, High quality ball bearing slides, rear locking system | 6 | | | | | |
| 234 | Torpedo Level (45 degree) - 3 vials namely horizontal, plumb & 45; Min Length - 225mm; Magnetic type; Make - Stanley/Stabila/Dewalt or equivalent | 2 | | | | | |
| 235 | Torpedo Level (45 degree) - Min 3 vials namely horizontal, plumb & 30; Min Length - 225mm; Magnetic type; Make - | 2 | | | | | |

| | | | | | | | |
|-----|--|----|--|--|--|--|--|
| | Stanley/Stabila/Dewalt or equivalent | | | | | | |
| 236 | Traingular File 200mm; Make - Dewalt or equivalent | 2 | | | | | |
| 237 | Triangle file – 6 mm (Medium); Make - Dewalt or Equivalent | 10 | | | | | |
| 238 | Trigger Clamp (6inch) Make - Dewalt or equivalent | 13 | | | | | |
| 239 | Trowel; Made of stainless steel; Size - 276 x 112 X 0.8mm thick steel | 70 | | | | | |
| 240 | Twist drills & Drill chuck | 1 | | | | | |
| 241 | V block 100mm with clamps | 1 | | | | | |
| 242 | Vernier bevel protector 150mm; Make - Mitutoyo/Fowler or Equivalent | 1 | | | | | |
| 243 | Vernier calliper 200mm with LC 0.02mm; Make - Mitutoyo/Fowler or Equivalent | 8 | | | | | |
| 244 | Vernier Height gauge 250mm with LC 0.001mm; Make - Mitutoyo/Fowler or Equivalent | 1 | | | | | |
| 245 | Wall Chaser; Disc Dia - 125mm; Cutter Width - 6-30mm; Cutter Depth - 0-30mm; No Load speed - 9000RPM; Make - Bosch/Makita/Dewalt | 2 | | | | | |
| 246 | Water Balancing Meter | 1 | | | | | |
| 247 | Water level pipe bundle (10 m length) | 7 | | | | | |
| 248 | Water Pressure Gauge; 0-160PSI; | 2 | | | | | |
| 249 | Welding blanket; Size - 6 ft X 8 Ft | 3 | | | | | |
| 250 | Welding Glass Black & Transparent set | 8 | | | | | |
| 251 | Welding Gloves; Make - Honeywell/Dupont/3M | 8 | | | | | |
| 252 | Wheel Barrow; Capacity - 90kg; Single Wheel; | 9 | | | | | |
| 253 | Wheel pulley | 3 | | | | | |
| 254 | Width Micrometer | 1 | | | | | |
| 255 | Wire Cutter; Size - 160mm; Make - Dewalt or equivalent | 22 | | | | | |
| 256 | Wire stripper (10-18 AWG) - Make Klein tools/Stanley/Dewalt/Belto | 22 | | | | | |
| 257 | Wood work Auger – 1/2" | 9 | | | | | |
| 258 | Wood work Auger – 1" | 9 | | | | | |
| 259 | Wooden float With Handle - 300mm long X 90mm Width X 1mm thick with standard wooden Handle | 70 | | | | | |
| 260 | Wooden Gauge Box 1' x 1' x 1' | 9 | | | | | |

| | | | | | | | |
|-----|---|----|--|--|--|--|--|
| 261 | Wooden Hammer; Size -350mm; Weight - 450gm; Make - Dewalt/Stanley/Force | 5 | | | | | |
| 262 | Wooden Jack Planner 15" | 9 | | | | | |
| 263 | Wooden Mallet; Size -350mm; Weight - 450gm; Make - Dewalt/Stanley/Force | 37 | | | | | |
| 264 | Wooden Saw 12"; Make - Dewalt/Stanley/Force | 5 | | | | | |
| 265 | Wooden Saw 18"; Make - Dewalt/Stanley/Force | 39 | | | | | |
| 266 | Wooden Saw 24"; Make - Dewalt/Stanley/Force | 2 | | | | | |
| 267 | Woodwork Auger – 3/4" | 9 | | | | | |

(*- Freight – Ex Ranchi)