

**PREJHA Foundation Reference:**

**1458-PREJHA 04/26/295**

# **REQUEST FOR QUOTATION**

FOR

**Partner Empanelment & Supply and Installation of Utility Appliances Items**

**Dated: 15<sup>th</sup> April 2026**

**PanIIT Alumni Reach For Jharkhand Foundation**

**A Non-profit Special Purpose Joint Enterprise between agencies of Department of  
Welfare, Government of Jharkhand and  
PanIIT Alumni Reach For India Foundation,  
Kalyan Complex, Balihar Road, Morabadi,  
Ranchi - 834008, Jharkhand**

# Contents

## Contents

<b>DISCLAIMER .....</b>	<b>2</b>
<b>SECTION 1: LETTER OF INVITATION .....</b>	<b>3</b>
<i>PREFACE .....</i>	<i>5</i>
<i>Purpose of RFQ.....</i>	<i>5</i>
<b>Section 2: Instructions to Bidders .....</b>	<b>6</b>
<i>General terms &amp; Conditions .....</i>	<i>7</i>
<b>STANDARD FORMS .....</b>	<b>15</b>
<i>Form Tech 1: Letter .....</i>	<i>16</i>
<i>Form Tech 2: Bidder's Organization and Experience.....</i>	<i>17</i>
<i>Form Tech 3: Techno commercial Offer .....</i>	<i>18</i>
<i>Form Fin1: Financial Bid Proforma.....</i>	<i>19</i>

---

## **DISCLAIMER**

The information contained in this Request for Quotation ("RFQ") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of PanIIT Alumni Reach For Jharkhand Foundation (hereinafter "PREJHA") is provided to interested parties on the terms and conditions set out in this RFQ and such other terms and conditions subject to which such information is provided.

This RFQ is not an agreement and is neither an offer nor an invitation by PREJHA to interested parties who submit their quote (henceforth "Bidders") in response to this RFQ. The purpose of this RFQ is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for selection as supply agency with PREJHA Foundation as per notified norms.

PREJHA Foundation makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFQ or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFQ and any assessment, assumption, statement or information contained herein or deemed to form part of this RFQ or arising in any way from this process.

A Bidder must warrant that all the information provided by it to PREJHA Foundation at the time of application & subsequently, is true to the best of its knowledge and belief, and specially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies PREJHA Foundation from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issue of this RFQ does not imply that PREJHA Foundation is bound to select any Bidder(s) or select any Bidder(s) for any project. PREJHA Foundation may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFQ for bona fide reasons, which will be notified to all the Bidders invited to tender. Further PREJHA Foundation hereby reserves its right to annul the process at any time prior to issuance of Purchase Order without incurring any liability towards the Tenderers.

The Bidder shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by PREJHA Foundation or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and PREJHA Foundation shall not be liable in any manner for the same or for any other costs or expenses incurred by a Bidder in preparation or submission of the Bid, regardless of the conduct or outcome of this RFQ and related processes.

## **SECTION 1: LETTER OF INVITATION**

PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation invites proposals from reputed bidders for supply and installation of utility items for PREJHA Foundation's Kaushal Colleges and Kalyan Gurukul in Jharkhand.

A bidder will be selected based on Lowest Cost Method (L1 basis) from suitable agencies qualifying the criteria as per described in this RFQ.

The content of this RFQ enlists the requirements of PREJHA Foundation. It includes the **Bidding Terms & selection** procedure which details out all that may be needed by the potential bidders to understand the financial terms and bidding process and explains the contractual terms that PREJHA Foundation wishes to specify at this stage.

The RFQ includes the following sections:

**Section 1 - Letter of Invitation**

**Section 2 - Instructions to Bidders (including pre-qualification criteria)**

**Section 3 - Standard Forms**

The information may be submitted online only at the following website.

<https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action>

The information may also be viewed online at the following website

<https://www.jharkhand.gov.in/paniit>

Yours faithfully,

Authorized signatory  
**PanIIT Alumni Reach For Jharkhand Foundation,**  
**Kalyan Complex, Balihar Road, Morabadi,**  
**Ranchi - 834008, Jharkhand**

## **PREFACE**

### **About PREJHA Foundation**

Agencies of Department of Welfare, Government of Jharkhand and PanIIT Alumni Reach for India Foundation have partnered to form PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation, a not-for-profit joint enterprise to implement and scale sustainable welfare initiatives. The initiative will replicate the PanIIT Skill Gurukul model of learning for skill development across all the districts of Jharkhand state and thus provide a network of ITI and sub-ITI institutions accessible to school dropouts, underprivileged and those who are from the lower strata of socio-economic background.

PREJHA Foundation sets up Rural Skill Gurukuls and Kaushal colleges to impart vocational Education to deserving candidates.

### **Purpose of RFQ**

The objective of this assignment is to procure utility items required for PREJHA Foundation's Gurukuls & Kaushal Colleges. The supplying agency should adopt a process that is not only transparent, competitive but should also be quick and timely.

## **Section 2: Instructions to Bidders**

The evaluation criteria for the bidders are based on Lowest Cost Method (L1 basis) price bid subject to the bidders submitting and satisfying the basic qualification mentioned. **Each Bidder must submit a single proposal only.**

PREJHA foundation shall endeavor to adhere to the following schedule but reserves the right to alter the same:

**Time schedule of Tender:**

Sl.No.	Particulars	Date
1.	Tender e-Publication date	15.04.2026
2.	Start date for seeking Clarification	15.04.2026
3.	Last date for seeking clarification on line from service provider (mjunction Services Limited)	20.04.2026 (08:00PM)
4.	Bid submission start date (only on-line bid accepted)	15.04.2026
5.	Bid submission end date	28.04.2026 (08:00PM)
6.	Schedule date for Technical bid opening	28.04.2026
7	Comparative statement preparation by the system	28.04.2026

**General terms & Conditions:**

**1. Detailed BOQ**

S. No	Description of items	UOM
1	Compact and attractive multi-utility fan with all accessories Sweep Size - 150mm Speed : 2200 RPM Wattage - 25 watts Can be installed on the wall and put on a table/desk/workstation/Bunk Beds Easy portability with ergonomically designed slot at the back of the fan silent operation 2 Fan speed warranty : Min 1 years Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous/Sysca/Wipro	No
2	Ceiling Fan; Min Sweep Size – 1200mm; Min 3 blades; Min Speed – 350 RPM; Make : Usha/ Orient/ Crompton/Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous/Sysca/Wipro	No
3	Wall Mount Fan; Min Sweep Size – 300mm; Min 3 Blades; Min Speed – 1800 RPM; 90 degree oscillation; Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous/Sysca/Wipro	No
4	Pedestal Fan; Min Sweep Size – 400mm; Minimum noise; Min 3 blades; Min Speed – 1200 RPM; Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous/Sysca/Wipro	No
5	Exhaust Fan - Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous; With Automatic shutter, 200mm size	No
6	Industrial Exhaust Fan 24" for Workshop- Supply & Installation; Product Category : Metal Body, Model Name : Heavy Duty Exhaust Fan, Sweep : 600 mm (24"), Power 550-600W, Voltage 240V,R.P.M. 900,Air Capacity (C.F.M.) 5527.2; Air Capacity (M3H) 9400,No of Blade 4, Material Die Cast Aluminium. Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous	No
7	LED Tubelight complete set: Capacity: 18-20 Watt Size: 24 Inch Luminous Intensity : Minimum 1900 Lm Rohs Uses: Classroom, office, Living Rooms, Labs, Sewing machine workshops. Fluctuation Proof & Glare free Tube Light Voltage Range : 160~280V AC Colour Material : Polycarbonate/Glass Color : Cool day Light 6500 K Warranty : Min 1 year Make: Philips/Bajaj/Sysca/Surya/Everyday/Wipro/Luminous/Havells/Crompton	No
8	LED Tubelight complete set: Capacity: 36-40 Watt Size: 48 Inch Luminous Intensity : Minimum 2000 Lm Rohs Uses: Classroom, office, Living Rooms, Labs, Sewing machine workshops. Fluctuation Proof & Glare free Tube Light Voltage Range : 160~280V AC Colour Material : Polycarbonate/Glass Color : Cool day Light 6500 K Warranty : Min 1 year Make:	No

	Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton	
9	LED Bulb: 9W Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton Min 1 year warranty	No
10	LED Bulb: 15W, Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton Min 1 year warranty	No
11	LED Flood Light 50 Watt, Color : Cool day Light 6500K ,water-proof (IP65 rated), Minimum 5000 Lumens Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton/Orpat/ Min 1 year warranty	No
12	LED Flood Light 100 Watt, Color : Cool day Light 6500K, water-proof (IP65 rated), Minimum 10000 Lumens Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton/orpat Min 1 year warranty	No
13	Vaccum Cleaner ((suppy and Installation)wet and dry with wheel for easy movement, 360 degrees swivel Wheels Should include all the necessary accessories: Flexible hosepipe, extention tubes, carpet/floor brush, crevice nozzle, utility nozzle, upholstery brush, multipurpose brush, wet squeeze,two extension wands, wall mount, tool holder, reusable dry filter, foam filter, disposable filter bag. Special Features: Portable Usage: Carpet cleaning, floor cleaning, workshops, classrooms Capacity: Minimum 20 Liters Blower Efficiency - 30-35 liters/sec Input power : Min 1200 watts Suction of motor : Min 2200mm/wc warranty : min 1 years Make : Eureka Forbes/Bosch/Makita/Philips/Prestige/Stanley/Kent	No
14	Room Heater - Rod Type (Wire Based Heater) Body Material : Metal Heat Setting : 2000 W Maximum Power output : 2 warranty : Min 1 years Multiple heating mode Make: Usha/Havells/Morphy Richards/Bajaj/Orient/Orpet/Eveready/philips/Havells/Khaitan/Panasonic/Roxy	No
15	Blower Heater with all necessary Body Material : Plastic Revolving Type Overheat Protection : Yes Maximum Power output : 2000 w Multiple Heating Mode warranty : min 1 years Make : Usha/Havells/Morphy Richards/Bajaj/Orient/Orpet/Eveready/philips/Havells/Khaitan/Panasonic	No
16	1500 watt Immersion rod Bajaj/Usha/Eveready/Roxy Make: Usha/Bajaj/Roxy/Crompton/Havells/Eveready Min 1 year warranty	No
17	Geyser ((suppy and Installation)) for hot water, Tank Capacity 25 Ltr, Glass coated Heating element ,corrosion resistant tank with Anode Rod Volume [L] :25, Power [W]: 2000 Voltage/Frequency [V/Hz]: 230~/50 Actual Stdg. Loss [kWh/24h/45°C diff.]: 0.540 Reheating Time for 35°C rise [in min.]: 20 minutes or less Temperature range [°C]: 25-75 with temprature control knob between 25 to 75 Degree with autocut feature Rated water pressure(N/cm2/Water head (metres)): approx 80/80 Minimum BEE 4 Star rating or more Warranty: Minimum 5 year on tank and minimum 2 year on heating element Make:A.O.Smith/Racold/V-Guard/Usha/Crompton/Havells/American Micronic/Bajaj/Venus/Orient/Lifelong/Panasonic	No
18	Geyser (suppy and Installation) for hot water, Tank Capacity 50 Ltr, Glass coated Heating element,corrosion resistant tank with Anode Rod Volume [L] :50, Power [W]: Minimum 3000 Voltage/Frequency [V/Hz]: 230~/50 Actual Stdg. Loss [kWh/24h/45°C diff.]: 0.724 Reheating Time for 35°C rise [in min.]: 35 minute or less Temperature range [°C]: 25-75 with temprature control knob between 25 to 75 Degree with autocut feature Rated water pressure(N/cm2/Water head (metres)): approx 80/80 Minimum BEE 4 Star rating or more Warranty: Minimum 5 year on tank and minimum 2 year on heating element Make: A. O Smith/Racold/V-Guard/Usha/Crompton/Havells/American Micronic/Bajaj/Venus/Orient/Lifelong/Panasonic	No
19	Submersible Pump 1.5 HP Power Rating : 1.1kw Motor Power : 1.5 HP Anti rust stainless steel motor body with Anti rust coating internal parts with Starter Flow rate : Minimum 105 LPM Usage : for water boring, Minimum depth of water extraction from ground : 350 ft Warranty : min 1 Year warrant Designed for underwater application Make : Kirloskar/Aquatech/Crompton/Usha/CRI	No
20	Submersible Pump 2 HP Power Rating : 1.5 kw Motor Power : 2 HP Anti rust stainless steel motor body with Anti rust coating internal parts with Starter Flow rate : Minimum 120 LPM Usage : for water boring, Minimum depth of water extraction from ground : 400 ft Warranty : min 1 Year warrant Designed for underwater application Make : Kirloskar/Aquatech/Crompton/Usha/CRI	No
21	Submersible Pump 1HP Power Rating : 0.75 kw Motor Power : 1 HP Anti rust stainless steel motor body with Anti rust coating internal parts with Starter Flow rate : Minimum 105 LPM Usage : for water boring, Minimum depth of water extraction from ground : 350 ft Warranty : min 1 Year warrant Designed for underwater application Make : Kirloskar/Aquatech/Crompton/Usha/CRI	No
22	Safety Uniform Display Male/Female (As per requirement) mannequin (Full Standing ) mannequin performing as a work(Construction & Manufacturing) safety dummy Usages: To display Safety wear including full Dangri/Uniform, safety Jacket, Safety Helmet, Gloves, Shoes, Safety Goggles, Face Mask, full body safety belts, Full Body , Skin Color Dummy consists of 6 parts: a head, a torso, 2 arms, 2 legs, a tempered glass base and aluminum joint. Her head can be adjusted up and down in 60°, and rotated horizontally in 360°. Arms can also be rotated in 360° Unbreakable Material. With strong hold stand with adjustment Best for all rough use at sites Portable to move Height : 5.5 ft or more Material: High Quality Plastic/ Fiber Glass/Fiber/metal. Light weight	No
23	electronic weighing scale platform (suppy and Installation) - capacity 100 kg, Min platform size 450x450 mm, Least Count - 20gms, Platform Material - SS top & MS in structure, ISI certificate Min 1 year warranty	No
24	Digital Personal Body Weight Scale (Glass Top), Material: Tempered Glass or ABS Weight Range: 5-180 Kg; 100g Graduation, Accuracy Range:+/- 100 to 300g,measurement unit: kg/lg/st, Minimum 3.5 cm LCD with backlight Display, with two cell battery, Low battery indicator Warranty: 1 Year or more Make: Omron/Dr Trust/Healthsense/Venus/Unique/Equinox/Hoffen/Healthgenie or or equivalent brands approved by PREJHA	No

25	Induction Cooktop – Ceramic Body; Make – Prestige/Bosch/Philips/Havells/Bajaj Power: Min. 1000 watt Automatic voltage regulator, , Automatic Whistle Counter, Automatic Keep Warm Function Anti magnetic wall Anti magnetic wall Feather touch buttons Warranty : 1 Year	No
26	Induction Cooktop – Ceramic Body; Make – Prestige/Bosch/Philips/Havells/Bajaj Power: Min. 2000 watt, Automatic voltage regulator, Automatic Whistle Counter, Automatic Keep Warm Function Anti magnetic wall Feather touch buttons, Warranty : 1 Year	No
27	Dry Iron Heavy Duty : Usha/Bajaj/ Philips/ Panasonic /Crompton/Havells/Syska/Morphy Thermal Biostat for temp control, Min 750 watt, with min 1 year warranty	No
28	Insect Killer Device 20W - ( Fly killer - Pest Killer Machine ) Electric power: 20 Watts / Bulbs- Two 10 Watt blue colour UV bulbs (replaceable).1 Year Manufacturer Warranty -Dimension (CM ): L*B*H 40*10*29; Make -Wantm/Hygiene/Bajaj/Nuvan	No
29	Fogging Machine Type: Thermal Aerosol Pulse Jet Fogging Machine, Electronic Sparking Mechanism, Chemical tank capacity: 6ltr, machine weight: approx 8kg, Make: ASPEE/Kisancraft/Neptune/Eureka Forbes or equivalent Brands approved by PREJHA	No
30	Refrigerator : Inverter Direct Cool Refrigerator, Latest Model as on Bidding Date. Minimum Capacity : 184 lt or more Single Door (LG / Whirlpool / Godrej/Samsung/Haier) Energy Rating : 3 Star or more + Automatic Stabilizer(90V to 300V)	No
31	Refrigerator Minimum Capacity: 400 lt or more Latest Model as on Bidding Date. Inverter Frost-Free Double-Door Refrigerator Make: (LG / Whirlpool / Godrej/Samsung/Haier) Energy Rating : 3 Star or more, + Automatic Stabilizer(90V to 300V)	No
32	Direct-cool Single Door Refrigerator (45-55) Liters,240 Volts,Stainless Steel,Toughened Glass shelf,door lock control options, powerful cooling, ice tray,Warranty: 1 year warranty on product ,5 years warranty on compressor Make: LG,Whirlpool,Haier,Videocon, Samsung, Godrej,	No
33	Convection Microwave Oven, 20 ltr Convection: Can be used for baking along with grilling, reheating, defrosting and cooking . Control: Touch Key Pad (Membrane) is sensitive to touch and easy to clean Wattage: Minimum 1200 Watts Voltage: 230 volts Warranty: Minimum 1 year on product and 3 years on Magnetron and Cavity Make: IFB/Godrej/LG/Panasonic/Whirlpool/Bajaj/Samsung/Haier	No
34	80-Litre Air Cooler (Along with trolley )(supply and Installation), Honeycomb Cooling Pad with aintibactrial (Helps to remove Dust particles, micro organisms and other hazardous particles to give cool and fresh air) air purification technology, auto-swing louvers for 4 way air deflection, water drain plug for easy cleaning, 4/5 castor wheels , motorize louver movement, rust free and easy to wipe and clean,Auto drain switch,Air throw distance (55 ft),Extra large ice chamber,Air delivery: Minimum 4000m3/hr,Suitable for upto 650 sq.Ft. Area,Auto fill,Warranty 1 year on product,Power 230 watts Make : Crompton Greaves,Symphony,BAJAJ,Orient,Usha,Havells, Voltas	No
35	Air Cooler (Min capacity – 50 litre, along with trolley), Honeycomb Cooling Pad with aintibactrial (Helps to remove Dust particles, micro organisms and other hazardous particles to give cool and fresh air) air purification technology auto-swing louvers for 4 way air deflection, water drain plug for easy cleaning, 4/5 castor wheels , motorize louver movement, rust free and easy to wipe and clean,Auto drain switch,Air throw distance (40 ft),Extra large ice/water chamber,Air delivery: Minimum 4000m3/hr,Suitable for upto 400 sq.Ft. Area,Auto fill,Warranty 1 year on product,Power 230 watts Make : Crompton Greaves,Symphony,BAJAJ,Orient,Usha,Havells, Voltas	No
36	Invertor (Make - Luminous/Microtek/Exide/Numeric/Su-kam/Cyber Power/Uniline/Hitachi/Okaya/True Power, Min 2500 VA), Technology: Sinewave Min No. of battey required: 2, Capacity: 2500 VA Warranty: Minimum 2 Year onsite.	No
37	Invertor (Make - Luminous/Microtek/Exide/Numeric/Su-kam/Cyber Power/Uniline/Hitachi/Okaya/True Power,1500 VA) Technology: Sinewave Min No. of battey required: 2, Capacity: 1500 VA Warranty: Minimum 2 Year onsite.	No
38	Tubular batteries for inverter (150AH, Make - Exide/Amaron/Luminous/Microtek/Okaya/True Power/Cyber Power/Numeric/Su-kam/Uniline). Capacity in AH: 150 AH, Battery Voltage: 12 V Long Life: Minimum 1000 cycles@80 DOD Segment: Inverter Battery for Power backup Warranty : Minimum 3 Year on site free of cost warranty.	No
39	Tubular batteries for inverter (230AH, Make - Exide/Amaron/Luminous/Microtek/Okaya/True Power/Cyber Power/Numeric/Su-kam/Uniline). Capacity in AH: 230 AH, Battery Voltage: 12 V Long Life: 1200 cycles@80 DOD Segment: Inverter Battery for Power backup Warranty : Minimum 3 Year on site free of cost warranty.	No
40	Stabilizer - 5kVA, Input volt - 90 to 300V, Output Voltage: 220,Make - Microtek/V-guard/Cummins/	No
41	Stabilizer - 10kVA, Single phase Input volt - 90 to 330V, Output Voltage: 220 Make - Microtek/V-guard/Cummins	No
42	Stabilizer - 10kVA, 3 Phase Input volt - 280 to 480V, output Voltage: 440 ,Make - Microtek/V-guard/Cummins	No
43	Spike Guard with 4 sockets -Cord length min 2metre, Make -Anchor/Syska/Belkin/Philips/Bajaj/GM	No
44	Round Extension Box with 3 outlets, min wire length 4 mtr, with switch & indicator, Make - Anchor/Philips/Belkin/Syska/Bajaj/GM	No
45	Sanitary Napkin Incinerator Burning Capacity Per Day 600 Napkins Approx Storage Capacity Per Time 35 Napkins Approx Body Type Coated by MS Powder Heater Power 2000 Watts Program Type Micro Processor Process Type Automatic Advantage Sensor Safety Steps 4 Steps Cut Off Colour Blue	No
46	12 kg Fully Automatic Top Loading Washing Machine, LG / Samsung / Whirlpool/IFB/Godrej/Bajaj/Haier 3 Star or more	No
47	7 kg Fully Automatic Top Loading Washing Machine, LG / Sumsung /	No

	Whirlpool//IFB/Godrej/Bajaj/Haier 3 Star or more	
48	Split AC(Carrier/ Hitachi/ LG/Voltas/Samsung/Haier/Bluestar ) + Voltge Stabiliser - Supply L Installation Nominal Cooling Capacity (Ton) - 1.0 Ton, BEE Star Rating - 3, Type of Air conditioner - 1:1 1 ligh wall Split AC, Coil Material - CU, Warranty on Compressor - 5 Years Warranty On Machine 1 Year(s), Installation And Commissioning Inclusive 5 Meiers Of Copper Pipe For Installation And Commissioning (only For Split AO Inclusive)	No
49	Split AC(Carrier/ Hitachi/ LG/Voltas/Samsung/Hair/Bluestar ) + Voltge Stabiliser - Supply L Installation Nominal Cooling Capacity (Ton) - 2.0 Ton, BEE Star Rating - 3, Type of Air conditioner - 1:1 1 ligh wall Split AC, Coil Material - CU, Warranty on Compressor - 5 Years Warranty On Machine 1 Year(s), Installation And Commissioning Inclusive 5 Meiers Of Copper Pipe For Installation And Commissioning (only For Split AO Inclusive)	No
50	Portable Public address(PA) system with remote control Handheld wireless Microphone for addressing. Speaker: Minimum 50 W with inbuilt amplifier and woofer. With Inbuilt recording system Multiple Connectivity option: USB, SD/TFT Card, Aux 3.5 MM and wireless Bluetooth (Minimum version 4.2)connectivity. Can be used as Karaoke System/Karaoke Ready system Rechargeble lithium-ion battery with minimum 4 hour of power baclup Make: Ahuja/Zook/JBL/Philips/Boat or equivalent brand approved by PREJHA	No
51	Dryer type: Condenser Capacity: 8 kg minimum Low Noise level ,Bosch / LG / IFB / SIEMENS	No
52	Printer Toner Cartridges HP CE400A Black Laser Jet	No
53	Printer Toner Cartridges - Brothers TN 2365 Toner Cartridge	No
54	Printer Toner Cartridges - HP LaserJet M1005 Multi-Function Printer Black Ink Toner Cartridge	No
55	Mixer Grinder Guarantee 2-year worldwide guarantee No. of Jars: 4 Capacity jar:1.5 L , 0.5 L, 2x 1.0 L Cord length:1.2 m (Min) RPM blender (max):20000 rpm Power:750 W Voltage:230 V RPM Motor- No load:19000 rpm RPM Motor -With load: 11500 rpm Make: Bajaj/Bosch/Orient/Havells/Prestige/Morphy/Roxy/Usha/Crompton/Philips/Sujata/Panasonic/Maharaja	No
56	1000 W Mixer Grinder (3 Jars), high-speed performance at up to 20,000 RPM, Grinding Jar Capacity: 1 L Liquidizing Jar Capacity: 1.5 L Chutney Jar Capacity: 0.4 L Make: Bajaj/Bosch/Orient/Havells/Prestige/Morphy/Roxy/Usha/Crompton/Philips/Sujata/Panasonic/Maharaja	No
57	Generator Battery Lead Acid Genset Battery, 12 V, Battery Type Automotive Battery,Model Number 35 AH to 200 AH ,Electrolyte Volume 5.0 Liters,Warranty 66 Months Warranty,Warranty Terms36 Month Replacement and 30 Months Pro rate, Brand Exide/Amaron/Luminous/Microtek Onsite Warranty Service support by the company	No
58	Generator Battery Lead Acid Genset Battery, 12 V, Battery Type Automotive Battery,Model Number 90 AH ,Electrolyte Volume 5.0 Liters,Warranty 66 Months Warranty,Warranty Terms36 Month Replacement and 30 Months Pro rate, Brand Exide/Amaron/Luminous/Microtek Onsite Warranty Service support by the company	No
59	Generator Battery Lead Acid Genset Battery, 12 V, Battery Type SMF, VRLA ( Sealed Maintenance Free ) , Model Number 75 AH , Warranty 24 Months Brand Exide/Amaron/Luminous/Microtek Onsite Warranty Service support by the company	No
60	Generator Battery Lead Acid Genset Battery, 12 V, Battery Type Automotive Battery,Model Number 40 AH to 100 AH ,Electrolyte Warranty 36 Months Warranty,Warranty Terms18 Month Replacement and 18 Months Pro rate, Brand Exide/Amaron/Luminous/Microtek Onsite Warranty Service support by the company	No
61	2KVA Sine Wave UPS Type of Product : Sine Wave Home UPS,Voltage: 24V,Output Power : 1680 Watt,Input Voltage: 110V -290V,Charging Current: 220V,Output Voltage: 180V - 230V,Rated Capacity: 2000 VA Make: Luminious/Microtek/Su-Kam/APC/Genus Power/Cyber Power/Amara Raja/Hitachi/Delta Power/True Power/Toshiba/V-guard/Uniline	No
62	(4KVA -36V) UPS Voltage: 36V,Technology: Sine wave,No. of Batteries Supports: More than 2 Batteries (12 Volt each),Capacity: 4000VA,Max Charging Current (in Amperes): 21A,Bulb Load: 3200W Luminious/Microtek/Su-Kam/APC/Genus Power/Cyber Power/Amara Raja/Hitachi/Delta Power/True Power/Toshiba/V-guard/Uniline	No
63	Hot case large(for keeping rotis hot) 6500 ml , Material: SS, Make: Milton/Borosil/Pinnacle/Jaypee/Cello or equivalent brand approved by PREJHA	No
64	Hot case large(for keeping rotis hot) 2500 ml , Material: SS, Make: Milton/Borosil/Pinnacle/Jaypee/Cello or equivalent brand approved by PREJHA	No
65	Tullu Pump 1HP Power Rating : 0.75 kw Motor Power : 1 HP ,Thermal overload protection, Flow rate : Minimum 40 LPM,Minimum Suction Lift:6m,Operates on 220-240V, 50 Hz AC supply, Light weight and compact design for easy handling, Usage : for lifting water from wells, sumps, and tanks, , Warranty : min 1 Year warranty Make : Kirloskar/Aquatech/Crompton/Usha/CRI	No
66	Tullu Pump 1.5HP Power Rating : 1.1 kw Motor Power : 1.5 HP ,Thermal overload protection, Flow rate : Minimum 60 LPM,Minimum Suction Lift:6m,Operates on 220-240V, 50 Hz AC supply, Light weight and compact design for easy handling, Usage : for lifting water from wells, sumps, and tanks, , Warranty : min 1 Year warranty Make : Kirloskar/Aquatech/Crompton/Usha/CRI	No
67	Brush Cutter Machine with Accessories Engine Type: 4-Stroke Petrol Engine, Displacement: 35 cc – 52 cc, Power Output: 1.2 HP or higher, Cooling System: Air-cooled engine, Engine Speed: Up to 9000 RPM or higher, Fuel Tank Capacity: Minimum 700 ml or more, weight- 10-15kg, Heavy-duty metal frame with vibration damping Make- Honda, Husqvarna, Neptune or equivalent	No

\*For Estimation purpose only  
(\*\*- Freight – Ex Ranchi)

## **2. Definitions**

- **"Buyer"** means PREJHAFoundation
- **"Bidder"** means suppliers or contractors who have participated in tender

- "The Vendor" means the supplier or contractor or service provider to whom the Order is addressed.
- "The Purchase Order" means terms and conditions signed between Buyer and the Vendor governing the subject matter of this Order
- "The Goods / Services" means the goods or services to be supplied under the Order.

### 3. *Amendment of RFQ*

At any time before the submission of Proposals, PREJHA Foundation may amend the RFQ by issuing an addendum in writing or by standard electronic means. The addendum shall be uploaded on the <https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action> and will be binding on them. To give Bidders reasonable time in which to take an amendment into account in their Proposals, PREJHA Foundation may, if the amendment is substantial, extend the deadline for the submission of Proposals.

### 4. *Bidding*

*(to be solely done through portal)*

<https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action>

- Offer to be submitted only on e-procurement portal. Hard copy of offer is **not required** to be submitted to PREJHA Foundation. Any offer received in Hard copy shall **not be accepted** and will stand disqualified
- Mode of Submission of offer: Being e-tender, offer will be solely submitted online through e-tender portal: <https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action> through following Application Service Providers (ASPs) appointed by PREJHA:
 

M/s Mjunction Services Limited, 6th Floor, Tata Centre.43 J N Road,  
Kolkata – 700 071,  
**Contact Person: Helpdesk Officer** Sumant Kumar Choudhary  
9163348104, [sumant.choudary@mjunction.in](mailto:sumant.choudary@mjunction.in)
- They may obtain further information regarding this tender from the office of PREJHA, Kaushal College, near womens college (science block), Nagratoli, Ranchi – 834001 from 10:00 hours to 17:00 hours on all working days till the date of bidding is open.

Contact Person: Shekhar Kumar, Procurement, PREJHA  
Contact No.: 9835932882  
[Email-ID: shekhar.k@parfi.org](mailto:shekhar.k@parfi.org)

- Bidders are expected to adequately apprise themselves regarding the procedure and provisions available on the e-procurement portal **operated/ maintained** by M/S. Mjunction services limited. Buyer shall not be responsible for any issues related to timely or proper uploading/submission of the bid.

## 5. **Validity of Proposal**

Bidders' proposals must remain **valid for a period of min 180 days** after the submission of proposal. Should the need arise, PREJHA Foundation may request Bidders to extend the validity period of their proposals. If a bidder is selected as vendor, his proposal will remain same for whole of the delivery schedule.

## 6. **Submission of proposal**

The Proposal as well as all related correspondence exchanged by the bidders and PREJHA Foundation, shall be only through the portal of mjunction and electronic means.

The offer shall be submitted as per the instructions of tender document and as detailed in this RFQ. Price shall be furnished in the relevant price schedule only. In case of any clarification, bidder may contact the concerned contact persons at m junction Services or PREJHA as listed above

## 7. **Latest updates**

Latest updates on the critical dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted on PREJHA-mjunction webpage. Bidders to keep themselves updated with all such information. Bidders may please visit <https://eprocurement.mjunction.in/EPV2Web/org/PREJHA/home.action> for document submission.

## 8. **Technical Bid (incl. Pre-Qualification Criteria)**

Sl. No	PQR Condition	Bidder Remarks
1	Have previously supplied the similar materials to any institutional buyers preferably private or public sector companies or training enterprises within past 2 years. Previous Pos copies will be required	

Bidder should submit the prequalification documents at the portal

## 9. **Financial Proposal**

Financial Proposal must be submitted in the format shared in this RFQ. Financial proposal must be shared in the same format as provided else it shall be declared non-responsive.

## 10. **Empanelment followed by Letter of Award**

1. The technical bid (incl. pre-qualification criteria) will be verified by PREJHA Foundation. The Procurement System will determine the lowest financial bid including on a possible line-item basis among the technically qualified bidders.

2. PREJHA Foundation shall award the Empanelment Contract possibly with SOR to successful bidders and then issue the purchase order that may be deemed as a Letter of Award (LOA) for the estimated order value along
3. The selected bidder is expected to commence the assignment on the date and at the location specified in the LOA/ Contract.
4. If the selected bidder does not sign the Contract within the stipulated period, the LOA may be cancelled, and the next lowest bidder will be considered for award of Contract.
5. If at any stage in the bidding process including after bid opening or Issuance of Purchase orders pertaining to this RFQ, PREJHA believe that the Bidders do not meet the requisite Technical criteria set out in the Bid Document or delivery schedule or that the rate quoted exceeds its own estimates for the supply value, PREJHA reserves the right to cancel the tender or particular line item(s) without incurring any obligation or liability towards the tenderers.
6. PREJHA Foundation reserves the right to issue a part order of any 'line item' or sets of line items from BoQ in the bid to another empaneled vendor based on cost, time & quality considerations at its sole discretion. The transport cost in such cases will be on actual basis.
7. Purchase Orders & Delivery details Over the validity of this RFQ, purchase orders with specified quantity & delivery details would be issued as per requirements
8. Delivery time is the essence of this order and must be strictly adhere to. If the vendor fails to deliver the goods in time, the Buyer may, at its sole discretion:
  - Treat the order as cancelled at any time and recover any loss or damage from the vendor by invoking Security Deposit;
  - purchase the goods ordered or any part thereof from other sources on the vendor's account, in which case, the Vendor shall be liable to pay the Buyer not only the difference between the price at which such goods have been purchased and the price calculated at the rate set out in this order, but also any other loss or damage the Buyer may suffer;

### **11. Indicative Delivery Schedule**

- Goods to be delivered at our Gurukul as per following as needed:

<b>S. No</b>	<b>Name of the Institution</b>	<b>Delivery Schedule</b>
1	Kalyan Gurukul Bokaro	
2	Kalyan Gurukul Chatra	
3	Kalyan Gurukul Deoghar	
4	Kalyan Gurukul Dhanbad	
5	Kalyan Gurukul Dumka	
6	Kalyan Gurukul Saraidaha	
7	Kalyan Gurukul Jamshedpur	

8	Kalyan Gurukul Garhwa	<p>Within 15 days of signing of contract. An extension for another 15 days can be given with prior approval.</p>
9	Kalyan Gurukul Giridih	
10	Kalyan Gurukul Godda	
11	Kalyan Gurukul Gumla	
12	Kalyan Gurukul Hazaribagh	
13	Kalyan Gurukul Jamtara	
14	Kalyan Gurukul Khunti	
15	Kalyan Gurukul Koderma	
16	Kalyan Gurukul Latehar	
17	Kalyan Gurukul Pakur	
18	Kalyan Gurukul Palamu	
19	Kalyan Gurukul Ramgarh	
20	Kalyan Gurukul Bero	
21	Kalyan Gurukul Bundu	
22	Kalyan Gurukul Kanke	
23	Kalyan Gurukul Seraikela-Kharsawan	
24	Kalyan Gurukul Sini	
25	Kalyan Gurukul Biru	
26	Kalyan Gurukul Simdega	
27	Kalyan Gurukul Chaibasa	
28	Kalyan Gurukul Tantnagar	
29	ITI Kaushal College ,Ranchi	
30	Nursing Kaushal College Chanho, Ranchi	
31	Nursing Kaushal College Itki , Ranchi	
32	Nursing Kaushal College Saraikela	
33	Nursing Kaushal College Sahebganj	
34	Nursing Kaushal College Chaibasa	
35	Nursing Kaushal College Gumla	
36	Nursing Kaushal College Jamtara	
37	Nursing Kaushal College Latehar	
38	Any other institutions run by Prejha foundation across Jharkhand	

## **12. Payment Terms**

- a. 100% within 60 days of delivery on submission of invoice & delivery challan for each unit. If the vendor delivers goods within 7 days of order confirmation, 100% payment will be done within 45 days.
- b. If a vendor fails to deliver the goods as per the delivery schedule. PREJHA foundation is entitled to delay payment by 2 days for each day delay in delivery. If such delay extends beyond 7 days, it could lead to possible forfeiture of security deposit.

## **13. Unloading**

- a. Unloading is in Vendor's scope, cost & arrangement will be borne by Vendor.
- b. The risk of all materials till receipt at location will be in vendor's scope.

## **14. Quality of goods and services.**

The Vendor should warrant to PREJHA that:

- The Goods and Services would conform in all respects to the Order and to recognized Indian or equivalent standards and codes (where applicable) and be at the complete satisfaction of Buyer.
- The said good/services processed and delivered by the Vendor shall be made from good quality bought out components/materials, as acceptable to the Buyer and it should have standard/excellent workmanship and fit for their intended purpose.

## **15. Warranty/ Guarantee**

- a) The said goods/services delivered by the Vendor should be identical to the sample/specification given by the Vendor.
- b) Where the said goods/services delivered by the Vendor to the Buyer is according to sample as well as certain specification/description, if any, the said goods/services processed and delivered, shall match not only with the said sample, but also with the said specification/description.
- c) If deficiency is identified before or during the transfer of risk or during the Guarantee/warranty Period, the Vendor must at its own expense and at the discretion of the Buyer either repair the deficiency or provide re-performance of the Services or replacement of delivery. This provision also applies to delivery subject to inspection by sample test. The discretion of the Buyer shall be final.

## ***16. Inspection***

- a) All materials supplied against the order should conform strictly to the specifications laid down by the Buyer, and should be new, merchantable quality, fit for their intended purpose and should be in line with "Quality Assurance Plan", if any, which must be approved in advance by the Buyer. All such materials will be subject to inspection and approval by the Buyer, either at the Vendor's premises and/or at the place of delivery indicated by the Buyer.
- b) The Buyer reserves the rights to inspect the material at any stage during manufacture or supply and reject the same if found defective or not in conformity with the specifications or not fit for their intended purpose without invalidating the remainder of the order, if so desired by the Buyer.
- c) All rejected material from the Buyer's site store shall be removed by the vendor at their own cost positively within 15 days from the date of rejection note / intimation issued by the Buyer to them. In case of any failure to remove the same by the vendor within the stipulated period, the Buyer shall have all rights to remove the rejected materials/goods from their premises and discard it. Any cost on this account would be debited to vendor's account.
- d) The Buyer under no circumstances will be liable or held accountable for any damage, loss, deterioration of the rejected materials/goods for discarding the material/goods, or for any value for it.

## ***17. Damage or loss in transit***

- a) Subject to the terms of the Order, the Vendor undertakes at its own expense to replace goods lost or damaged in transit.
- b) The delivery will not be deemed to have taken place until replacement items are delivered to the satisfaction of the Buyer.

## ***18. Ownership and risk***

Subject to the terms of the delivery and without prejudice to PREJHA Foundation's other rights under the Conditions of the Order:

- a) Ownership in the Goods shall pass to PREJHA on delivery and acceptance.
- b) Risk in the Goods shall pass to PREJHA on delivery, save where the Order includes installation, in which case risk shall not pass to PREJHA until completion of the installation work.

## ***19. Fraud/Corruption***

PREJHA Foundation requires that the bidders participating in the selection process adhere to the highest ethical standards, both during the selection process and throughout the execution of the Contract.

PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has in contravention to the undertaking given in the Bid document and/or contract, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract as enshrine in the undertaking in bidding document and contract

## ***20. Conflicting relationships***

Bidder has an obligation to disclose as part of the bid document any situation of actual or potential conflict that impacts their capacity to serve the best interest of PREJHA Foundation, or that may reasonably be perceived as having this effect. Failure to disclose the said situations may lead to the disqualification of the bidder or the termination of itsContract

## ***21. Jurisdiction.***

The disputes if any between the parties shall be subject to the exclusive jurisdiction of the courts in Ranchi alone.

## STANDARD FORMS

<b>TECH FORMS</b>	<b>FORM NAME</b>	<b>Mention list of all supporting documents attached (if any)</b>
TECH-1	Letter of proposal submission	Pls scan & attach
Pancard	Pan card	Pls scan & attach
GST Return	Latest GST Return document(GSTR-3B)	Pls scan & attach
PQ	Pre-Qualification Document	Pls scan & attach

---

**Form Tech 1: Letter**

**(On Bidder's Letter-head)**  
**Letter of Proposal Submission**

To,  
Executive Director  
**PanIIT Alumni Reach For Jharkhand Foundation**  
**Kalyan Complex, Balihar Road, Morabadi,**  
**Ranchi - 834008, Jharkhand**

We, the undersigned, offer to supply and installation of utility Items for PREJHA Foundation, in accordance with your Request for Quotation dated 15.04.26 We are hereby submitting our proposal, which includes this Technical Proposal, and the Financial Proposal as indicated

We undertake the total responsibility for supply of the goods, if awarded to us.

We hereby declare that all the information and statements made in this proposal are true and accept that any misrepresentation contained in it may lead to our disqualification.

We understand that **PREJHA Foundation** is not bound to accept any proposal it receives.

We further state that we understand that PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing a Contract

Yours faithfully,

\*Authorized Signatory [*In full and Designation*]: Name and Title of Signatory:

Name of

Bidder:

Address:

**Form Fin1: Financial Bid Proforma**

<b>TENDER PROFORMA for Commercial</b>	
<b>PREJHA Reference No</b>	
<b>Name of Bidder</b>	

S. No	Description of items	Quantity	Unit Rate	Estimated Value	Tax%	Tax Value	Freight
1	Compact and attractive multi-utility fan with all accessories Sweep Size - 150mm Speed : 2200 RPM Wattage - 25 watts Can be installed on the wall and put on a table/desk/workstation/Bunk Beds Easy portability with ergonomically designed slot at the back of the fan silent operation 2 Fan speed warranty : Min 1 years Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous/Sysca/Wipro	50					
2	Ceiling Fan; Min Sweep Size – 1200mm; Min 3 blades; Min Speed – 350 RPM; Make : Usha/ Orient/ Crompton/Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous/Sysca/Wipro	200					
3	Wall Mount Fan; Min Sweep Size – 300mm; Min 3 Blades; Min Speed – 1800 RPM; 90 degree oscillation; Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous/Sysca/Wipro	100					
4	Pedestal Fan; Min Sweep Size – 400mm; Minimum noise; Min 3 blades; Min Speed – 1200 RPM; Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous/Sysca/Wipro	50					
5	Exhaust Fan - Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous; With Automatic shutter, 200mm size	50					
6	Industrial Exhaust Fan 24" for Workshop- Supply & Installation; Product Category : Metal Body, Model Name : Heavy Duty Exhaust Fan, Sweep : 600 mm (24"), Power 550-600W, Voltage 240V,R.P.M. 900,Air Capacity (C.F.M.) 5527.2; Air Capacity (M3H) 9400,No of Blade 4, Material Die Cast Aluminium. Make : Usha/ Orient/ Crompton/ Havells/Bajaj/Orbit/Khaitan/Superfan/Ortem/Luminous	15					
7	LED Tubelight complete set: Capacity: 18-20 Watt Size: 24 Inch Luminous Intensity : Minimum 1900 Lm Rohs Uses: Classroom, office, Living Rooms, Labs, Sewing machine workshops. Fluctuation Proof & Glare free Tube Light Voltage Range : 160~280V AC Colour Material : Polycarbonate/Glass Color : Cool day Light 6500 K Warranty : Min 1 year Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton	50					
8	LED Tubelight complete set: Capacity: 36-40 Watt Size: 48 Inch Luminous Intensity : Minimum 2000 Lm Rohs Uses: Classroom, office, Living Rooms, Labs, Sewing machine workshops. Fluctuation Proof & Glare free Tube Light Voltage Range : 160~280V AC Colour Material : Polycarbonate/Glass Color : Cool day Light 6500 K Warranty : Min 1 year Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton	50					
9	LED Bulb: 9W Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton Min 1 year warranty	200					
10	LED Bulb: 15W, Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton Min 1 year warranty	100					
11	LED Flood Light 50 Watt, Color : Cool day Light 6500K ,water-proof (IP65 rated), Minimum 5000 Lumens Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton/Orpat/ Min 1 year warranty	50					
12	LED Flood Light 100 Watt, Color : Cool day Light 6500K, water-proof (IP65 rated), Minimum 10000 Lumens Make: Philips/Bajaj/Syska/Surya/Everyday/Wipro/Luminous/Havells/Crompton/orpat Min 1 year warranty	20					
13	Vaccum Cleaner ((suppy and Installation)wet and dry with wheel for easy movement, 360 degrees swivel Wheels Should include all the neccessary accessories: Flexible hosepipe, extention tubes,	3					

	carpet/floor brush, crevice nozzle, utility nozzle, upholstery brush, multipurpose brush, wet squeeze,two extension wands, wall mount, tool holder, reusable dry filter, foam filter, disposable filter bag. Special Features: Portable Usage: Carpet cleaning, floor cleaning, workshops, classrooms Capacity: Minimum 20 Liters Blower Efficiency - 30-35 liters/sec Input power : Min 1200 watts Suction of motor : Min 2200mm/wc warranty : min 1 years Make : Eureka Forbes/Bosch/Makita/Philips/Prestige/Stanley/Kent						
14	Room Heater - Rod Type (Wire Based Heater) Body Material : Metal Heat Setting : 2000 W Maximum Power output : 2 warranty : Min 1 years Multiple heating mode Make: Usha/Havells/Morphy Richards/Bajaj/Orient/Orpet/Eveready/philips/Havells/Khaitan/Panasonic/Roxy	10					
15	Blower Heater with all necessary Body Material : Plastic Revolving Type Overheat Protection : Yes Maximum Power output : 2000 w Multiple Heating Mode warranty : min 1 years Make : Usha/Havells/Morphy Richards/Bajaj/Orient/Orpet/Eveready/philips/Havells/Khaitan/Panasonic	8					
16	1500 watt Immersion rod Bajaj/Usha/Eveready/Roxy Make: Usha/Bajaj/Roxy/Crompton/Havells/Eveready Min 1 year warranty	20					
17	Geyser ((suppy and Installation)) for hot water, Tank Capacity 25 Ltr, Glass coated Heating element ,corrosion resistant tank with Anode Rod Volume [L] :25, Power [W]: 2000 Voltage/Frequency [V/Hz]: 230~/50 Actual Stdg. Loss [kWh/24h/45°C diff.]: 0.540 Reheating Time for 35°C rise [in min.]: 20 minutes or less Temperature range [°C]: 25-75 with temprature control knob between 25 to 75 Degree with autocut feature Rated water pressure(N/cm2/Water head (metres)): approx 80/80 Minimum BEE 4 Star rating or more Warranty: Minimum 5 year on tank and minimum 2 year on heating element Make:A.O.Smith/Racold/V-Guard/Usha/Crompton/Havells/American Micronic/Bajaj/Venus/Orient/Lifelong/Panasonic	10					
18	Geyser (suppy and Installation) for hot water, Tank Capacity 50 Ltr, Glass coated Heating element,corrosion resistant tank with Anode Rod Volume [L] :50, Power [W]: Minimum 3000 Voltage/Frequency [V/Hz]: 230~/50 Actual Stdg. Loss [kWh/24h/45°C diff.]: 0.724 Reheating Time for 35°C rise [in min.]: 35 minute or less Temperature range [°C]: 25-75 with temprature control knob between 25 to 75 Degree with autocut feature Rated water pressure(N/cm2/Water head (metres)): approx 80/80 Minimum BEE 4 Star rating or more Warranty: Minimum 5 year on tank and minimum 2 year on heating element Make: A. O Smith/Racold/V-Guard/Usha/Crompton/Havells/American Micronic/Bajaj/Venus/Orient/Lifelong/Panasonic	10					
19	Submersible Pump 1.5 HP Power Rating : 1.1kw Motor Power : 1.5 HP Anti rust stainless steel motor body with Anti rust coating internal parts with Starter Flow rate : Minimum 105 LPM Usage : for water boring, Minimum depth of water extraction from ground : 350 ft Warranty : min 1 Year warrant Designed for underwater application Make : Kirloskar/Aquatech/Crompton/Usha/CRI	5					
20	Submersible Pump 2 HP Power Rating : 1.5 kw Motor Power : 2 HP Anti rust stainless steel motor body with Anti rust coating internal parts with Starter Flow rate : Minimum 120 LPM Usage : for water boring, Minimum depth of water extraction from ground : 400 ft Warranty : min 1 Year warrant Designed for underwater application Make : Kirloskar/Aquatech/Crompton/Usha/CRI	5					
21	Submersible Pump 1HP Power Rating : 0.75 kw Motor Power : 1 HP Anti rust stainless steel motor body with Anti rust coating internal parts with Starter Flow rate : Minimum 105 LPM Usage : for water boring, Minimum depth of water extraction from ground : 350 ft Warranty : min 1 Year warrant Designed for underwater application Make : Kirloskar/Aquatech/Crompton/Usha/CRI	3					
22	Safety Uniform Display Male/Female (As per requirement) mannequin (Full Standing ) mannequin performing as a work(Construction & Manufacturing) safety dummy Usages: To display Safety wear including full Dangri/Uniform, safety Jacket, Safety Helmet, Gloves, Shoes, Safety Goggles, Face Mask, full body safety belts, Full Body , Skin Color Dummy consists of 6 parts: a head, a torso, 2 arms, 2 legs, a tempered glass base and aluminum joint. Her head can be adjusted up and down in 60°, and rotated horizontally in 360°. Arms can also be rotated in 360° Unbreakable Material. With strong hold stand with adjustment Best for all rough use at sites Portable to move Height : 5.5 ft or more Material: High Quality Plastic/ Fiber Glass/Fiber/metal. Light weight	5					
23	electronic weighing scale platform (suppy and Installation) - capacity 100 kg, Min platform size 450x450 mm, Least Count - 20gms, Platform Material - SS top & MS in structure, ISI certificate Min 1 year warranty	5					
24	Digital Personal Body Weight Scale (Glass Top), Material: Tempered Glass or ABS Weight Range: 5-180 Kg; 100g Graduation, Accuracy Range:+/- 100 to 300g,measurement unit: kg/lg/st, Minimum 3.5 cm LCD with backlight Display, with two cell battery, Low battery indicator Warranty: 1 Year or more Make: Omron/Dr Trust/Healthsense/Venus/Unique/Equinox/Hoffen/Healthgenie or or equivalent brands approved by PREJHA	5					

25	Induction Cooktop – Ceramic Body; Make – Prestige/Bosch/Philips/Havells/Bajaj Power: Min. 1000 watt Automatic voltage regulator, , Automatic Whistle Counter, Automatic Keep Warm Function Anti magnetic wall Anti magnetic wall Feather touch buttons Warranty : 1 Year	10					
26	Induction Cooktop – Ceramic Body; Make – Prestige/Bosch/Philips/Havells/Bajaj Power: Min. 2000 watt, Automatic voltage regulator, Automatic Whistle Counter, Automatic Keep Warm Function Anti magnetic wall Feather touch buttons, Warranty : 1 Year	10					
27	Dry Iron Heavy Duty : Usha/Bajaj/ Philips/ Panasonic /Crompton/Havells/Syska/Morphy Thermal Biostat for temp control, Min 750 watt, with min 1 year warranty	20					
28	Insect Killer Device 20W - ( Fly killer - Pest Killer Machine ) Electric power: 20 Watts / Bulbs- Two 10 Watt blue colour UV bulbs (replaceable).1 Year Manufacturer Warranty -Dimension (CM ): L*B*H 40*10*29; Make -Wantm/Hygiene/Bajaj/Nuvan	10					
29	Fogging Machine Type: Thermal Aerosol Pulse Jet Fogging Machine, Electronic Sparking Mechanism. Chemical tank capacity: 6ltr, machine weight: approx 8kg, Make: ASPEE/Kisancraft/Neptune/Eureka Forbes or equivalent Brands approved by PREJHA	10					
30	Refrigerator : Inverter Direct Cool Refrigerator, Latest Model as on Bidding Date. Minimum Capacity : 184 lt or more Single Door (LG / Whirlpool / Godrej/Samsung/Haier) Energy Rating : 3 Star or more + Automatic Stabilizer(90V to 300V)	20					
31	Refrigerator Minimum Capacity: 400 lt or more Latest Model as on Bidding Date. Inverter Frost-Free Double-Door Refrigerator Make: (LG / Whirlpool / Godrej/Samsung/Haier) Energy Rating : 3 Star or more, + Automatic Stabilizer(90V to 300V)	10					
32	Direct-cool Single Door Refrigerator (45-55) Liters,240 Volts,Stainless Steel,Toughened Glass shelf,door lock control options, powerful cooling, ice tray,Warranty: 1 year warranty on product ,5 years warranty on compressor Make: LG,Whirlpool,Haier,Videocon, Samsung, Godrej,	5					
33	Convection Microwave Oven, 20 ltr Convection: Can be used for baking along with grilling, reheating, defrosting and cooking . Control: Touch Key Pad (Membrane) is sensitive to touch and easy to clean Wattage: Minimum 1200 Watts Voltage: 230 volts Warranty: Minimum 1 year on product and 3 years on Magnetron and Cavity Make: IFB/Godrej/LG/Panasonic/Whirlpool/Bajaj/Samsung/Haier	4					
34	80-Litre Air Cooler (Along with trolley )(supply and Installation), Honeycomb Cooling Pad with aintibacterial (Helps to remove Dust particles, micro organisms and other hazardous particles to give cool and fresh air) air purification technology, auto-swing louvers for 4 way air deflection, water drain plug for easy cleaning, 4/5 castor wheels , motorize louver movement, rust free and easy to wipe and clean,Auto drain switch,Air throw distance (55 ft),Extra large ice chamber,Air delivery: Minimum 4000m3/hr,Suitable for upto 650 sq.Ft. Area,Auto fill,Warranty 1 year on product,Power 230 watts Make : Crompton Greaves,Symphony,BAJAJ,Orient,Usha,Havells, Voltas	5					
35	Air Cooler (Min capacity – 50 litre, along with trolley), Honeycomb Cooling Pad with aintibacterial (Helps to remove Dust particles, micro organisms and other hazardous particles to give cool and fresh air) air purification technology auto-swing louvers for 4 way air deflection, water drain plug for easy cleaning, 4/5 castor wheels , motorize louver movement, rust free and easy to wipe and clean,Auto drain switch,Air throw distance (40 ft),Extra large ice/water chamber,Air delivery: Minimum 4000m3/hr,Suitable for upto 400 sq.Ft. Area,Auto fill,Warranty 1 year on product,Power 230 watts Make : Crompton Greaves,Symphony,BAJAJ,Orient,Usha,Havells, Voltas	5					
36	Invertor (Make - Luminous/Microtek/Exide/Numeric/Su-kam/Cyber Power/Uniline/Hitachi/Okaya/True Power, Min 2500 VA), Technology: Sinewave Min No. of battey required: 2, Capacity: 2500 VA Warranty: Minimum 2 Year onsite.	10					
37	Invertor (Make - Luminous/Microtek/Exide/Numeric/Su-kam/Cyber Power/Uniline/Hitachi/Okaya/True Power,1500 VA) Technology: Sinewave Min No. of battey required: 2, Capacity: 1500 VA Warranty: Minimum 2 Year onsite.	5					
38	Tubular batteries for invertor (150AH, Make - Exide/Amaron/Luminous/Microtek/Okaya/True Power/Cyber Power/Numeric/Su-kam/Uniline). Capacity in AH: 150 AH, Battery Voltage: 12 V Long Life: Minimum 1000 cycles@80 DOD Segment: Inverter Battery for Power backup Warranty : Minimum 3 Year on site free of cost warranty.	20					
39	Tubular batteries for invertor (230AH, Make - Exide/Amaron/Luminous/Microtek/Okaya/True Power/Cyber Power/Numeric/Su-kam/Uniline). Capacity in AH: 230 AH, Battery Voltage: 12 V Long Life: 1200 cycles@80 DOD Segment: Inverter Battery for Power backup Warranty : Minimum 3 Year on site free of cost warranty.	10					
40	Stabilizer - 5kVA, Input volt - 90 to 300V, Output Voltage: 220,Make - Microtek/V-guard/Cummins/	5					
41	Stabilizer - 10kVA, Single phase Input volt - 90 to 330V, Output Voltage: 220 Make - Microtek/V-guard/Cummins	5					

42	Stabilizer - 10kVA, 3 Phase Input volt - 280 to 480V, output Voltage: 440 ,Make - Microtek/V-guard/Cummins	5					
43	Spike Guard with 4 sockets -Cord length min 2metre, Make -Anchor/Syska/Belkin/Philips/Bajaj/GM	20					
44	Round Extension Box with 3 outlets, min wire length 4 mtr, with switch & indicator, Make - Anchor/Philips/Belkin/Syska/Bajaj/GM	10					
45	Sanitary Napkin Incinerator Burning Capacity Per Day 600 Napkins Approx Storage Capacity Per Time 35 Napkins Approx Body Type Coated by MS Powder Heater Power 2000 Watts Program Type Micro Processor Process Type Automatic Advantage Sensor Safety Steps 4 Steps Cut Off Colour Blue	5					
46	12 kg Fully Automatic Top Loading Washing Machine, LG / Samsung / Whirlpool/IFB/Godrej/Bajaj/Haier 3 Star or more	5					
47	7 kg Fully Automatic Top Loading Washing Machine, LG / Sumsung / Whirlpool/IFB/Godrej/Bajaj/Haier 3 Star or more	5					
48	Split AC(Carrier/ Hitachi/ LG/Voltas/Samsung/Haier/Bluestar ) + Voltge Stabiliser - Supply L Installation Nominal Cooling Capacity (Ton) - 1.0 Ton, BEE Star Rating - 3, Type of Air conditioner - 1:1 1 ligh wall Split AC, Coil Material - CU, Warranty on Compressor - 5 Years Warranty On Machine 1 Year(s), Installation And Commissioning Inclusive 5 Meiers Of Copper Pipe For Installation And Commissioning (only For Split AO Inclusive)	5					
49	Split AC(Carrier/ Hitachi/ LG/Voltas/Samsung/Hair/Bluestar ) + Voltge Stabiliser - Supply L Installation Nominal Cooling Capacity (Ton) - 2.0 Ton, BEE Star Rating - 3, Type of Air conditioner - 1:1 1 ligh wall Split AC, Coil Material - CU, Warranty on Compressor - 5 Years Warranty On Machine 1 Year(s), Installation And Commissioning Inclusive 5 Meiers Of Copper Pipe For Installation And Commissioning (only For Split AO Inclusive)	5					
50	Portable Public address(PA) system with remote control Handheld wireless Microphone for addressing. Speaker: Minimum 50 W with inbuilt amplifier and woofer. With Inbuilt recording system Multiple Connectivity option: USB, SD/TFT Card, Aux 3.5 MM and wireless Bluetooth (Minimum version 4.2)connectivity. Can be used as Karaoke System/Karaoke Ready system Rechargeble lithium-ion battery with minimum 4 hour of power bacuplup Make: Ahuja/Zook/JBL/Philips/Boat or equivalent brand approved by PREJHA	1					
51	Dryer type: Condenser Capacity: 8 kg minimum Low Noise level ,Bosch / LG / IFB / SIEMENS	2					
52	Printer Toner Cartridges HP CE400A Black Laser Jet	10					
53	Printer Toner Cartridges - Brothers TN 2365 Toner Cartridge	10					
54	Printer Toner Cartridges - HP LaserJet M1005 Multi-Function Printer Black Ink Toner Cartridge	10					
55	Mixer Grinder Guarantee 2-year worldwide guarantee No. of Jars: 4 Capacity jar:1.5 L , 0.5 L, 2x 1.0 L Cord length:1.2 m (Min) RPM blender (max):20000 rpm Power:750 W Voltage:230 V RPM Motor-No load:19000 rpm RPM Motor -With load: 11500 rpm Make: Bajaj/Bosch/Orient/Havells/Prestige/Morphy/Roxy/Usha/Crompton/Philips/Sujata/Panasonic/Maharaja	5					
56	1000 W Mixer Grinder (3 Jars), high-speed performance at up to 20,000 RPM, Grinding Jar Capacity: 1 L Liquidizing Jar Capacity: 1.5 L Chutney Jar Capacity: 0.4 L Make: Bajaj/Bosch/Orient/Havells/Prestige/Morphy/Roxy/Usha/Crompton/Philips/Sujata/Panasonic/Maharaja	5					
57	Generator Battery Lead Acid Genset Battery, 12 V, Battery Type Automotive Battery,Model Number 35 AH to 200 AH ,Electrolyte Volume 5.0 Liters,Warranty 66 Months Warranty,Warranty Terms36 Month Replacement and 30 Months Pro rate, Brand Exide/Amaron/Luminous/Microtek Onsite Warranty Service support by the company	5					
58	Generator Battery Lead Acid Genset Battery, 12 V, Battery Type Automotive Battery,Model Number 90 AH ,Electrolyte Volume 5.0 Liters,Warranty 66 Months Warranty,Warranty Terms36 Month Replacement and 30 Months Pro rate, Brand Exide/Amaron/Luminous/Microtek Onsite Warranty Service support by the company	5					
59	Generator Battery Lead Acid Genset Battery, 12 V, Battery Type SMF, VRLA ( Sealed Maintenance Free ) , Model Number 75 AH , Warranty 24 Months Brand Exide/Amaron/Luminous/Microtek Onsite Warranty Service support by the company	5					
60	Generator Battery Lead Acid Genset Battery, 12 V, Battery Type Automotive Battery,Model Number 40 AH to 100 AH ,Electrolyte Warranty 36 Months Warranty,Warranty Terms18 Month Replacement and 18 Months Pro rate, Brand Exide/Amaron/Luminous/Microtek Onsite Warranty Service support by the company	5					
61	2KVA Sine Wave UPS Type of Product : Sine Wave Home UPS,Voltage: 24V,Output Power : 1680	5					

	Watt,Input Voltage: 110V -290V,Charging Current: 220V,Output Voltage: 180V - 230V,Rated Capacity: 2000 VA Make: Luminious/Microtek/Su-Kam/APC/Genus Power/Cyber Power/Amara Raja/Hitachi/Delta Power/True Power/Toshiba/V-guard/Uniline						
62	(4KVA -36V) UPS Voltage: 36V,Technology: Sine wave,No. of Batteries Supports: More than 2 Batteries (12 Volt each),Capacity: 4000VA,Max Charging Current (in Amperes): 21A,Bulb Load: 3200W Luminious/Microtek/Su-Kam/APC/Genus Power/Cyber Power/Amara Raja/Hitachi/Delta Power/True Power/Toshiba/V-guard/Uniline	5					
63	Hot case large(for keeping rotis hot) 6500 ml , Material: SS, Make: Milton/Borosil/Pinnacle/Jaypee/Cello or equivalent brand approved by PREJHA	10					
64	Hot case large(for keeping rotis hot) 2500 ml , Material: SS, Make: Milton/Borosil/Pinnacle/Jaypee/Cello or equivalent brand approved by PREJHA	10					
65	Tullu Pump 1HP Power Rating : 0.75 kw Motor Power : 1 HP ,Thermal overload protection, Flow rate : Minimum 40 LPM,Minimum Suction Lift:6m,Operates on 220-240V, 50 Hz AC supply, Light weight and compact design for easy handling, Usage : for lifting water from wells, sumps, and tanks, , Warranty : min 1 Year warranty Make : Kirloskar/Aquatech/Crompton/Usha/CRI	3					
66	Tullu Pump 1.5HP Power Rating : 1.1 kw Motor Power : 1.5 HP ,Thermal overload protection, Flow rate : Minimum 60 LPM,Minimum Suction Lift:6m,Operates on 220-240V, 50 Hz AC supply, Light weight and compact design for easy handling, Usage : for lifting water from wells, sumps, and tanks, , Warranty : min 1 Year warranty Make : Kirloskar/Aquatech/Crompton/Usha/CRI	2					
67	Brush Cutter Machine with Accessories Engine Type: 4-Stroke Petrol Engine, Displacement: 35 cc – 52 cc, Power Output: 1.2 HP or higher, Cooling System: Air-cooled engine, Engine Speed: Up to 9000 RPM or higher, Fuel Tank Capacity: Minimum 700 ml or more, weight- 10-15kg, Heavy-duty metal frame with vibration damping Make- Honda, Husqvarna, Neptune or equivalent	5					

(\*- Freight – Ex Ranchi)