

PREJHA Foundation Reference: 1462

-PREJHA05/26/303

REQUEST FOR QUOTATION

FOR

Partner Empanelment & Supply of Plumbing Training Material

Dated: 13th May 2026

PanIIT Alumni Reach For Jharkhand Foundation

**A Non-profit Special Purpose Joint Enterprise between agencies of Department of
Welfare, Government of Jharkhand and
PanIIT Alumni Reach For India
Foundation, Kalyan Complex, Balihar
Road, Morabadi,
Ranchi – 834008, Jharkhand**

Contents

Contents

DISCLAIMER	2
SECTION 1: LETTER OF INVITATION	3
<i>PREFACE</i>	<i>5</i>
<i>Purpose of RFQ.....</i>	<i>5</i>
Section 2: Instructions to Bidders.....	6
<i>General terms & Conditions</i>	<i>7</i>
STANDARD FORMS.....	18
<i>Form Tech 1: Letter.....</i>	<i>19</i>
<i>Form Tech 2: Bidder’s Organization and Experience</i>	<i>21</i>
<i>Form Tech 3: Techno commercial Offer.....</i>	<i>22</i>
<i>Form Fin1: Financial Bid Proforma.....</i>	<i>23</i>

DISCLAIMER

The information contained in this Request for Quotation ("RFQ") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of PanIIT Alumni Reach For Jharkhand Foundation (hereinafter "PREJHA") is provided to interested parties on the terms and conditions set out in this RFQ and such other terms and conditions subject to which such information is provided.

This RFQ is not an agreement and is neither an offer nor an invitation by PREJHA to interested parties who submit their quote (henceforth "Bidders") in response to this RFQ. The purpose of this RFQ is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for selection as supply agency with PREJHA Foundation as per notified norms.

PREJHA Foundation makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFQ or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFQ and any assessment, assumption, statement or information contained herein or deemed to form part of this RFQ or arising in any way from this process.

A Bidder must warrant that all the information provided by it to PREJHA Foundation at the time of application & subsequently, is true to the best of its knowledge and belief, and specially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies PREJHA Foundation from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issue of this RFQ does not imply that PREJHA Foundation is bound to select any Bidder(s) or select any Bidder(s) for any project. PREJHA Foundation may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFQ for bona fide reasons, which will be notified to all the Bidders invited to tender. Further PREJHA Foundation hereby reserves its right to annul the process at any time prior to issuance of Purchase Order without incurring any liability towards the Tenderers.

The Bidder shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by PREJHA Foundation or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and PREJHA Foundation shall not be liable in any manner for the same or for any other costs or expenses incurred by a Bidder in preparation or submission of the Bid, regardless of the conduct or outcome of this RFQ and related processes.

SECTION 1: LETTER OF INVITATION

PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation invites proposals from reputed bidders for supply of Plumbing Training Material for PREJHA Foundation's Kaushal Colleges and Kalyan Gurukul in Jharkhand.

A bidder will be selected based on Lowest Cost Method (L1 basis) from suitable agencies qualifying the criteria as per described in this RFQ.

The content of this RFQ enlists the requirements of PREJHA Foundation. It includes the **Bidding Terms & selection** procedure which details out all that may be needed by the potential bidders to understand the financial terms and bidding process and explains the contractual terms that PREJHA Foundation wishes to specify at this stage.

The RFQ includes the following sections:

Section 1 - Letter of Invitation

Section 2 - Instructions to Bidders (including pre-qualification criteria)

Section 3 - Standard Forms

The information may be submitted online only at the following website.

<https://eprocurement.mjunction.in/EPSV2Web/org/PREJHA/home.action>

The information may be viewed online at the following website.

<https://www.jharkhand.gov.in/paniit>

Yours faithfully,

Authorized signatory

**PanIIT Alumni Reach For Jharkhand Foundation,
Kalyan Complex, Balihar Road, Morabadi, Ranchi –
834008, Jharkhand**

PREFACE

About PREJHA Foundation

Agencies of Department of Welfare, Government of Jharkhand and PanIIT Alumni Reach for India Foundation have partnered to form PanIIT Alumni Reach for Jharkhand (PREJHA) Foundation, a not-for-profit joint enterprise to implement and scale sustainable welfare initiatives. The initiative will replicate the PanIIT Skill Gurukul model of learning for skill development across all the districts of Jharkhand state and thus provide a network of ITI and sub-ITI institutions accessible to school dropouts, underprivileged and those who are from the lower strata of socio-economic background.

PREJHA Foundation sets up Rural Skill Gurukuls and Kaushal colleges to impart vocational Education to deserving candidates.

Purpose of RFQ

The objective of this assignment is to procure Plumbing Training Material required for PREJHA Foundation's Gurukuls & Kaushal Colleges. The supplying agency should adopt a process that is not only transparent, competitive but should also be quick and timely.

Section 2: Instructions to Bidders

The evaluation criteria for the bidders is based on Lowest Cost Method (L1 basis) price bid subject to the bidders submitting and satisfying the basic qualification mentioned. **Each Bidder must submit a single proposal only.**

PREJHA foundation shall endeavor to adhere to the following schedule but reserves the right to alter the same:

Time schedule of Tender:

Sl.No.	Particulars	Date
1.	Tender e-Publication date	13.05.2026
2.	Start date for seeking Clarification	13.05.2026
3.	Last date for seeking clarification on line from service provider (mjunction Services Limited)	20.05.2026 (08:00PM)
4.	Bid submission start date (only on-line bid accepted)	13.05.2026
5.	Bid submission end date	25.05.2026 (08:00PM)
6.	Schedule date for Technical bid opening	25.05.2026
7	Comparative statement preparation by the system	25.05.2026

General terms & Conditions:

1. Detailed BOQ

SI No	Item descriptions	UOM
1	Ratchet die set, 1/2 ", 3/4" & 1 "	Each
2	Adjustable spanner 12 "	Each
3	Grip Plier 8", Grip Plier 10"	Each
4	Hydrostatic Pressure testing pump	Each
5	PPR Pipe Welding Machine with 1/2" to 2" Die Set	Each
6	HDPE Pipe Welding Machine	Each
7	Concrete bit 6mm	Each
8	Concrete bit 10mm	Each
9	Concrete bit 12mm	Each
10	Steel bit 6mm	Each
11	Steel bit 10mm	Each
12	Steel bit 12mm	Each
13	Combination Plier, 8"	Each
14	Grinding Wheel 4" for Steel Cutting	Each
15	Marble cutting wheel 4"	Each
16	Grinding wheel 4"	Each
17	PPR pipe Cutter, 8"	Each
18	Hacksaw blade	Each
19	Screw driver Flat set	Each

20	Box spanner set	Each
21	Flat file 10"	Each
22	Copper pipe Cutter	Each
23	Pipe Vice	Each
24	Measurement Tape, 5 meter	Each
25	Rubber Lubricant, 500ml	Each
26	Cpvc solvent Cement , 200ml	Each
27	Upvc solvent Cement , 200ml	Each
28	Pvc solvent Cement , 200ml	Each
29	Holdtite , 500gram	Each
30	Hammering Drill Machine, Power Input: Minimum 750 Watts or higher, Voltage: 220–240V AC, 50Hz, No Load Speed: Minimum 0–900 RPM or better, Impact Rate: Minimum 0–4000 BPM or better, Double insulated body, Make- Makita, Bosch, Dewalt	Each
31	Ball Valve 1" (CS/GI/Brass)	Each
32	Butterfly Valve (brass - 2")	Each
33	C Clamp 4"	Each
34	Check Valve 1" (CS/GI/Brass)	Each
35	Clamp 1.5 inch SS	Each
36	Clamp 2 inch SS	Each
37	Copper Elbow (12mm)	Each
38	Copper Elbow (15mm)	Each
39	Copper Elbow (22mm)	Each
40	Copper Nipple (12mm)	Each
41	Copper Nipple (15mm)	Each
42	Copper Nipple (22mm)	Each
43	Copper Pipe (12mm) 20 ft each	Each
44	Copper Pipe (15mm) 20 ft each	Each
45	Copper Pipe (22mm) 20 ft each	Each
46	Copper Reducer (15mm to 12mm)	Each
47	Copper Reducer (22mm to 12mm)	Each
48	Copper Reducer (22mm to 15mm)	Each
49	Copper Socket (12mm)	Each
50	Copper Socket (15mm)	Each
51	Copper Socket (22mm)	Each
52	Copper Tee (12mm)	Each
53	Copper Tee (15mm)	Each
54	Copper Tee (22mm)	Each
55	Copper Union (12mm)	Each
56	Copper Union (15mm)	Each
57	Copper Union (22mm)	Each
58	PRV 1"	Each
59	Emiry Paper (100 pc - 6inch - 400 grit)	Each
60	End Cap 1"	Each
61	Fasteners (10mm)	Each

62	Gate Valve 1" (CS/GI/Brass)	Each
63	GI Cross Tee (1/2" dia)	Each
64	GI Cross Tee (3/4" dia)	Each
65	GI equal Tee (1" dia)	Each
66	GI equal Tee (1/2" dia)	Each
67	GI equal Tee (3/4" dia)	Each
68	GI female adaptor 1"	Each
69	GI female adaptor 1/2"	Each
70	GI female adaptor 3/4"	Each
71	GI male adaptor 1/2"	Each
72	GI male adaptor 3/4"	Each
73	GI Nipple (1")225 mm long	Each
74	GI Nipple (1.25")225 mm long	Each
75	GI Nipple (1.5")225 mm long	Each
76	GI Nipple (1/2")225 mm long	Each
77	GI Nipple (3/4")225 mm long	Each
78	GI Pipe (1" dia 10 ft length)	Each
79	GI Pipe (1.25" dia 10 ft length)	Each
80	GI Pipe (1.5" dia 10 ft length)	Each
81	GI Pipe (1/2" dia 10 ft length)	Each
82	GI Pipe (3/4" dia 10 ft length)	Each
83	GI Reducing Elbow (.75to .5)inch	Each
84	GI Reducing Elbow (1to .5)inch	Each
85	GI Reducing Elbow (1to .75)inch	Each
86	GI Socket (1")	Each
87	GI Socket (1.25")	Each
88	GI Socket (1/2")	Each
89	GI Socket (3/4")	Each
90	GI Unequal Tee (1" dia)	Each
91	GI Unequal Tee (1/2" dia)	Each
92	GI Unequal Tee (3/4" dia)	Each
93	Jubilee Clamp(170-190mm)	Each
94	Nut & Washer 8mm	Each
95	Reducer (Concentric)(CS/GI/Brass)	Each
96	Reducer (eccentric)(CS/GI/Brass)	Each
97	Y Strainer 1" (CS/GI/Brass)	Each
98	PVC 45 deg Elbow -3"	Each
99	PVC 45 deg Elbow -4"	Each
100	PVC Elbow - 0.75"	Each
101	PVC Elbow - 1"	Each
102	PVC Elbow - 4"	Each
103	PVC Elbow- 2"	Each
104	PVC Elbow -3"	Each
105	PVC Pipe (20ft long) - 2"	Each

106	PVC Pipe (20ft long) - 4"	Each
107	PVC Pipe (20ft long) -.75"	Each
108	PVC Pipe (20ft long) -3"	Each
109	PVC Reducer (4" to 3")	Each
110	PVC Socket - 1"	Each
111	PVC Socket - 2"	Each
112	PVC Socket -3"	Each
113	PVC Socket -4"	Each
114	PVC Tee - 1"	Each
115	PVC Tee -3"	Each
116	PVC Tee -4"	Each
117	PVC U -3"	Each
118	PVC U -4"	Each
119	PVC Union - 1"	Each
120	PVC Union -0.5"	Each
121	PVC Union-0.75"	Each
122	Threading Oil(litre) - in 2ltr can	Each
123	GI Testing Plug - 1/2"	Each
124	GI Testing Plug - 3/4"	Each
125	CPVC Pipe (20ft long) -0.5"	Each
126	CPVC Pipe (20ft long) -0.75"	Each
127	CPVC Pipe (20ft long) -1"	Each
128	CPVC Tee - 1/2"	Each
129	CPVC Tee - 3/4"	Each
130	CPVC Tee - 1"	Each
131	CPVC Tee - 0.5"	Each
132	CPVC Tee - 0.75"	Each
133	CPVC Tee - 1"	Each
134	CPVC Reducer Tee -1" x 3/4"	Each
135	CPVC Reducer Tee -3/4" x 1/2"	Each
136	CPVC Reducer Tee -1" x 1/2"	Each
137	CPVC Reducer Tee - 1" x 0.75"	Each
138	CPVC Reducer Tee - 0.75" x 0.5"	Each
139	CPVC Elbow 90 Degrees - 0.5"	Each
140	CPVC Elbow 90 Degrees - 0.75"	Each
141	CPVC Elbow 90 Degrees - 1"	Each
142	CPVC Elbow 90 Degrees Brass- 0.5"	Each
143	CPVC Elbow 90 Degrees - 0.75"	Each
144	CPVC Elbow 90 Degrees - 1"	Each
145	CPVC Reducer Elbow - 3/4" x 1/2"	Each
146	CPVC Reducer Elbow - 0.75" x 0.5"	Each
147	CPVC Reducer Elbow - 1" x 0.75"	Each
148	CPVC Elbow 45 Degrees - 0.5"	Each
149	CPVC Elbow 45 Degrees -0.75"	Each

150	CPVC Elbow 45 Degrees - 1"	Each
151	CPVC Elbow 45 Degrees - 0.5"	Each
152	CPVC Elbow 45 Degrees - 0.75"	Each
153	CPVC Elbow 45 Degrees - 1"	Each
154	CPVC Socket - 0.5"	Each
155	CPVC Socket -0.75"	Each
156	CPVC Socket - 1"	Each
157	CPVC Reducer - 1" x 3/4"	Each
158	CPVC Reducer - 0.75" x 0.5"	Each
159	CPVC Reducer - 1" x 0.5"	Each
160	CPVC Reducer - 1" x 3/4"	Each
161	CPVC Reducer - 1" x 0.5"	Each
162	CPVC Reducer Bush - 1" x 3/4"	Each
163	CPVC Reducer Bush -3/4" x 1/2"	Each
164	CPVC Reducer Bush - 0.75"x 0.5"	Each
165	CPVC Reducer Bush - 1"x 0.75"	Each
166	CPVC Reducer Bush - 1"x 0.5"	Each
167	Brass Female Elbow - 1/2"	Each
168	Brass Female Elbow - 3/4"	Each
169	Brass Female Elbow - 1"	Each
170	Brass Tee - 1/2"	Each
171	Brass Tee - 1"	Each
172	Brass FemaleThread Adapter - 1/2"	Each
173	Brass FemaleThread Adapter - 0.75"	Each
174	Brass FemaleThread Adapter - 1"	Each
175	Brass maleThread Adapter - 1/2"	Each
176	Brass maleThread Adapter - 0.75"	Each
177	Brass maleThread Adapter- 1"	Each
178	Ball Valve Brass - 0.5"	Each
179	Ball Valve Brass- 0.75"	Each
180	Ball Valve Plastic 0.5"	Each
181	Ball Valve Plastic 0.75"	Each
182	Ball Valve Plastic 1"	Each
183	UPVC Pipe (20ft long) -0.5"	Each
184	UPVC Pipe (20ft long) -0.75"	Each
185	UPVC Pipe (20ft long) -1"	Each
186	UPVC Pipe (20ft long) -2"	Each
187	UPVC Pipe (20ft long) -3"	Each
188	UPVC Tee - 1/2"	Each
189	UPVC Tee - 3/4"	Each
190	UPVC Tee - 1"	Each
191	UPVC Tee - 3"	Each
192	UPVC Reducer Tee -1" x 3/4"	Each
193	UPVC Reducer Tee -3/4" x 1/2"	Each

194	UPVC Reducer Tee -1" x 1/2"	Each
195	UPVC Reducer Tee - 2" x 1"	Each
196	UPVC Elbow 90 Degrees - 0.5"	Each
197	UPVC Elbow 90 Degrees - 0.75"	Each
198	UPVC Elbow 90 Degrees - 1"	Each
199	UPVC Reducer Elbow - 1" x 3/4"	Each
200	UPVC Reducer Elbow - 3/4" x 1/2"	Each
201	UPVC Elbow 45 Degrees -0.75"	Each
202	UPVC Elbow 45 Degrees - 1"	Each
203	UPVC Socket - 0.5"	Each
204	UPVC Socket -0.75"	Each
205	UPVC Socket - 1"	Each
206	UPVC Reducer - 1" x 3/4"	Each
207	UPVC Reducer - 0.75" x 0.5"	Each
208	UPVC Reducer Bush - 1" x 3/4"	Each
209	UPVC Reducer Bush -3/4" x 1/2"	Each
210	UPVC Reducer Bush - 1.5" x 1"	Each
211	UPVC Reducer Bush - 2"x 1"	Each
212	Comode Section - Make - Hindware/Kohler/ Roca	Each
213	Showering Section (200*200mm) - Make - Hindware/Kohler/ Roca	Each
214	Bathtub; Make - Hindware/Kohler/ Roca	Each
215	Basin Section with pedestal; Make - Hindware/Kohler/ Roca	Each
216	Basin mixer; Make - Kohler/Jaguar/Hindware	Each
217	Geyser 10ltr; Make - Bajaj/AO Smith/Crompton	Each
218	Angle Cock; Make - Kohler/Jaguar/Hindware	Each
219	Faucet; Make - Kohler/Jaguar/Hindware	Each
220	Arm; Make - Kohler/Jaguar/Hindware	Each
221	Wall Divertor; Make - Kohler/Jaguar/Hindware	Each
222	Spout; Make - Kohler/Jaguar/Hindware	Each
223	Towel Rack; Make - Kohler/Jaguar/Hindware	Each
224	Waste Trap	Each
225	Hand Shower; Make - Kohler/Jaguar/Hindware	Each
226	Wall Mixer; Make - Kohler/Jaguar/Hindware	Each
227	Masking Tapes 24mm x 48mm	Each
228	Mason Line Dori	Each
229	Nut & washer, 8mm	Each
230	Nut & washer, 10mm	Each
231	Foam insulation Tape for CDP, Length-8-10m	Each
232	Macfit Pipe Fittings	Each
233	Pressfit Fittings 1/2 inch with Pipe & Fittings Set	Each
234	Geberit Duofix Concealed Cistern Frame System	Each
235	TECEprofil Concealed Frame System	Each
236	CWS Identification Sticker Roll	Each

237	HWR Identification Sticker Roll	Each
238	HWS Identification Sticker Roll	Each
239	CDP Identification Sticker Roll	Each
240	RWP Identification Sticker Roll	Each
241	BD Identification Sticker Roll	Each
242	PVC Access Door Socket , 110mm	Each
243	GI C Channel 41 x 21 mm	Feet
244	GI C Channel 41 x 41 mm	Feet
245	Odour viega trap	Each
246	Loctite 55 Thread Sealing Cord	Each
247	HT-Safe Pipe 50mm sound proof H/L driainge pipe, 3m	Each
248	HT-Safe Pipe 75mm sound proof H/L driainge pipe, 3m	Each
249	HT-Safe Pipe 110mm sound proof H/L driainge pipe, 3m	Each
250	Macfit pipe 1/2 inch	Each
251	Macfit 1/2 inch tee	Each
252	Macfit 1/2 inch 90° Elbow	Each
253	Macfit 1/2 inch Female Elbow	Each
254	Threaded rod 10 mm	Each
255	Threaded rod 8 mm	Each
256	Anchor fastener unifix 10 mm	Each
257	Anchor fastener unifix 8 mm	Each
258	Star screw Driver flat large	Each
259	PEX pipe 1/2 inch Roll With Sleeves Red, Fitting	Each
260	PEX-al-PEX 1/2 inch Roll With Sleeves Blue, Fitting	Each
261	Water hammer Arrestor	Each
262	Multitrap	Each
263	Rubber Lined Split Clamp 1"	Each
264	Rubber Lined Split Clamp 2"	Each
265	Rubber Lined Split Clamp 3"	Each
266	Rubber Lined Split Clamp 4"	Each
267	GI Slotted Channel 40 mm x 6mtr Riser Support	Feet
268	L angle 30 x 30 mm	Feet
269	Spring nut 6mm	Each
270	Spring nut 8mm	Each
271	Plywood 4ft x 8ft, thickness 18 mm	Each

*- Freight – Ex Ranchi

2. Definitions

- **"Buyer"** means PREJHA Foundation
- **"Bidder"** means suppliers or contractors who have participated in tender
- **"The Vendor"** means the supplier or contractor or service provider to whom the Order is addressed.
- **"The Purchase Order"** means terms and conditions signed between Buyer and the Vendor governing the subject matter of this Order
- **The Goods / Services"** means the goods or services to be supplied under the Order.

3. Amendment of RFQ

At any time before the submission of Proposals, PREJHA Foundation may amend the RFQ by issuing an addendum in writing or by standard electronic means. The addendum shall be uploaded on the <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> and will be binding on them. To give Bidders reasonable time in which to take an amendment into account in their Proposals, PREJHA Foundation may, if the amendment is substantial, extend the deadline for the submission of Proposals.

4. Bidding

(to be solely done through portal)

<https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action>

- a) Offer to be submitted only on e-procurement portal. Hard copy of offer is **not required** to be submitted to PREJHA Foundation. Any offer received in Hard copy shall **not be accepted** and will stand disqualified
- b) Mode of Submission of offer: Being e-tender, offer will be solely submitted online through e-tender portal: <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> through following Application Service Providers (ASPs) appointed by PREJHA:

M/s Mjunction Services Limited, 6thFloor, Tata Centre.43 J N Road,
Kolkata – 700 071,

Contact Person: Helpdesk Officer Sumant Kumar Choudhary
9163348104, sumant.choudary@mjunction.in

- c) They may obtain further information regarding this tender from the office of PREJHA, Kalyan Gurukul, Kumarbagh Road, Arsande, Kanke, Ranchi – 834006 from 10:00 hours to 17:00 hours on all working days till the date of bidding is open.

Contact Person: Shekhar Kumar, Procurement, PREJHA
Contact No.: 9835932882
Email-ID:shekhar.k@parfi.org

- d) Bidders are expected to adequately apprise themselves regarding the procedure and provisions available on the e-procurement portal **operated/ maintained** by M/S. Mjunction services limited. Buyer shall not be responsible for any issues related to timely or proper uploading/submission of the bid.

5. Validity of Proposal

Bidders' proposals must remain **valid for a period of min** 180 days after the submission of proposal. Should the need arise, PREJHA Foundation may request Bidders to extend the validity period of their proposals. If a bidder is selected as vendor, his proposal will remain same for whole of the delivery schedule.

6. Submission of proposal

The Proposal as well as all related correspondence exchanged by the bidders and PREJHA Foundation, shall be only through the portal of mjunction and electronic means.

The offer shall be submitted as per the instructions of tender document and as detailed in this RFQ. Price shall be furnished in the relevant price schedule only. In case of any clarification, bidder may contact the concerned contact persons at m junction Services or PREJHA as listed above

7. Latest updates

Latest updates on the critical dates, Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc. to Tender Specifications will be hosted on PREJHA- mjunction webpage. Bidders to keep themselves updated with all such information. Bidders may please visit <https://eprocurement.mjunction.in/EPKV2Web/org/PREJHA/home.action> for document submission.

8. Technical Bid (incl. Pre-Qualification Criteria)

Sl. No	PQR Condition	Bidder Remarks
1	Have previously supplied similar materials to any institutional buyers preferably private or public sector companies or training enterprises within past 2 years. Previous PO/invoice copies will be required or Authorized dealer of brand mentioned in tender document	

Bidder should submit the prequalification documents at the portal.

9. Financial Proposal

Financial Proposal must be submitted in the format shared in this RFQ. Financial proposal must be shared in the same format as provided else it shall be declared non-responsive.

10. Empanelment followed by Letter of Award

1. The technical bid (incl. pre-qualification criteria) will be verified by PREJHA Foundation. The Procurement System will determine the lowest financial bid including on a possible line-item basis among the technically qualified bidders.
2. PREJHA Foundation shall award the Empanelment Contract possibly with SOR to successful bidders and then issue the purchase order that may be deemed as a Letter of Award (LOA) for the estimated order value along with terms & Conditions governing the Award and notify the same to the bidder through email. The selected bidder shall submit security deposit of 5% of the estimated order value in the form of either a bank guarantee from a scheduled bank or a PDC or a DD drawn on any scheduled bank in favor of "PanIIT Alumni Reach for Jharkhand Foundation" payable at par in Ranchi.
3. The selected bidder is expected to commence the assignment on the date and at the location specified in the LOA/Contract.
4. If the selected bidder does not sign the Contract within the stipulated period, the LOA may be cancelled, and the next lowest bidder will be considered for award of Contract.
5. If at any stage in the bidding process including after bid opening or Issuance of Purchase orders pertaining to this RFQ, PREJHA believe that the Bidders do not meet the requisite Technical criteria set out in the Bid Document or delivery schedule or that the rate quoted

exceeds its own estimates for the supply value, PREJHA reserves the right to cancel the tender or particular line item(s) without incurring any obligation or liability towards the tenderers.

6. PREJHA Foundation reserves the right to issue a part order of any 'line item' or sets of line items from BoQ in the bid to another empaneled vendor based on cost, time & quality considerations at its sole discretion. The transport cost in such cases will be on actual basis.
7. Purchase Orders & Delivery details Over the validity of this RFQ, purchase orders with specified quantity & delivery details would be issued as per requirements
8. Delivery time is the essence of this order and must be strictly adhered to. If the vendor fails to deliver the goods in time, the Buyer may, at its sole discretion:
 - Treat the order as cancelled at any time and recover any loss or damage from the vendor by invoking Security Deposit;

11. purchase the goods ordered or any part thereof from other sources on the vendor's account, in which case, the Vendor shall be liable to pay the Buyer not only the difference between the price at which such goods have been purchased and the price calculated at the rate set out in this order, but also any other loss or damage the Buyer may suffer.

12. Indicative Delivery Schedule

- Goods to be delivered at our Gurukul as per following as needed:

Sl. No	Delivery Location	Delivery Schedule
1	Kalyan Gurukul, Saraidha	Within 15 days of signing the contract
2	Kalyan Gurukul, Sahibganj	
3	Kalyan Gurukul, Chatra	
4	Kalyan Gurukul, Palamu	
5	Kalyan Gurukul, Kanke	
6	Kalyan Gurukul, Sahibganj	
7	Kalyan Gurukul, Bedo	
8	Kalyan Gurukul, Ramgarh	
9	Kalyan Gurukul, Giridih	
10	Kalyan Gurukul, Godda	
11	Kalyan Gurukul, Khunti	
12	Kalyan Gurukul, Kanke	
13	Any other institutions run by Prejha foundation across Jharkhand	

13. Payment Terms

- a. 100% within 60 days of delivery on submission of invoice & delivery challan for each unit. If the vendor delivers goods within 7 days of order confirmation, 100% payment will be done within 45 days.
- b. If a vendor fails to deliver the goods as per the delivery schedule. PREJHA foundation is entitled to delay payment by 2 days for each day delay in delivery. If such delay extends beyond 7 days, it could lead to possible forfeiture of security deposit.

14. Unloading

- a. Unloading is in Vendor's scope, cost & arrangement will be borne by Vendor.
- b. The risk of all materials till receipt at location will be in vendor's scope.

15. Quality of goods and services.

The Vendor should warrant to PREJHA that:

- The Goods and Services would conform in all respects to the Order and to recognized Indian or equivalent standards and codes (where applicable) and be at the complete satisfaction of Buyer.
- The said good/services processed and delivered by the Vendor shall be made from good quality bought out components/materials, as acceptable to the Buyer and it should have standard/excellent workmanship and fit for their intended purpose.

16. Warranty/ Guarantee

- a) The said goods/services delivered by the Vendor should be identical to the sample/specification given by the Vendor.
- b) Where the said goods/services delivered by the Vendor to the Buyer is according to sample as well as certain specification/description, if any, the said goods/services processed and delivered, shall match not only with the said sample, but also with the said specification/description.
- c) If deficiency is identified before or during the transfer of risk or during the Guarantee/warranty Period, the Vendor must at its own expense and at the discretion of the Buyer either repair the deficiency or provide re-performance of the Services or replacement of delivery. This provision also applies to delivery subject to inspection by sample test. The discretion of the Buyer shall be final.

17. Inspection

- a) All materials supplied against the order should conform strictly to the specifications laid down by the Buyer, and should be new, merchantable quality, fit for their intended purpose and should be in line with "Quality Assurance Plan", if any, which must be approved in advance by the Buyer. All such materials will be subject to inspection and approval by the Buyer, either at the Vendor's premises and/or at the place of

delivery indicated by the Buyer.

- b) The Buyer reserves the rights to inspect the material at any stage during manufacture or supply and reject the same if found defective or not in conformity with the specifications or not fit for their intended purpose without invalidating the remainder of the order, if so desired by the Buyer.

All rejected material from the Buyer's site store shall be removed by the vendor at their own cost positively within 15 days from the date of rejection note / intimation issued by the Buyer to them. In case of any failure to remove the same by the vendor within the stipulated period, the Buyer shall have all rights to remove the rejected materials/goods from their premises and discard it. Any cost on this account would be debited to vendor's account.

- c) The Buyer under no circumstances will be liable or held accountable for any damage, loss, deterioration of the rejected materials/goods for discarding the material/goods, or for any value for it.

18. Damage or loss in transit

- a) Subject to the terms of the Order, the Vendor undertakes at its own expense to replace goods lost or damaged in transit.
- b) The delivery will not be deemed to have taken place until replacement items are delivered to the satisfaction of the Buyer.

19. Ownership and risk

Subject to the terms of the delivery and without prejudice to PREJHA Foundation's other rights under the Conditions of the Order:

- a) Ownership in the Goods shall pass to PREJHA on delivery and acceptance.
- b) Risk in the Goods shall pass to PREJHA on delivery, save where the Order includes installation, in which case risk shall not pass to PREJHA until completion of the installation work.

20. Fraud/Corruption

PREJHA Foundation requires that the bidders participating in the selection process adhere to the highest ethical standards, both during the selection process and throughout the execution of the Contract.

PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has in contravention to the undertaking given in the Bid document and/or contract, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract as enshrined in the undertaking in bidding document and contract

21. Conflicting relationships

Bidder has an obligation to disclose as part of the bid document any situation of actual or potential conflict that impacts their capacity to serve the best interest of PREJHA Foundation, or that may reasonably be perceived as having this effect. Failure to disclose the said situations may lead to the disqualification of the bidder or the termination of its Contract.

22. Jurisdiction.

The disputes if any between the parties shall be subject to the exclusive jurisdiction of the courts in Ranchi alone.

STANDARD FORMS

TECH FORMS	FORM NAME	Mention list of all supporting documents attached (if any)
TECH-1	Letter of proposal submission	Pls scan & attach
Pancard	Pan card	Pls scan & attach
GST Return	Latest GST Return document(GSTR-3B)	Pls scan & attach
PQ	Pre-Qualification Document	Pls scan & attach

Form Tech 1: Letter

(On Bidder's Letter-head)
Letter of Proposal Submission

To,
Executive Director

PanIIT Alumni Reach For Jharkhand Foundation
Kalyan Complex, Balihar Road, Morabadi, Ranchi –
834008, Jharkhand

We, the undersigned, offer to supply Plumbing Training Material for PREJHA Foundation, in accordance with your Request for Quotation dated 13-05-2026. We are hereby submitting our proposal, which includes this Technical Proposal, and the Financial Proposal as indicated

We undertake the total responsibility for supply of the goods, if awarded to us.

We hereby declare that all the information and statements made in this proposal are true and accept that any misrepresentation contained in it may lead to our disqualification.

We understand that **PREJHA Foundation** is not bound to accept any proposal it receives.

We further state that we understand that PREJHA Foundation will terminate the Contract, if already awarded and will declare the bidder ineligible, either indefinitely or for a stipulated period, to be awarded a Contract, if at any time it determines that the bidder has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing a Contract.

Yours faithfully,

*Authorized Signatory [*In full and Designation*]: Name and Title of Signatory:

Name of

Bidder:

Address:

Form Fin1: Financial Bid Proforma

TENDER PROFORMA for Commercial		
PREJHA Reference No		
Name of Bidder		

Sl No.	Item descriptions	Quantity	Unit Rate	Estimated value	Tax%	Tax value	Freight
1	Ratchet die set, 1/2 ", 3/4" & 1 "	10					
2	Adjustable spanner 12 "	20					
3	Grip Plier 8", Grip Plier 10"	25					
4	Hydrostatic Pressure testing pump	10					
5	PPR Pipe Welding Machine with 1/2" to 2" Die Set	10					
6	HDPE Pipe Welding Machine	10					
7	Concrete bit 6mm	50					
8	Concrete bit 10mm	50					
9	Concrete bit 12mm	50					
10	Steel bit 6mm	50					
11	Steel bit 10mm	50					
12	Steel bit 12mm	50					
13	Combination Plier, 8"	50					
14	Grinding Wheel 4" for Steel Cutting	100					
15	Marble cutting wheel 4"	50					
16	Grinding wheel 4"	50					
17	PPR pipe Cutter, 8"	30					
18	Hacksaw blade	500					
19	Screw driver Flat set	20					
20	Box spanner set	20					
21	Flat file 10"	40					
22	Copper pipe Cutter	30					
23	Pipe Vice	30					
24	Measurement Tape, 5 meter	100					
25	Rubber Lubricant, 500ml	50					
26	Cpvc solvent Cement , 200ml	50					
27	Upvc solvent Cement , 200ml	50					
28	Pvc solvent Cement , 200ml	50					
29	Holdtite , 500gram	50					
30	Hammering Drill Machine, Power Input: Minimum 750 Watts or higher, Voltage: 220–240V AC, 50Hz, No Load Speed: Minimum 0–900 RPM or better, Impact Rate: Minimum 0–4000 BPM or better, Double insulated body, Make- Makita, Bosch, Dewalt	10					
31	Ball Valve 1" (CS/GI/Brass)	20					
32	Butterfly Valve (brass - 2")	10					
33	C Clamp 4"	250					
34	Check Valve 1" (CS/GI/Brass)	10					

35	Clamp 1.5 inch SS	100					
36	Clamp 2 inch SS	100					
37	Copper Elbow (12mm)	100					
38	Copper Elbow (15mm)	100					
39	Copper Elbow (22mm)	100					
40	Copper Nipple (12mm)	100					
41	Copper Nipple (15mm)	100					
42	Copper Nipple (22mm)	100					
43	Copper Pipe (12mm) 20 ft each	50					
44	Copper Pipe (15mm) 20 ft each	50					
45	Copper Pipe (22mm) 20 ft each	20					
46	Copper Reducer (15mm to 12mm)	50					
47	Copper Reducer (22mm to 12mm)	50					
48	Copper Reducer (22mm to 15mm)	50					
49	Copper Socket (12mm)	50					
50	Copper Socket (15mm)	50					
51	Copper Socket (22mm)	50					
52	Copper Tee (12mm)	50					
53	Copper Tee (15mm)	50					
54	Copper Tee (22mm)	50					
55	Copper Union (12mm)	50					
56	Copper Union (15mm)	50					
57	Copper Union (22mm)	50					
58	PRV 1"	20					
59	Emiry Paper (100 pc - 6inch - 400 grit)	100					
60	End Cap 1"	100					
61	Fasteners (10mm)	200					
62	Gate Valve 1" (CS/GI/Brass)	20					
63	GI Cross Tee (1/2" dia)	100					
64	GI Cross Tee (3/4" dia)	100					
65	GI equal Tee (1" dia)	100					
66	GI equal Tee (1/2" dia)	100					
67	GI equal Tee (3/4" dia)	100					
68	GI female adaptor 1"	100					
69	GI female adaptor 1/2"	100					
70	GI female adaptor 3/4"	100					
71	GI male adaptor 1/2"	100					
72	GI male adaptor 3/4"	100					
73	GI Nipple (1")225 mm long	100					
74	GI Nipple (1.25")225 mm long	100					
75	GI Nipple (1.5")225 mm long	100					
76	GI Nipple (1/2")225 mm long	100					
77	GI Nipple (3/4")225 mm long	100					
78	GI Pipe (1" dia 10 ft length)	40					
79	GI Pipe (1.25" dia 10 ft length)	40					

80	GI Pipe (1.5" dia 10 ft length)	40				
81	GI Pipe (1/2" dia 10 ft length)	40				
82	GI Pipe (3/4" dia 10 ft length)	40				
83	GI Reducing Elbow (.75to .5)inch	100				
84	GI Reducing Elbow (1to .5)inch	100				
85	GI Reducing Elbow (1to .75)inch	100				
86	GI Socket (1")	100				
87	GI Socket (1.25")	100				
88	GI Socket (1/2")	100				
89	GI Socket (3/4")	100				
90	GI Unequal Tee (1" dia)	100				
91	GI Unequal Tee (1/2" dia)	100				
92	GI Unequal Tee (3/4" dia)	100				
93	Jubilee Clamp(170-190mm)	100				
94	Nut & Washer 8mm	100				
95	Reducer (Concentric)(CS/GI/Brass)	100				
96	Reducer (eccentric)(CS/GI/Brass)	100				
97	Y Strainer 1" (CS/GI/Brass)	100				
98	PVC 45 deg Elbow -3"	100				
99	PVC 45 deg Elbow -4"	100				
100	PVC Elbow - 0.75"	100				
101	PVC Elbow - 1"	100				
102	PVC Elbow - 4"	100				
103	PVC Elbow- 2"	100				
104	PVC Elbow -3"	100				
105	PVC Pipe (20ft long) - 2"	50				
106	PVC Pipe (20ft long) - 4"	50				
107	PVC Pipe (20ft long) -.75"	50				
108	PVC Pipe (20ft long) -3"	50				
109	PVC Reducer (4" to 3")	50				
110	PVC Socket - 1"	50				
111	PVC Socket - 2"	50				
112	PVC Socket -3"	50				
113	PVC Socket -4"	50				
114	PVC Tee - 1"	50				
115	PVC Tee -3"	50				
116	PVC Tee -4"	50				
117	PVC U -3"	50				
118	PVC U -4"	50				
119	PVC Union - 1"	50				
120	PVC Union -0.5"	50				
121	PVC Union-0.75"	50				
122	Threading Oil(litre) - in 2ltr can	50				
123	GI Testing Plug - 1/2"	50				
124	GI Testing Plug - 3/4"	50				

125	CPVC Pipe (20ft long) -0.5"	50					
126	CPVC Pipe (20ft long) -0.75"	50					
127	CPVC Pipe (20ft long) -1"	50					
128	CPVC Tee - 1/2"	50					
129	CPVC Tee - 3/4"	50					
130	CPVC Tee - 1"	50					
131	CPVC Tee - 0.5"	50					
132	CPVC Tee - 0.75"	50					
133	CPVC Tee - 1"	50					
134	CPVC Reducer Tee -1" x 3/4"	50					
135	CPVC Reducer Tee -3/4" x 1/2"	50					
136	CPVC Reducer Tee -1" x 1/2"	50					
137	CPVC Reducer Tee - 1" x 0.75"	50					
138	CPVC Reducer Tee - 0.75" x 0.5"	50					
139	CPVC Elbow 90 Degrees - 0.5"	50					
140	CPVC Elbow 90 Degrees - 0.75"	50					
141	CPVC Elbow 90 Degrees - 1"	50					
142	CPVC Elbow 90 Degrees Brass- 0.5"	50					
143	CPVC Elbow 90 Degrees - 0.75"	50					
144	CPVC Elbow 90 Degrees - 1"	50					
145	CPVC Reducer Elbow - 3/4" x 1/2"	50					
146	CPVC Reducer Elbow - 0.75" x 0.5"	50					
147	CPVC Reducer Elbow - 1" x 0.75"	50					
148	CPVC Elbow 45 Degrees - 0.5"	50					
149	CPVC Elbow 45 Degrees -0.75"	50					
150	CPVC Elbow 45 Degrees - 1"	50					
151	CPVC Elbow 45 Degrees - 0.5"	50					
152	CPVC Elbow 45 Degrees - 0.75"	50					
153	CPVC Elbow 45 Degrees - 1"	50					
154	CPVC Socket - 0.5"	50					
155	CPVC Socket -0.75"	50					
156	CPVC Socket - 1"	50					
157	CPVC Reducer - 1" x 3/4"	50					
158	CPVC Reducer - 0.75" x 0.5"	50					
159	CPVC Reducer - 1" x 0.5"	50					
160	CPVC Reducer - 1" x 3/4"	50					
161	CPVC Reducer - 1" x 0.5"	50					
162	CPVC Reducer Bush - 1" x 3/4"	50					
163	CPVC Reducer Bush -3/4" x 1/2"	50					
164	CPVC Reducer Bush - 0.75"x 0.5"	50					
165	CPVC Reducer Bush - 1"x 0.75"	50					
166	CPVC Reducer Bush - 1"x 0.5"	50					
167	Brass Female Elbow - 1/2"	50					
168	Brass Female Elbow - 3/4"	50					
169	Brass Female Elbow - 1"	50					

170	Brass Tee - 1/2"	50				
171	Brass Tee - 1"	50				
172	Brass FemaleThread Adapter - 1/2"	50				
173	Brass FemaleThread Adapter - 0.75"	50				
174	Brass FemaleThread Adapter - 1"	50				
175	Brass maleThread Adapter - 1/2"	50				
176	Brass maleThread Adapter - 0.75"	50				
177	Brass maleThread Adapter- 1"	50				
178	Ball Valve Brass - 0.5"	50				
179	Ball Valve Brass- 0.75"	50				
180	Ball Valve Plastic 0.5"	50				
181	Ball Valve Plastic 0.75"	50				
182	Ball Valve Plastic 1"	50				
183	UPVC Pipe (20ft long) -0.5"	50				
184	UPVC Pipe (20ft long) -0.75"	50				
185	UPVC Pipe (20ft long) -1"	50				
186	UPVC Pipe (20ft long) -2"	50				
187	UPVC Pipe (20ft long) -3"	20				
188	UPVC Tee - 1/2"	50				
189	UPVC Tee - 3/4"	50				
190	UPVC Tee - 1"	50				
191	UPVC Tee - 3"	50				
192	UPVC Reducer Tee -1" x 3/4"	50				
193	UPVC Reducer Tee -3/4" x 1/2"	50				
194	UPVC Reducer Tee -1" x 1/2"	50				
195	UPVC Reducer Tee - 2" x 1"	50				
196	UPVC Elbow 90 Degrees - 0.5"	50				
197	UPVC Elbow 90 Degrees - 0.75"	50				
198	UPVC Elbow 90 Degrees - 1"	50				
199	UPVC Reducer Elbow - 1" x 3/4"	50				
200	UPVC Reducer Elbow - 3/4" x 1/2"	50				
201	UPVC Elbow 45 Degrees -0.75"	50				
202	UPVC Elbow 45 Degrees - 1"	50				
203	UPVC Socket - 0.5"	50				
204	UPVC Socket -0.75"	50				
205	UPVC Socket - 1"	50				
206	UPVC Reducer - 1" x 3/4"	50				
207	UPVC Reducer - 0.75" x 0.5"	50				
208	UPVC Reducer Bush - 1" x 3/4"	50				
209	UPVC Reducer Bush -3/4" x 1/2"	50				
210	UPVC Reducer Bush - 1.5" x 1"	50				
211	UPVC Reducer Bush - 2"x 1"	50				
212	Comode Section - Make - Hindware/Kohler/ Roca	10				
213	Showering Section (200*200mm) - Make - Hindware/Kohler/ Roca	10				
214	Bath tub; Make - Hindware/Kohler/ Roca	10				

215	Basin Section with pedestal; Make - Hindware/Kohler/ Roca	10				
216	Basin mixer; Make - Kohler/Jaguar/Hindware	10				
217	Geyser 10ltr; Make - Bajaj/AO Smith/Crompton	10				
218	Angle Cock; Make - Kohler/Jaguar/Hindware	50				
219	Faucet; Make - Kohler/Jaguar/Hindware	20				
220	Arm; Make - Kohler/Jaguar/Hindware	20				
221	Wall Divertor; Make - Kohler/Jaguar/Hindware	20				
222	Spout; Make - Kohler/Jaguar/Hindware	20				
223	Towel Rack; Make - Kohler/Jaguar/Hindware	20				
224	Waste Trap	20				
225	Hand Shower; Make - Kohler/Jaguar/Hindware	20				
226	Wall Mixer; Make - Kohler/Jaguar/Hindware	20				
227	Masking Tapes 24mm x 48mm	20				
228	Mason Line Dori	20				
229	Nut & washer, 8mm	500				
230	Nut & washer, 10mm	500				
231	Foam insulation Tape for CDP, Length-8-10m	100				
232	Macfit Pipe Fittings	10				
233	Pressfit Fittings 1/2 inch with Pipe & Fittings Set	30				
234	Geberit Duofix Concealed Cistern Frame System	5				
235	TECEprofil Concealed Frame System	5				
236	CWS Identification Sticker Roll	50				
237	HWR Identification Sticker Roll	50				
238	HWS Identification Sticker Roll	50				
239	CDP Identification Sticker Roll	50				
240	RWP Identification Sticker Roll	50				
241	BD Identification Sticker Roll	50				
242	PVC Access Door Socket , 110mm	12				
243	GI C Channel 41 x 21 mm	400				
244	GI C Channel 41 x 41 mm	400				
245	Odour viega trap	20				
246	Loctite 55 Thread Sealing Cord	30				
247	HT-Safe Pipe 50mm sound proof H/L driainge pipe, 3m	60				
248	HT-Safe Pipe 75mm sound proof H/L driainge pipe, 3m	60				
249	HT-Safe Pipe 110mm sound proof H/L driainge pipe, 3m	60				
250	Macfit pipe 1/2 inch	40				
251	Macfit 1/2 inch tee	40				
252	Macfit 1/2 inch 90° Elbow	40				
253	Macfit 1/2 inch Female Elbow	40				
254	Threaded rod 10 mm	50				
255	Threaded rod 8 mm	50				
256	Anchor fastener unifix 10 mm	500				
257	Anchor fastener unifix 8 mm	500				
258	Star screw Driver flat large	40				
259	PEX pipe 1/2 inch Roll With Sleeves Red, Fitting	20				

260	PEX-al-PEX 1/2 inch Roll With Sleeves Blue, Fitting	20					
261	Water hammer Arrestor	50					
262	Multitrap	50					
263	Rubber Lined Split Clamp 1"	50					
264	Rubber Lined Split Clamp 2"	50					
265	Rubber Lined Split Clamp 3"	50					
266	Rubber Lined Split Clamp 4"	50					
267	GI Slotted Channel 40 mm x 6mtr Riser Support	400					
268	L angle 30 x 30 mm	400					
269	Spring nut 6mm	800					
270	Spring nut 8mm	800					
271	Plywood 4ft x 8ft, thickness 18 mm	50					

(*- Freight – Ex Ranchi)